





- (DE) Montageanleitung
- (FR) Notice d'instructions
- (GB) Mounting instructions
- (NL) Montage instructie
- (DK) Monteringsvejledning
- (FI) Asennusohje
- (NO) Montasjeanvisning
- (SE) Monterings instruktioner
- (IT) Istruzioni di montaggio
- (ES) Instrucciones de montaje
- (PT) Instruções de montagem
- (CZ) Montážní návod
- (BA) Uputstvo za montažu

- (HR) Upute za montažu
- (HU) Szerelési útmutató
- (LT) Montavimo instrukcija
- (LV) Mont žas instrukcija
- (PL) Instrukcja montażowa
- (RO) Instrucțiuni de montare
- (SK) Návod na montáž
- (RU) Инструкция по монтажу
- (BG) Инструкции за монтаж
- (GR) Οδηγίες χώνευσης
- (SI) Navodilo za montažo
- (EE) Paigaldusjuhised
- (IS) Leiðbeiningar

**quadro evo**  
enclosure busbar system






W	W1	H	H1	D
450	350	1900	1800	400
700	600			600
900	800	2100	2000	600
1000	600			800



#### Aluminium Busbar



Current IP31 / IP55	Enclosure depth = D	Icw 1s / kA	Ipk / kA	A mm max	B mm max	C mm min
800	400	40	84	150	300	70
800	400	35	73,5	150	300	70
800	400	30	63	150	300	70
800	400	25	52,5	150	300	70
800	400	15	30	150	300	70
1250	400	52	114,4	150	300	70
1250	400	40	84	150	300	70
1250	400	35	73,5	150	300	70
1250	400	30	63	150	300	70
1250	400	25	52,5	150	300	70
1250	400	15	30	150	300	70
1600	400	70	154	125	250	70
1600	400	65	143	125	250	70
1600	400	52	114,4	125	250	70
1600	400	40	84	125	250	70
1600	400	35	73,5	125	250	70
1600	400	30	63	125	250	70
1600	400	25	52,5	125	250	70
1600	400	15	30	125	250	70
800	600 / 800	40	84	150	300	100
800	600 / 800	35	73,5	150	300	100
800	600 / 800	30	63	150	300	100
800	600 / 800	25	52,5	150	300	100
800	600 / 800	15	30	150	300	100
1250	600 / 800	52	114,4	150	300	100
1250	600 / 800	40	84	150	300	100
1250	600 / 800	35	73,5	150	300	100
1250	600 / 800	30	63	150	300	100
1250	600 / 800	25	52,5	150	300	100
1250	600 / 800	15	30	150	300	100
1600	600 / 800	70	154	125	250	100
1600	600 / 800	65	143	125	250	100
1600	600 / 800	52	114,4	125	250	100
1600	600 / 800	40	84	125	250	100
1600	600 / 800	35	73,5	125	250	100
1600	600 / 800	30	63	125	250	100
1600	600 / 800	25	52,5	125	250	100
1600	600 / 800	15	30	125	250	100










	Z
UC300BB	300
UC400BB (*)	400
UC500BB	500
UC600BB (*)	600
UC700BB	700
UC800BB	800


(\*) = FLIGHT SUPPORTS


UC825BB



















	In(A)	L
UC918800AL	800	1800
UC918125AL	1250	1800
UC918160AL	1600	1800
UC920800AL	800	2000
UC920125AL	1250	2000
UC920160AL	1600	2000

UC000BB
























**UC825BB**





In	E	F
≤ 1250 A	80	125
> 1250 A	105	175




















	L
UC98255	25
UC98405	40









	L
UC98255	25
UC98405	40





Main Busbar IP31 / IP55	Enclosure depth = D	Icw 1s / kA	Ipk / kA	A mm MAX	B mm MAX	C mm MIN	Secondary Busbar IP31 / IP55	Icw 1s / kA	Ipk / kA	A mm MAX	B mm MAX	C mm MIN	Secondary Busbar IP31 / IP55	Icw 1s / kA	Ipk / kA	A mm MAX	B mm MAX	C mm MIN	
																			800
800	400	40	84	150	300	70	x	x	x	x	x	x	x	x	x	x	x	x	x
800	400	35	73,5	150	300	70	x	x	x	x	x	x	x	x	x	x	x	x	x
800	400	25	52,5	150	300	70	x	x	x	x	x	x	x	x	x	x	x	x	x
800	400	15	30	150	300	70	x	x	x	x	x	x	x	x	x	x	x	x	x
1250	400	52	114,4	150	300	70	x	52	114,4	150	300	70	x	52	114,4	150	300	70	x
1250	400	40	84	150	300	70	x	40	84	150	300	70	x	40	84	150	300	70	x
1250	400	35	73,5	150	300	70	x	35	73,5	150	300	70	x	35	73,5	150	300	70	x
1250	400	30	63	150	300	70	x	30	63	150	300	70	x	30	63	150	300	70	x
1250	400	25	52,5	150	300	70	x	25	52,5	150	300	70	x	25	52,5	150	300	70	x
1250	400	15	30	150	300	70	x	15	30	150	300	70	x	15	30	150	300	70	x
1600	400	70	154	125	250	70	x	70	154	125	250	70	x	70	154	125	250	70	x
1600	400	65	143	125	250	70	x	65	143	125	250	70	x	65	143	125	250	70	x
1600	400	52	114,4	125	250	70	x	52	114,4	125	250	70	x	52	114,4	125	250	70	x
1600	400	40	84	125	250	70	x	40	84	125	250	70	x	40	84	125	250	70	x
1600	400	35	73,5	125	250	70	x	35	73,5	125	250	70	x	35	73,5	125	250	70	x
1600	400	30	63	125	250	70	x	30	63	125	250	70	x	30	63	125	250	70	x
1600	400	25	52,5	125	250	70	x	25	52,5	125	250	70	x	25	52,5	125	250	70	x
1600	400	15	30	125	250	70	x	15	30	125	250	70	x	15	30	125	250	70	x
800	600/800	40	84	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
800	600/800	35	73,5	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
800	600/800	30	63	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
800	600/800	15	30	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
1250	600/800	52	114,4	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
1250	600/800	40	84	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
1250	600/800	35	73,5	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
1250	600/800	30	63	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
1250	600/800	15	30	150	300	100	x	x	x	x	x	x	x	x	x	x	x	x	x
1600	600/800	70	154	125	250	100	x	70	154	125	250	100	x	70	154	125	250	100	x
1600	600/800	65	143	125	250	100	x	65	143	125	250	100	x	65	143	125	250	100	x
1600	600/800	52	114,4	125	250	100	x	52	114,4	125	250	100	x	52	114,4	125	250	100	x
1600	600/800	40	84	125	250	100	x	40	84	125	250	100	x	40	84	125	250	100	x
1600	600/800	35	73,5	125	250	100	x	35	73,5	125	250	100	x	35	73,5	125	250	100	x
1600	600/800	30	63	125	250	100	x	30	63	125	250	100	x	30	63	125	250	100	x
1600	600/800	25	52,5	125	250	100	x	25	52,5	125	250	100	x	25	52,5	125	250	100	x
1600	600/800	15	30	125	250	100	x	15	30	125	250	100	x	15	30	125	250	100	x
800	600/800	40	84	150	300	100	x	40	84	150	300	100	x	40	84	150	300	100	x
800	600/800	35	73,5	150	300	100	x	35	73,5	150	300	100	x	35	73,5	150	300	100	x
800	600/800	30	63	150	300	100	x	30	63	150	300	100	x	30	63	150	300	100	x
800	600/800	15	30	150	300	100	x	15	30	150	300	100	x	15	30	150	300	100	x
1250	600/800	52	114,4	150	300	100	x	52	114,4	150	300	100	x	52	114,4	150	300	100	x
1250	600/800	40	84	150	300	100	x	40	84	150	300	100	x	40	84	150	300	100	x
1250	600/800	35	73,5	150	300	100	x	35	73,5	150	300	100	x	35	73,5	150	300	100	x
1250	600/800	30	63	150	300	100	x	30	63	150	300	100	x	30	63	150	300	100	x
1250	600/800	15	30	150	300	100	x	15	30	150	300	100	x	15	30	150	300	100	x
1600	600/800	70	154	125	250	100	x	70	154	125	250	100	x	70	154	125	250	100	x
1600	600/800	65	143	125	250	100	x	65	143	125	250	100	x	65	143	125	250	100	x
1600	600/800	52	114,4	125	250	100	x	52	114,4	125	250	100	x	52	114,4	125	250	100	x
1600	600/800	40	84	125	250	100	x	40	84	125	250	100	x	40	84	125	250	100	x
1600	600/800	35	73,5	125	250	100	x	35	73,5	125	250	100	x	35	73,5	125	250	100	x
1600	600/800	30	63	125	250	100	x	30	63	125	250	100	x	30	63	125	250	100	x
1600	600/800	25	52,5	125	250	100	x	25	52,5	125	250	100	x	25	52,5	125	250	100	x
1600	600/800	15	30	125	250	100	x	15	30	125	250	100	x	15	30	125	250	100	x





Copper Busbar

Current IP31	Current IP55	Enclosure depth = D	Cross section / mm	I <sub>cw</sub> 1s / kA	I <sub>pk</sub> / kA	A mm MAX	B mm MAX	C mm MIN
500	500	400	50x5x1	40	84	100	225	70
500	500	400	50x5x1	35	73,5	100	225	70
500	500	400	50x5x1	30	63	100	225	70
500	500	400	50x5x1	25	52,5	125	275	70
500	500	400	50x5x1	15	30	225	475	70
630	630	400	63x5x1	52	114,4	100	225	70
630	630	400	63x5x1	40	84	100	225	70
630	630	400	63x5x1	35	73,5	110	225	70
630	630	400	63x5x1	30	63	125	250	70
630	630	400	63x5x1	25	52,5	150	300	70
630	630	400	63x5x1	15	30	250	525	70
800	800	400	80x5x1	65	143	100	225	70
800	800	400	80x5x1	52	114,4	100	225	70
800	800	400	80x5x1	40	84	100	225	70
800	800	400	80x5x1	35	73,5	125	250	70
800	800	400	80x5x1	30	63	150	300	70
800	800	400	80x5x1	25	52,5	175	350	70
800	800	400	80x5x1	15	30	300	600	70
1000	1000	400	100x5x1	65	143	100	225	70
1000	1000	400	100x5x1	52	114,4	100	225	70
1000	1000	400	100x5x1	40	84	125	250	70
1000	1000	400	100x5x1	35	73,5	125	275	70
1000	1000	400	100x5x1	30	63	150	325	70
1000	1000	400	100x5x1	25	52,5	200	400	70
1000	1000	400	100x5x1	15	30	325	675	70
1250	1250	400	80x10x1	85	187	100	225	70
1250	1250	400	80x10x1	75	165	100	225	70
1250	1250	400	80x10x1	70	154	125	250	70
1250	1250	400	80x10x1	65	143	125	275	70
1250	1250	400	80x10x1	52	114,4	175	350	70
1250	1250	400	80x10x1	40	84	225	450	70
1250	1250	400	80x10x1	35	73,5	250	500	70
1250	1250	400	80x10x1	30	63	300	600	70
1250	1250	400	80x10x1	25	52,5	350	725	70
1250	1250	400	80x10x1	15	30	425	850	70



Current IP31	Current IP55	Enclosure depth = D	Cross section / mm	Icw 1s / kA	Ipk / kA	A mm MAX	B mm MAX	C mm MIN
1600	1600	400	120x10x1	85	187	100	225	70
1600	1600	400	120x10x1	75	165	125	275	70
1600	1600	400	120x10x1	70	154	150	300	70
1600	1600	400	120x10x1	65	143	150	325	70
1600	1600	400	120x10x1	52	114,4	200	425	70
1600	1600	400	120x10x1	40	84	275	550	70
1600	1600	400	120x10x1	35	73,5	300	625	70
1600	1600	400	120x10x1	30	63	350	725	70
1600	1600	400	120x10x1	25	52,5	425	850	70
1600	1600	400	120x10x1	15	30	425	850	70

630	630	600	63x5x1	52	114,4	110	225	100
630	630	600	63x5x1	40	84	125	250	100
630	630	600	63x5x1	35	73,5	150	300	100
630	630	600	63x5x1	30	63	175	350	100
630	630	600	63x5x1	25	52,5	200	427	100
630	630	600	63x5x1	15	30	350	700	100

800	800	600	80x5x1	65	143	100	225	100
800	800	600	80x5x1	52	114,4	100	225	100
800	800	600	80x5x1	40	84	150	300	100
800	800	600	80x5x1	35	73,5	150	325	100
800	800	600	80x5x1	30	63	200	400	100
800	800	600	80x5x1	25	52,5	225	475	100
800	800	600	80x5x1	15	30	400	800	100

1000	1000	600	100x5x1	85	187	100	225	100
1000	1000	600	100x5x1	75	165	100	225	100
1000	1000	600	100x5x1	70	154	100	225	100
1000	1000	600	100x5x1	65	143	100	225	100
1000	1000	600	100x5x1	52	114,4	125	250	100
1000	1000	600	100x5x1	40	84	150	325	100
1000	1000	600	100x5x1	35	73,5	175	375	100
1000	1000	600	100x5x1	30	63	225	450	100
1000	1000	600	100x5x1	25	52,5	250	525	100
1000	1000	600	100x5x1	15	30	425	850	100

1250	1250	600	80x10x1	85	187	150	300	100
1250	1250	600	80x10x1	75	165	150	325	100
1250	1250	600	80x10x1	70	154	150	325	100
1250	1250	600	80x10x1	65	143	175	375	100
1250	1250	600	80x10x1	52	114,4	225	450	100
1250	1250	600	80x10x1	40	84	300	600	100
1250	1250	600	80x10x1	35	73,5	325	675	100
1250	1250	600	80x10x1	30	63	400	800	100
1250	1250	600	80x10x1	25	52,5	425	850	100
1250	1250	600	80x10x1	15	30	425	850	100





1600	1600	600	120x10x1	85	187	175	350	100
1600	1600	600	120x10x1	75	165	175	375	100
1600	1600	600	120x10x1	70	154	175	375	100
1600	1600	600	120x10x1	65	143	225	450	100
1600	1600	600	120x10x1	52	114,4	275	575	100
1600	1600	600	120x10x1	40	84	350	725	100
1600	1600	600	120x10x1	35	73,5	425	850	100
1600	1600	600	120x10x1	30	63	425	850	100
1600	1600	600	120x10x1	25	52,5	425	850	100
1600	1600	600	120x10x1	15	30	425	850	100


2000	1700	800	80x10x2	85	187	150	325	125
2000	1700	800	80x10x2	75	165	150	325	125
2000	1700	800	80x10x2	70	154	150	325	125
2000	1700	800	80x10x2	65	143	175	375	125
2000	1700	800	80x10x2	52	114,4	225	475	125
2000	1700	800	80x10x2	40	84	300	625	125
2000	1700	800	80x10x2	35	73,5	350	700	125
2000	1700	800	80x10x2	30	63	400	825	125
2000	1700	800	80x10x2	25	52,5	425	850	125
2000	1700	800	80x10x2	15	30	425	850	125



2500	2125	800	100x10x2	85	187	150	325	150
2500	2125	800	100x10x2	75	165	175	375	150
2500	2125	800	100x10x2	70	154	200	400	150
2500	2125	800	100x10x2	65	143	225	450	150
2500	2125	800	100x10x2	52	114,4	275	550	150
2500	2125	800	100x10x2	40	84	350	725	150
2500	2125	800	100x10x2	35	73,5	400	825	150
2500	2125	800	100x10x2	30	63	425	850	150
2500	2125	800	100x10x2	25	52,5	425	850	150
2500	2125	800	100x10x2	15	30	425	850	150









3200	2720	800	100x10x3	85	187	200	400	150
3200	2720	800	100x10x3	75	165	225	475	150
3200	2720	800	100x10x3	70	154	225	475	150
3200	2720	800	100x10x3	65	143	275	550	150
3200	2720	800	100x10x3	52	114,4	325	675	150
3200	2720	800	100x10x3	40	84	425	850	150
3200	2720	800	100x10x3	35	73,5	425	850	150
3200	2720	800	100x10x3	30	63	425	851	150
3200	2720	800	100x10x3	25	52,5	425	852	150
3200	2720	800	100x10x3	15	30	425	853	150


4000	3400	800	120x10x3	85	187	200	400	150
4000	3400	800	120x10x3	75	165	250	525	150
4000	3400	800	120x10x3	70	154	275	575	150
4000	3400	800	120x10x3	65	143	300	625	150
4000	3400	800	120x10x3	52	114,4	375	775	150
4000	3400	800	120x10x3	40	84	425	850	150
4000	3400	800	120x10x3	35	73,5	425	850	150
4000	3400	800	120x10x3	30	63	425	850	150
4000	3400	800	120x10x3	25	52,5	425	850	150
4000	3400	800	120x10x3	15	30	425	850	150










	Nxth
UC825BB	2x5
UC8110BB	1x10
UC8210BB	2x10
UC8310BB	3x10














UC000BB












	Nxth
UC825BB	2x5
UC8110BB	1x10
UC8210BB	2x10
UC8310BB	3x10











In	E	F
≤ 1250 A	80	125
> 1250 A	105	175














	Nxth
UC825BB	2x5
UC8110BB	1x10
UC8210BB	2x10
UC8310BB	3x10














ALUMINUM SECONDARY BUSBAR

COPPER MAIN BUSBAR										ALUMINUM SECONDARY BUSBAR									
Main Busbar Current (IP11)	Main Busbar End-use Depth = D	Enclosure IP55	Cross section / mm <sup>2</sup>	low 1s / IKA	low 1s / IKA	Amm MAX	Bamm MAX	Camm MIN	Secondary IP31 / IP55	low 1s / IKA	Amm MAX	Bamm MAX	Camm MIN	Secondary IP31 / IP55	low 1s / IKA	Amm MAX	Bamm MAX	Camm MIN	
500	500	400	50x5x1	40	84	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5x1	35	73.5	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5x1	30	63	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5x1	25	52.5	125	250	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5x1	20	42	144	275	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5x1	52	114.4	100	225	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5x1	40	84	100	225	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5x1	35	73.5	100	225	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5x1	30	63	125	250	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5x1	25	52.5	150	300	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5x1	15	30	250	525	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	65	143	100	225	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	50	114.4	100	225	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	40	84	100	225	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	35	73.5	125	250	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	30	63	150	300	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	25	52.5	175	350	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5x1	15	30	300	600	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	65	143	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	50	114.4	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	40	84	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	35	73.5	125	250	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	30	63	150	300	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	25	52.5	200	400	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5x1	15	30	325	675	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	85	187	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	75	165	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	70	154	125	250	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	65	143	125	275	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	52	114.4	175	350	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	40	84	225	450	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	35	73.5	250	500	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	30	63	300	600	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	25	52.5	350	700	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	15	30	425	850	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	85	187	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	75	165	125	275	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	70	154	150	300	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	65	143	150	325	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	52	114.4	200	425	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	40	84	275	550	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	35	73.5	300	625	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	30	63	350	725	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	25	52.5	425	850	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	15	30	425	850	70	x	x	x	x	x	x	x	x	x	x	x

ALUMINIUM SECONDARY BUSBAR

COPPER MAIN BUSBAR

Main Busbar Current (P31)	Main Busbar Endorsement (P31)	Main Busbar Depth = D	Main Busbar Cross-section / mm <sup>2</sup>	Secondary IP31/IP55	low 1s / I <sub>ka</sub>	I <sub>pk</sub> / I <sub>ka</sub>	A <sub>mm</sub> MAX	B <sub>mm</sub> MAX	C <sub>mm</sub> MIN	Secondary IP31/IP55	low 1s / I <sub>ka</sub>	I <sub>pk</sub> / I <sub>ka</sub>	A <sub>mm</sub> MAX	B <sub>mm</sub> MAX	C <sub>mm</sub> MIN	Secondary IP31/IP55	low 1s / I <sub>ka</sub>	I <sub>pk</sub> / I <sub>ka</sub>	A <sub>mm</sub> MAX	B <sub>mm</sub> MAX	C <sub>mm</sub> MIN	
																						low 1s / I <sub>ka</sub>
630	630	600	63x51	52	114,4	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
630	630	600	63x51	40	84	125	250	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
630	630	600	63x51	35	73,5	150	300	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
630	630	600	63x51	30	63	175	350	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
630	630	600	63x51	25	52,5	200	400	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
800	800	600	80x51	65	143	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
800	800	600	80x51	52	114,4	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
800	800	600	80x51	40	84	150	300	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
800	800	600	80x51	35	73,5	150	325	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
800	800	600	80x51	30	63	200	400	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
800	800	600	80x51	25	52,5	225	475	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	115	287	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	75	187	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	70	165	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	65	143	100	225	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	52	114,4	125	250	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	40	84	150	325	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	35	73,5	175	375	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	30	63	225	450	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000	1000	600	100x51	25	52,5	250	525	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	100x51	15	30	425	850	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	85	187	150	300	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	75	165	150	325	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	70	154	150	325	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	65	143	175	375	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	60	114,4	225	450	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	40	84	300	600	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	35	73,5	325	675	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	30	63	400	800	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	25	52,5	425	850	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1250	1250	600	80x10x1	15	30	425	850	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	85	187	175	350	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	75	165	175	375	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	70	154	175	375	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	65	143	225	450	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	60	114,4	275	575	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	40	84	350	725	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	35	73,5	425	850	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	30	63	425	850	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	25	52,5	475	925	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1600	1600	600	120x10x1	15	30	425	850	100	X	X	X	X	X	X	X	X	X	X	X	X	X	X

ALUMINIUM SECONDARY BUSBAR

COPPER MAIN BUSBAR										ALUMINIUM SECONDARY BUSBAR											
Main Busbar Current	Main Enduse Current	Enduse depth = D	Section / mm	low 1s/1kA	low 1s/1kA	Amm MAX	Bamm MAX	Cmm MIN	Secondary IP31/IP55	low 1s/1kA	low 1s/1kA	Amm MAX	Bamm MAX	Cmm MIN	Secondary IP31/IP55	low 1s/1kA	low 1s/1kA	Amm MAX	Bamm MAX	Cmm MIN	
2000	1700	800	80x10x2	85	187	150	325	125	x	x	x	x	x	x	x	x	x	x	x	x	x
2000	1700	800	80x10x2	75	154	125	250	125	x	x	x	x	x	x	x	x	x	x	x	x	x
2000	1700	800	80x10x2	65	143	175	350	125	1600	70	154	125	250	125	1600	70	154	125	250	125	1600
2000	1700	800	80x10x2	52	114,4	225	375	125	1600	65	143	125	250	125	1600	65	143	125	250	125	1600
2000	1700	800	80x10x2	40	84	300	625	125	1600	40	84	125	250	125	1600	40	84	150	300	125	1600
2000	1700	800	80x10x2	35	73,5	350	700	125	1600	35	73,5	125	250	125	1600	35	73,5	150	300	125	1600
2000	1700	800	80x10x2	30	63	400	825	125	1600	30	63	125	250	125	1600	30	63	150	300	125	1600
2000	1700	800	80x10x2	25	52,5	425	850	125	1600	25	52,5	125	250	125	1600	25	52,5	150	300	125	1600
2000	1700	800	80x10x2	15	30	425	850	125	1600	15	30	125	250	125	1600	15	30	150	300	125	1600
2500	2125	800	100x10x2	85	187	150	325	150	x	x	x	x	x	x	x	x	x	x	x	x	x
2500	2125	800	100x10x2	75	165	175	375	150	x	x	x	x	x	x	x	x	x	x	x	x	x
2500	2125	800	100x10x2	70	154	200	400	150	1600	70	154	125	250	150	1600	70	154	125	250	150	1600
2500	2125	800	100x10x2	65	143	225	450	150	1600	65	143	125	250	150	1600	65	143	125	250	150	1600
2500	2125	800	100x10x2	52	114,4	275	550	150	1600	52	114,4	125	250	150	1600	52	114,4	150	300	150	1600
2500	2125	800	100x10x2	40	84	300	625	150	1600	40	84	125	250	150	1600	40	84	150	300	150	1600
2500	2125	800	100x10x2	35	73,5	400	825	150	1600	35	73,5	125	250	150	1600	35	73,5	150	300	150	1600
2500	2125	800	100x10x2	30	63	425	850	150	1600	30	63	125	250	150	1600	30	63	150	300	150	1600
2500	2125	800	100x10x2	25	52,5	425	850	150	1600	25	52,5	125	250	150	1600	25	52,5	150	300	150	1600
2500	2125	800	100x10x2	15	30	425	850	150	1600	15	30	125	250	150	1600	15	30	150	300	150	1600
3200	2720	800	100x10x3	85	187	200	400	150	x	x	x	x	x	x	x	x	x	x	x	x	x
3200	2720	800	100x10x3	75	165	225	475	150	x	x	x	x	x	x	x	x	x	x	x	x	x
3200	2720	800	100x10x3	70	154	250	500	150	1600	70	154	125	250	150	1600	70	154	125	250	150	1600
3200	2720	800	100x10x3	65	143	275	550	150	1600	65	143	125	250	150	1600	65	143	125	250	150	1600
3200	2720	800	100x10x3	52	114,4	325	675	150	1600	52	114,4	125	250	150	1600	52	114,4	150	300	150	1600
3200	2720	800	100x10x3	40	84	425	850	150	1600	40	84	125	250	150	1600	40	84	150	300	150	1600
3200	2720	800	100x10x3	35	73,5	425	850	150	1600	35	73,5	125	250	150	1600	35	73,5	150	300	150	1600
3200	2720	800	100x10x3	30	63	425	851	150	1600	30	63	125	250	150	1600	30	63	150	300	150	1600
3200	2720	800	100x10x3	25	52,5	425	852	150	1600	25	52,5	125	250	150	1600	25	52,5	150	300	150	1600
3200	2720	800	100x10x3	15	30	425	853	150	1600	15	30	125	250	150	1600	15	30	150	300	150	1600
4000	3400	800	120x10x3	75	165	250	525	150	x	x	x	x	x	x	x	x	x	x	x	x	x
4000	3400	800	120x10x3	70	154	275	575	150	1600	70	154	125	250	150	1600	70	154	125	250	150	1600
4000	3400	800	120x10x3	65	143	300	625	150	1600	65	143	125	250	150	1600	65	143	125	250	150	1600
4000	3400	800	120x10x3	52	114,4	375	775	150	1600	52	114,4	125	250	150	1600	52	114,4	150	300	150	1600
4000	3400	800	120x10x3	40	84	425	850	150	1600	40	84	125	250	150	1600	40	84	150	300	150	1600
4000	3400	800	120x10x3	35	73,5	425	850	150	1600	35	73,5	125	250	150	1600	35	73,5	150	300	150	1600
4000	3400	800	120x10x3	30	63	425	850	150	1600	30	63	125	250	150	1600	30	63	150	300	150	1600
4000	3400	800	120x10x3	25	52,5	425	850	150	1600	25	52,5	125	250	150	1600	25	52,5	150	300	150	1600
4000	3400	800	120x10x3	15	30	425	850	150	1600	15	30	125	250	150	1600	15	30	150	300	150	1600

COPPER MAIN BUSBAR

COPPER SECONDARY BUSBAR

Main Busbar Code	Main Enclosure Busbar Code	Main Busbar Depth-D	Cross Section/mm <sup>2</sup>	lw Is (IA)	Ipk (IA)	Arm Amp	Min Amp	Cum Amp	Secondary			Copper Main Busbar			Copper Secondary Busbar				
									Cross section/mm <sup>2</sup>	lw Is (IA)	Ipk (IA)	Cross section/mm <sup>2</sup>	lw Is (IA)	Ipk (IA)	Cross section/mm <sup>2</sup>	lw Is (IA)	Ipk (IA)		
500	500	400	50x5X1	40	84	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5X1	35	73.5	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5X1	30	63	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5X1	25	52.5	100	225	70	x	x	x	x	x	x	x	x	x	x	x
500	500	400	50x5X1	15	30	225	475	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5X1	52	114.4	100	225	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5X1	40	84	100	225	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5X1	35	73.5	100	225	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5X1	30	63	150	300	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5X1	25	52.5	150	300	70	x	x	x	x	x	x	x	x	x	x	x
630	630	400	63x5X1	15	30	250	525	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	65	143	100	225	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	52	114.4	100	225	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	40	84	150	300	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	35	73.5	125	250	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	30	63	150	300	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	25	52.5	175	350	70	x	x	x	x	x	x	x	x	x	x	x
800	800	400	80x5X1	15	30	300	600	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	65	143	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	52	114.4	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	40	84	125	250	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	35	73.5	150	300	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	30	63	150	300	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	25	52.5	175	350	70	x	x	x	x	x	x	x	x	x	x	x
1000	1000	400	100x5X1	15	30	300	600	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	85	187	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	75	165	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	70	154	125	250	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	65	143	150	300	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	52	114.4	175	350	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	40	84	225	450	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	35	73.5	250	500	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	30	63	300	600	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	25	52.5	350	675	70	x	x	x	x	x	x	x	x	x	x	x
1250	1250	400	80x10x1	15	30	425	850	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	85	187	100	225	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	75	165	125	275	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	70	154	150	300	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	65	143	175	350	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	52	114.4	200	425	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	40	84	275	550	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	35	73.5	300	625	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	30	63	350	675	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	25	52.5	400	750	70	x	x	x	x	x	x	x	x	x	x	x
1600	1600	400	120x10x1	15	30	425	850	70	x	x	x	x	x	x	x	x	x	x	x

COPPER MAIN BUSBAR

COPPER SECONDARY BUSBAR

Main Busbar Code	Main Busbar Depth	Main Busbar Width	Main Busbar Thickness	Main Busbar Area	Main Busbar Weight	Secondary Busbar Code	Secondary Busbar Depth	Secondary Busbar Width	Secondary Busbar Thickness	Secondary Busbar Area	Secondary Busbar Weight	Low Voltage Section	Low Voltage Section Area	Low Voltage Section Weight	Low Voltage Section Thickness	Low Voltage Section Weight	Low Voltage Section Thickness	Low Voltage Section Weight			
500	500	400	50x5x1	40	84	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
500	500	400	50x5x1	35	73.5	100	225	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
500	500	400	50x5x1	30	63	100	225	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
500	500	400	50x5x1	25	52.5	100	225	70	X	X	X	X	X	X	500	50x5x1	25	52.5	100	225	70
500	500	400	50x5x1	15	30	225	475	70	X	X	X	X	X	X	500	50x5x1	15	30	225	475	70
630	630	400	63x5x1	52	114.4	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
630	630	400	63x5x1	40	84	100	225	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
630	630	400	63x5x1	35	73.5	100	225	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
630	630	400	63x5x1	30	63	100	225	70	X	X	X	X	X	X	500	50x5x1	25	52.5	100	225	70
630	630	400	63x5x1	25	52.5	150	300	70	X	X	X	X	X	X	500	50x5x1	25	52.5	125	275	70
630	630	400	63x5x1	15	30	250	525	70	X	X	X	X	X	X	500	50x5x1	15	30	225	475	70
800	800	400	80x5x1	65	143	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
800	800	400	80x5x1	52	114.4	100	225	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
800	800	400	80x5x1	40	84	100	225	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
800	800	400	80x5x1	35	73.5	125	250	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
800	800	400	80x5x1	30	63	150	300	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
800	800	400	80x5x1	25	52.5	175	350	70	X	X	X	X	X	X	500	50x5x1	25	52.5	150	300	70
800	800	400	80x5x1	15	30	300	600	70	X	X	X	X	X	X	500	50x5x1	15	30	250	525	70
1000	1000	400	100x5x1	65	143	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1000	1000	400	100x5x1	52	114.4	100	225	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1000	1000	400	100x5x1	40	84	125	250	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1000	1000	400	100x5x1	35	73.5	125	250	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1000	1000	400	100x5x1	30	63	150	300	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1000	1000	400	100x5x1	25	52.5	175	350	70	X	X	X	X	X	X	500	50x5x1	25	52.5	150	300	70
1000	1000	400	100x5x1	15	30	325	675	70	X	X	X	X	X	X	500	50x5x1	15	30	250	525	70
1250	1250	400	80x10x1	85	187	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1250	1250	400	80x10x1	75	167	100	225	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1250	1250	400	80x10x1	70	154	125	250	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1250	1250	400	80x10x1	65	143	125	250	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1250	1250	400	80x10x1	55	114.4	125	250	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1250	1250	400	80x10x1	40	84	125	250	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1250	1250	400	80x10x1	35	73.5	125	250	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1250	1250	400	80x10x1	30	63	150	300	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1250	1250	400	80x10x1	25	52.5	175	350	70	X	X	X	X	X	X	500	50x5x1	25	52.5	150	300	70
1250	1250	400	80x10x1	15	30	325	675	70	X	X	X	X	X	X	500	50x5x1	15	30	250	525	70
1600	1600	400	80x10x1	85	187	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1600	1600	400	120x10x1	85	187	100	225	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1600	1600	400	120x10x1	75	167	100	225	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1600	1600	400	120x10x1	70	154	150	300	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1600	1600	400	120x10x1	65	143	150	300	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1600	1600	400	120x10x1	55	114.4	200	425	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1600	1600	400	120x10x1	40	84	275	550	70	X	X	X	X	X	X	500	50x5x1	40	84	100	225	70
1600	1600	400	120x10x1	35	73.5	300	625	70	X	X	X	X	X	X	500	50x5x1	35	73.5	100	225	70
1600	1600	400	120x10x1	30	63	350	725	70	X	X	X	X	X	X	500	50x5x1	30	63	100	225	70
1600	1600	400	120x10x1	25	52.5	400	850	70	X	X	X	X	X	X	500	50x5x1	25	52.5	150	300	70
1600	1600	400	120x10x1	15	30	525	1125	70	X	X	X	X	X	X	500	50x5x1	15	30	250	525	70
1600	1600	400	120x10x1	15	30	425	850	70	X	X	X	X	X	X	500	50x5x1	15	30	225	475	70

















D = 400 - 600 - 800 mm










	H
UC1600FB	1800
UC1800FB	2000

	D
UC300FU	400
UC500FU	600
UC700FU	800


	W
UC3540FP	350
UC6040FP	600
UC8040FP	800










D = 600 - 800 mm



	H
UC1600FB	1800
UC1800FB	2000
UC200F	200

	D
UC300FU	400
UC500FU	600
UC700FU	800

	W
UC223	350
UC233	600
UC243	800

