

DECLARATION UE DE CONFORMITE N° 23.2950.01.23

EU DECLARATION OF CONFORMITY No.

**Nous / We Hager Electro SAS
BP3
67215 OBERNAI CEDEX - FRANCE**

Déclarons que le(s) produit(s) / Declare that the product(s)

Désignation / Designation

ACCESSORIES FOR ACB HW+ (HW1 / HW2)

Référence(s) / Type reference(s)

HWX_HWX_HWY (See next pages / voir pages suivantes)

Marque commerciale / Trademark

Hager

Est (sont) conforme(s) à la législation d'harmonisation de l'Union applicable :

is (are) in conformity with the relevant Union harmonization legislation:

- Directive Basse Tension (DBT) N° 2014/35/UE - Low Voltage Directive (LVD) N° 2014/35/EU
- Directive Compatibilité Electromagnétique (CEM) N° 2014/30/UE - Electromagnetic Compatibility Directive (EMC) N° 2014/30/EU
- Directive relative à la limitation de l'utilisation de certaines substances dangereuses N° 2011/65/UE modifiée par N° (EU) 2015/863 - Directive on the Restriction of the use of certain Hazardous Substances (RoHS) N° 2011/65/EU amended by N° (EU) 2015/863

Norme(s) et/ou texte(s) de référence / Standard(s) and/or relevant document(s)

N° Norme + amendements avec dates d'édition / Standard number + relevant amendments together with the edition dates

**EN 60947-2: 2017 + A1: 2020
EN 60947-3: 2021
EN 60947-5-1: 2017
EN 61439-2: 2020
NF EN IEC 60086-4: 2019
EN 63000: 2018**

Si applicable, mentionnez ici pour les produits radio, les informations concernant l'organisme notifié. Voir directive RED - Annexe VI - point 7.
If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Au nom de / On behalf of Hager Electro SAS - BP3 - 67215 OBERNAI CEDEX - FRANCE

Nom du signataire / Name of signatory

Eric Boivin

Fonction du signataire / Function of signatory

Certification Mandatee

Lieu et date d'établissement / Place and date of issue

Obernai, 13th January 2023

Signature / Signature



DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HW1

HWW500H	Draw-out handle HW1
HWW504H	NEUTRAL COVER HW1
HWW510H	FRONT COVER HW1 ACB
HWW520H	Safety shutters 3P HW1
HWW521H	Safety shutters 4P HW1
HWW530H	JAW CONTACTS (3 pcs) HW1
HWW554H	CONVERSION KIT (DO W/O CHA)
HWW560H	FRONT COVER HW1 ACB PSB
HWW561H	FRONT COVER HW1 SWITCH PSB
HWX001H	Charging motor 24V AC HW1 (MO)
HWX002H	Charging motor 48-60V AC HW1 (MO)
HWX003H	Charging motor 100-130VAC HW1 (MO)
HWX004H	Charging motor 200-250VAC HW1 (MO)
HWX005H	Charging motor 380-400VAC HW1 (MO)
HWX006H	Charging motor 415-450VAC HW1 (MO)
HWX020H	Shunt trip coil 24-30V AC/DC (SH)
HWX021H	Shunt trip coil 48-60V AC/DC (SH)
HWX022H	Shunt trip coil 100-130V AC/DC (SH)
HWX023H	Shunt trip coil 200-250V AC/DC (SH)
HWX024H	Shunt trip coil 380-480V AC (SH)
HWX025H	Closing coil 24-30V AC/DC (CC)
HWX026H	Closing coil 48-60V AC/DC (CC)
HWX027H	Closing coil 100-130V AC/DC (CC)
HWX028H	Closing coil 200-250V AC/DC (CC)
HWX029H	Closing coil 380-480V AC (CC)
HWX030H	Undervoltage trip 24-30V AC/DC (UV)
HWX031H	Undervoltage trip 48-60V AC/DC (UV)
HWX032H	Undervoltage trip 100-130V AC/DC (UV)
HWX033H	Undervoltage trip 200-250V AC/DC (UV)
HWX034H	Undervoltage trip 380-480V AC (UV)
HWX040H	Auxiliary Switch (AX)
HWX041H	Auxiliary Switch low-level (AX)
HWX046H	Additional Auxiliaries Module (AXM)
HWX047H	Fault trip Switch (FS)
HWX049H	Trip indicator switch
HWX050H	Position Switch (PS)
HWX051H	Position Switch low level (PS)
HWX057H	Position Sensor for COM HW1 (PSE)
HWX060H	Insulation Module (INS)
HWX062H	Coil cable for communication
HWX070H	ON/OFF cycle counter (CYC)
HWX090H	OAC for HW+
HWX190H	No OAC dummy
HWX091H	Ready To Close contact (RTC)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HWX701H	Charging motor 24V DC HW1 (MO)
HWX702H	Charging motor 48-60V DC HW1 (MO)
HWX703H	Charging motor 100-130V DC HW1 (MO)
HWX704H	Charging motor 200-250V DC HW1 (MO)
HWY001H	Spreaders 3P HW1 (SP)
HWY002H	Spreaders 4P HW1 (SP)
HWY003H	Connection support UNIMES FC HW1 3P
HWY004H	Connection support UNIMES FC HW1 4P
HWY005H	Vertical Conn. Adaptors 3P HW1 (VCA)
HWY006H	Vertical Conn. Adaptors 4P HW1 (VCA)
HWY008H	Connection support UNIMES RC HW1 3P
HWY009H	Connection support UNIMES RC HW1 4P
HWY040H	Term. Conn. Front - HW1 FIX 3P (FC)
HWY041H	Term. Conn. Front - HW1 FIX 4P (FC)
HWY044H	Term. Conn. Front - top - HW1 DO 3P (FC)
HWY045H	Term. Conn. Front - top - HW1 DO 4P (FC)
HWY046H	Term. Conn. Front - bot - HW1 DO 3P (FC)
HWY047H	Term. Conn. Front - bot - HW1 DO 4P (FC)
HWY048H	Terminal Conn. Rear - HW1 3P (RC)
HWY049H	Terminal Conn. Rear - HW1 4P (RC)
HWY080H	IP54 Transparent cover HW1 (IPTC)
HWY089H	Push Button Cover HW1 (PBC)
HWY092H	Push Button Cover HW1 PSB (PBC)
HWY095H	Terminal Block Cover HW1 Drawout (TC)
HWY096H	TERMINAL BLOCK COVER HW1 DO 4P
HWY140H	Terminal connection cover front H Unimes - HW1 FIX 3P (FC)
HWY141H	Terminal connection cover front H Unimes - HW1 FIX 4P (FC)
HWY144H	Terminal connection cover front H Unimes - HW1 DO 3P (FC)
HWY145H	Terminal connection cover front H Unimes - HW1 DO 4P (FC)
HWY148H	Terminal connection rear Unimes long - HW1 3P (RC)
HWY149H	Terminal connection rear Unimes long - HW1 4P (RC)
HWY150H	Terminal connection rear H Unimes - HW1 3P (RC)
HWY151H	Terminal connection rear H Unimes - HW1 4P (RC)
HWY220H	Door Interlock for Drawout HW1 (DIW)
HWY221H	Door Interlock by Cable HW1 (DILC)
HWY224H	Mechanical Interlock HW1 Fix Safety
HWY225H	Mechanical Interlock HW1 Do Safety
HWY218H	Mechanical interlock 1,5m cable set
HWY228H	Mechanical Interlock 3M Cable Set
HWY229H	Mechanical Interlock 5M Cable Set
HWY230H	Mech. Interlock HW1 FIX Coupling (MI)
HWY231H	Mechanical Interlock HW1 Do Coupling
HWY234H	PlateMec.IntLock HW1 FIX 3-Safety (MI)
HWY235H	PlateMec.IntLock HW1 DO 3-Safety (MI)
HWY238H	Racking interlock Door open HW1 (RI)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HWY240H	Interphase Barriers HW1 3P (IB)
HWY241H	Interphase Barriers HW1 4P (IB)
HWY260H	Off locking key adaptor HW1 (OLK)
HWY262H	Off locking Castell key adaptor HW1
HWY264H	Off locking Profalux key adaptor HW1
HWY266H	Off locking key adaptor HU1 PSB (OLK)
HWY269H	Off Padlock lever (OLP)
HWY270H	Chassis locking Ronis type HW1 (CL)
HWY276H	Wrong insertion preventer (WIP)
HWY280H	Door Flange LT for HW1 Fixed (DF)
HWY281H	Door Flange LT for HW1 Drawout (DF)
HWY282H	Door Flange HT for HW1 Fixed (DF)
HWY283H	Door Flange HT for HW1 Drawout (DF)
HWY360H	No OFF locking button HW1
HWY950H	Terminal block A Type 6/3
HWY951H	Terminal block B Type 6/6
HWY952H	Terminal block C Type 2*6/3
HWY958H	Arc chute screen 3P
HWY959H	Arc chute screen 4P
HWY970H	Neutral Sensor 400-1600A HW1 (ENCT)
HWW450H	OCR Sentinel LI
HWW451H	OCR Sentinel LSI
HWW452H	OCR Sentinel LSIG
HWW464H	Rating Plug 400A
HWW465H	Rating Plug 630A
HWW466H	Rating Plug 800A
HWW467H	Rating Plug 1000A
HWW468H	Rating Plug 1250A
HWW469H	Rating Plug 1600A
HWW724H	Rating plug 400A Ultimate
HWW725H	Rating plug 630A Ultimate
HWW726H	Rating plug 800A Ultimate
HWW727H	Rating plug 1000A Ultimate
HWW728H	Rating plug 1250A Ultimate
HWW729H	Rating plug 1600A Ultimate
HWY030H	UV time controller 24-30V AC/DC (UVTC)
HWY031H	UV time controller 48-60V AC/DC (UVTC)
HWY032H	UV time controller 100-130V AC/DC (UVTC)
HWY033H	UV TIME DELAY CONTROLLER 200-250V AC (UVTC)
HWY034H	UV TIME DELAY CONTROLLER 380-480V AC (UVTC)
HWY210H	PANEL DISPLAY HTD210H ACB ADAPTOR
HWY370H	Lock in disconnected position HW1
HWW463H	OCR Battery
HWW461H	OCR Sentinel screen replacement kit
HWW450HSA	TU Sentinel LI
HWW451HSA	TU Sentinel LSI

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HWW452HSA	TU Sentinel LSI
HWW453HSA	TU Sentinel Energy LSI
HWW454HSA	TU Sentinel Energy LSI
HWW464HSA	Rating Plug 400A
HWW465HSA	Rating Plug 630A
HWW466HSA	Rating Plug 800A
HWW467HSA	Rating Plug 1000A
HWW468HSA	Rating Plug 1250A
HWW469HSA	Rating Plug 1600A
HWW724HSA	Rating plug 400A Ultimate
HWW725HSA	Rating plug 630A Ultimate
HWW726HSA	Rating plug 800A Ultimate
HWW727HSA	Rating plug 1000A Ultimate
HWW728HSA	Rating plug 1250A Ultimate
HWW729HSA	Rating plug 1600A Ultimate
HWX001HSA	Charging motor 24V AC HW1 (MO)
HWX002HSA	Charging motor 48-60V AC HW1 (MO)
HWX003HSA	Charging motor 100-130VAC HW1 (MO)
HWX004HSA	Charging motor 200-250VAC HW1 (MO)
HWX005HSA	Charging motor 380-400VAC HW1 (MO)
HWX006HSA	Charging motor 415-450VAC HW1 (MO)
HWX020HSA	Shunt trip coil 24-30V AC/DC (SH)
HWX021HSA	Shunt trip coil 48-60V AC/DC (SH)
HWX022HSA	Shunt trip coil 100-130V AC/DC (SH)
HWX023HSA	Shunt trip coil 200-250V AC/DC (SH)
HWX024HSA	Shunt trip coil 380-480V AC (SH)
HWX025HSA	Closing coil 24-30V AC/DC (CC)
HWX026HSA	Closing coil 48-60V AC/DC (CC)
HWX027HSA	Closing coil 100-130V AC/DC (CC)
HWX028HSA	Closing coil 200-250V AC/DC (CC)
HWX029HSA	Closing coil 380-480V AC (CC)
HWX030HSA	Undervoltage trip 24-30V AC/DC (UV)
HWX031HSA	Undervoltage trip 48-60V AC/DC (UV)
HWX032HSA	Undervoltage trip 100-130V AC/DC (UV)
HWX033HSA	Undervoltage trip 200-250V AC/DC (UV)
HWX034HSA	Undervoltage trip 380-480V AC (UV)
HWX040HSA	Auxiliary Switch HW1 (AX)
HWX041HSA	Auxiliary Switch low-level HW1 (AX)
HWX047HSA	Fault trip Switch (FS)
HWX050HSA	Position Switch (PS)
HWX051HSA	Position Switch low level (PS)
HWX060HSA	Insulation Module (INS)
HWX070HSA	ON/OFF cycle counter HW1 (CYC)
HWX090HSA	OAC for HW+
HWX091HSA	Ready To Close contact HW1 (RTC)
HWX701HSA	Charging motor 24V DC HW1 (MO)
HWX702HSA	Charging motor 48-60V DC HW1 (MO)
HWX703HSA	Charging motor 100-130V DC HW1 (MO)
HWX704HSA	Charging motor 200-250V DC HW1 (MO)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HWY040HSA	Term. Conn. Front - HW1 FIX 3P (FC)
HWY041HSA	Term. Conn. Front - HW1 FIX 4P (FC)
HWY044HSA	Term. Conn. Front - HW1 DO 3P (FC)
HWY045HSA	Term. Conn. Front - HW1 DO 4P (FC)
HWY046HSA	Term. Conn. Front - bot - HW1 DO 3P (FC)
HWY047HSA	Term. Conn. Front - bot - HW1 DO 4P (FC)
HWY048HSA	Terminal Conn. Rear - HW1 3P (RC)
HWY049HSA	Terminal Conn. Rear - HW1 4P (RC)
HWY089HSA	Push Button Cover HW1 (PBC)
HWY095HSA	Terminal Block Cover HW1 draw-out 3P(TC)
HWY096HSA	Terminal Block Cover HW1 draw-out 4P(TC)
HWY140HSA	Term.Conn.Front H Unimes-HW1 FIX 3P(FC)
HWY141HSA	Term.Conn.Front H Unimes-HW1 FIX 4P(FC)
HWY144HSA	Term.Conn.Front H Unimes-HW1 DO 3P (FC)
HWY145HSA	Term.Conn.Front H Unimes-HW1 DO 4P (FC)
HWY148HSA	Term.Conn.Rear Unimes Long - HW1 3P (RC)
HWY149HSA	Term.Conn.Rear Unimes Long - HW1 4P (RC)
HWY150HSA	Term. Conn. Rear H Unimes - HW1 3P (RC)
HWY151HSA	Term. Conn. Rear H Unimes - HW1 4P (RC)
HWY240HSA	Interphase Barriers HW1 3P (IB)
HWY241HSA	Interphase Barriers HW1 4P (IB)
HWY260HSA	Off locking key adaptor HW1 (OLK)
HWY269HSA	OFF locking with padlock HW1 (OLP)
HWY270HSA	Chassis locking Ronis type HW1 (CL)
HWY360HSA	No OFF locking button HW1
HWY950HSA	Terminal block A type 6/3
HWY951HSA	Terminal block B type 6/6
HWY952HSA	Terminal block C type 2*6/3

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HW2

HWW470H	Rating Plug 2000A
HWW471H	Rating Plug 2500A
HWW501H	Draw-out handle HW2/4
HWW505H	Neutral cover HW2
HWW512H	Front cover HW2 ACB
HWW513H	Front cover HW2 Switch
HWW522H	Safety shutters 3P HW2
HWW523H	Safety shutters 4P HW2
HWW532H	Jaw contacts (6 pcs) HW2 >1600A 55...100kA
HWW533H	Jaw contacts (6 pcs) HW2 630...1600A 55kA
HWW562H	Front cover HU2 ACB PSB
HWW563H	Front cover HU2 Switch PSB
HWW575H	Neutral cover HU2 PSB
HWX011H	Charging motor 24V AC HW2/4 (MO)
HWX012H	Charging motor 48V AC HW2/4 (MO)
HWX013H	Charging motor 100-130V AC HW2/4 (MO)
HWX014H	Charging motor 200-250V AC HW2/4 (MO)
HWX015H	Charging motor 380-400V AC HW2/4 (MO)
HWX016H	Charging motor 415-450V AC HW2/4 (MO)
HWX058H	Position Sensor for COM HW2 HW4 (PSE)
HWX071H	ON/OFF cycle counter HW2/4 (CYC)
HWX711H	Charging motor 24V DC HW2/4 (MO)
HWX712H	Charging motor 48V DC HW2/4 (MO)
HWX713H	Charging motor 100-130V DC HW2/4 (MO)
HWX714H	Charging motor 200-250V DC HW2/4 (MO)
HWY058H	Term Conn 630-1600A 55kA HW2 3P (RC)
HWY059H	Term Conn 630-1600A 55kA HW2 4P (RC)
HWY090H	Push Button Cover HW2 (PBC)
HWY093H	Push Button Cover HU2 PSB (PBC)
HWY097H	Terminal Block Cover HW2 fixed (TBC)
HWY098H	Terminal Block Cover HW2 draw-out (TBC)
HWY158H	Term Conn 2000-2500A 55kA HW2 3P (RC)
HWY159H	Term Conn 2000-2500A 55kA HW2 4P (RC)
HWY160H	Terminal Conn 66/100kA HW2 3P (RC)
HWY161H	Terminal Conn 66/100kA HW2 4P (RC)
HWY222H	Door Interlock for draw-out HW2/4(DIW)
HWY223H	Door Interlock by Cable HW2/4 (DILC)
HWY226H	PlateMec.IntLock HW2/4 FIX 2-Safe (MI)
HWY227H	PlateMec.IntLock HW2/4 DO 2-Safe (MI)
HWY232H	PlateMec.IntLock HW2/4 FIX 3-Cpl. (MI)
HWY233H	PlateMec.IntLock HW2/4 DO 3-Cpl. (MI)
HWY236H	PlateMec.IntLock HW2/4 FIX 3-Safe (MI)
HWY237H	PlateMec.IntLock HW2/4 DO 3-Safe (MI)
HWY239H	Racking interlock door open HW2/4 (RI)
HWY246H	Interphase Barrier 3P HW2 HW4 fixed (IB)
HWY247H	Interphase Barrier 4P HW2 HW4 fixed (IB)
HWY261H	Off locking key adaptor HW2/4 (OLK)
HWY265H	OFF locking with padlock HW2/4 (OLP)
HWY267H	Off locking key adaptor HU2/4 PSB(OLK)

DECLARATION UE DE CONFORMITE

EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Références produits :

Type references :

HWY271H	Chassis locking Ronis type HW2/4 (CL)
HWY277H	Wrong insertion preventer HW2/4 (WIP)
HWY284H	Door Flange LT for HW2 Fixed (DF)
HWY285H	Door Flange LT for HW2 Draw-out (DF)
HWY286H	Door Flange HT for HW2 Fixed (DF)
HWY287H	Door Flange HT for HW2 Draw-out (DF)
HWY971H	External sensor 630-2500A HW2 (ENCT)
HWY081H	IP54 Transparent cover HW2 (IPTC)
HWW470HSA	Rating Plug 2000A
HWW471HSA	Rating Plug 2500A
HWW501HSA	Draw-out handle HW2/4
HWW505HSA	Neutral cover HW2
HWW512HSA	Front cover HW2 ACB
HWW513HSA	Front cover HW2 Switch
HWW522HSA	Safety shutters 3P HW2
HWW523HSA	Safety shutters 4P HW2
HWW532HSA	Jaw contacts (6 pcs) HW2 >1600A 55...100kA
HWW533HSA	Jaw contacts (6 pcs) HW2 630...1600A 55kA
HWX011HSA	Charging motor 24V AC HW2/4 (MO)
HWX012HSA	Charging motor 48V AC HW2/4 (MO)
HWX013HSA	Charging motor 100-130V AC HW2/4 (MO)
HWX014HSA	Charging motor 200-250V AC HW2/4 (MO)
HWX015HSA	Charging motor 380-400V AC HW2/4 (MO)
HWX016HSA	Charging motor 415-450V AC HW2/4 (MO)
HWX071HSA	ON/OFF cycle counter HW2/4 (CYC)
HWX711HSA	Charging motor 24V DC HW2/4 (MO)
HWX712HSA	Charging motor 48V DC HW2/4 (MO)
HWX713HSA	Charging motor 100-130V DC HW2/4 (MO)
HWX714HSA	Charging motor 200-250V DC HW2/4 (MO)
HWY058HSA	Term Conn 630...1600A 55kA HW2 3P (RC)
HWY059HSA	Term Conn 630...1600A 55kA HW2 4P (RC)
HWY090HSA	Push Button Cover HW2 (PBC)
HWY097HSA	Terminal Block Cover HW2 fixed (TBC)
HWY098HSA	Terminal Block Cover HW2 draw-out (TBC)
HWY158HSA	Term Conn >1600A 55/66/100kA HW2 3P (RC)
HWY159HSA	Term Conn >1600A 55/66/100kA HW2 4P (RC)
HWY160HSA	Terminal Conn HW2 3P (RC)
HWY246HSA	Interphase Barrier 3P HW2 HW4 fixed (IB)
HWY247HSA	Interphase Barrier 4P HW2 HW4 fixed (IB)
HWY248HSA	Interphase Bar. 3P HW2 HW4 draw-out (IB)
HWY249HSA	Interphase Bar. 4P HW2 HW4 draw-out (IB)
HWY265HSA	OFF locking with padlock HW2/4 (OLP)
HWY271HSA	Chassis locking Ronis type HW2/4 (CL)

DECLARATION UE DE CONFORMITE / EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Évaluation du risque appliqué / Applied Risk Assessment(s)

Les documents énumérés ci-dessous ont été élaborés pour garantir que toutes les exigences essentielles de la ou des directives appliquées sont respectées :

Documents listed below have been developed to assure that all essential requirements of applied directive(s) are fulfilled:

Si le produit n'est pas concerné par la directive RED, compléter le tableau 1a, si oui compléter le tableau 1b

If the product is not in the scope of Radio Equipment directive, fulfil table 1a, if yes fulfil table 1b.

Table 1a Risk Assessment for Equipment without Radio	Applicable:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Only harmonized standard(s) published on the OJEU (Official journal of European union: https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards_en) are used:	No		
Scope and classification fully covers the product (case 1 of Hager Group risk analysis) :	No		
Comments :			
Hager Group risk analysis: (Only if there is at least one "No", then you have to explain how you cover the essential requirements of the European Directive and fill the document DMS034433 - Hager Group risk analysis)	Risk analysis Accessories P6P7 Risk analysis Accessories UVT P6P7P8		

Table 1b Risk Assessment for Radio equipment	Applicable:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Hager Group risk assessment: Fill document DMS063155			

Module(s) de preuve(s) / Evidence(s)

Les documents listés ci-dessous ont servis de base pour l'établissement de la conformité aux exigences essentielles des directives appliquées :

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

Certificate(s) / test report(s):	CB NL-79528 CB NL-84667 CE2020CQC0302-011551-HWX047H HWX091H CE2020CQC0302-011552-HWX090H CE2020CQC0306-011548-HWX040H, HWX041H CE2020CQC0306-011548 21_107LAB-BLK and LB 21_0874 for HWY280H, HWY281H, HWY282H, HWY283H LB 21_0883, LB_21_0878, LB_21_0806, LB_21_0805, LB_21_0761, LB_21_0724, LB_21_0890, LB 22_0411, LB_22_0222,. SGP-22242 Test 8/9/11/12/13/15, SGP-22402 Test 1/2/3/4, HPB15123310, LB 22_0455 for HWY003, HWY004H, HWY008H, HWY009H HWW463H : See associated folder „Update June 2022“ DMS039873 ROHS compliance ACB P6 PROJECT
Mark approval(s):	No mark approvals
Product documentation :	See HAGER website
Comments:	None

DECLARATION UE DE CONFORMITE / EU DECLARATION OF CONFORMITY

N° 23.2950.01.23

Signature (conception technique) / Signature (technical design)

Nom du signataire / Name of signatory

Francis Diebold

Fonction du signataire / Function of signatory

Engineering Director / Manager

Lieu et date d'établissement / Place and date of issue

Obernai, 13th January 2023

Signature / Signature

