

UKCA DECLARATION OF CONFORMITY No. UKCA 23.3474.12.23

We Hager LTD
Hortonwood 50
TELFORD-TF1 7FT-UK

**Declare that the product(s)
Designation**

Hager Design D10/30 Consumer Unit Range (Surface)

Type reference(s)

VM Range (D30)
VML Range (D10)

Trademark

Hager

is (are) in conformity with the relevant United Kingdom legislation:

- SI 2012/3032 Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (as amended)
- SI 2016/1091 Electromagnetic Compatibility (EMC) Regulations 2016 (as amended)
- SI 2016/1101 Electrical Equipment (safety) Regulations 2016 (as amended)
-
-

Standard(s) and/or relevant document(s) to which conformity is declared

Standard number + relevant amendments together with the edition dates

BS EN 61439-3:2012 inc corrigenda September 2013, December 2015 & March 2019

BS EN IEC 63000:2018

If applicable, mention here for radio products, the data about notified body. See RE legislation - Annex VI - point 7

This declaration of conformity is issued under the sole responsibility of the manufacturer.

On behalf of Hager LTD

Name of signatory

Ian Ellis

Function of signatory

Certification Manager (Enclosure Systems)

Place and date of issue

Telford, UK 21/12/2023

Signature

Ian Ellis

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 63A Incomer

Product Reference	Product Description
VM202	2 Way 63A Sw Disconnecter Incomer Metal
VM206	6 Way 63A Sw Disconnecter Incomer Metal
VM210	10 Way 63A Sw Disconnecter Incomer Metal
VM214	14 Way 63A Sw Disconnecter Incomer Metal
VM220	20 Way 63A Sw Disconnecter Incomer Metal
VM202K	2 Way 63A Sw Disconnecter Incomer Metal with knockouts
VM206K	6 Way 63A Sw Disconnecter Incomer Metal with knockouts
VM210K	10 Way 63A Sw Disconnecter Incomer Metal with knockouts
VM214K	14 Way 63A Sw Disconnecter Incomer Metal with knockouts
VM220K	20 Way 63A Sw Disconnecter Incomer Metal with knockouts

Design 10 Switch Disconnecter 63A Incomer

Product Reference	Product Description
VML202	2 Way 63A Sw Disconnecter Incomer Metal
VML206	6 Way 63A Sw Disconnecter Incomer Metal
VML210	10 Way 63A Sw Disconnecter Incomer Metal
VML214	14 Way 63A Sw Disconnecter Incomer Metal
VML220	20 Way 63A Sw Disconnecter Incomer Metal
VML202RK	2 Way 63A Sw Disconnecter Incomer Metal with round knockouts
VML206RK	6 Way 63A Sw Disconnecter Incomer Metal with round knockouts
VML210RK	10 Way 63A Sw Disconnecter Incomer Metal with round knockouts
VML214RK	14 Way 63A Sw Disconnecter Incomer Metal with round knockouts
VML220RK	20 Way 63A Sw Disconnecter Incomer Metal with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 100A Incomer

Product Reference	Product Description
VM106	6 Way 100A Sw Disconnecter Incomer Metal
VM110	10 Way 100A Sw Disconnecter Incomer Metal
VM114	14 Way 100A Sw Disconnecter Incomer Metal
VM120	20 Way 100A Sw Disconnecter Incomer Metal
VM10606	2X6 Way 100A Sw Disconnecter Incomer Metal
VM11010	2X10 Way 100A Sw Disconnecter Incomer Metal
VM11414	2X14 Way 100A Sw Disconnecter Incomer Metal
VM12020	2X20 Way 100A Sw Disconnecter Incomer Metal
VM106K	6 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM110K	10 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM114K	14 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM120K	20 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM10606K	2X6 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM11010K	2X10 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM11414K	2X14 Way 100A Sw Disconnecter Incomer Metal with knockouts
VM12020K	2X20 Way 100A Sw Disconnecter Incomer Metal with knockouts

Design 10 Switch Disconnecter 100A Incomer

Product Reference	Product Description
VML106	6 Way 100A Sw Disconnecter Incomer Metal
VML110	10 Way 100A Sw Disconnecter Incomer Metal
VML114	14 Way 100A Sw Disconnecter Incomer Metal
VML120	20 Way 100A Sw Disconnecter Incomer Metal
VML10606	2X6 Way 100A Sw Disconnecter Incomer Metal
VML11010	2X10 Way 100A Sw Disconnecter Incomer Metal
VML11414	2X14 Way 100A Sw Disconnecter Incomer Metal
VML12020	2X20 Way 100A Sw Disconnecter Incomer Metal
VML106RK	6 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML110RK	10 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML114RK	14 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML120RK	20 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML10606RK	2X6 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML11010RK	2X10 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML11414RK	2X14 Way 100A Sw Disconnecter Incomer Metal with round knockouts
VML12020RK	2X20 Way 100A Sw Disconnecter Incomer Metal with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 RCCB 63A Incomer

Product Reference	Product Description
VM402AH	2 way 63A RCCB Incomer
VM406AH	6 way 63A RCCB Incomer
VM410AH	10 way 63A RCCB Incomer
VM414AH	14 way 63A RCCB Incomer
VM420AH	20 way 63A RCCB Incomer
VM402AHK	2 way 63A RCCB Incomer with knockouts
VM406AHK	6 way 63A RCCB Incomer with knockouts
VM410AHK	10 way 63A RCCB Incomer with knockouts
VM414AHK	14 way 63A RCCB Incomer with knockouts
VM420AHK	20 way 63A RCCB Incomer with knockouts

Design 30 Garage Boards

Product Reference	Product Description
VM24AH	2 way 40A RCCB Incomer
VM24AHK	2 way 40A RCCB Incomer with knockouts

Design 10 RCCB 63A Incomers

Product Reference	Product Description
VML402AH	2 way 63A RCCB Incomer
VML406AH	6 way 63A RCCB Incomer
VML410AH	10 way 63A RCCB Incomer
VML414AH	14 way 63A RCCB Incomer
VML420AH	20 way 63A RCCB Incomer
VML402AHRK	2 way 63A RCCB Incomer with round knockouts
VML406AHRK	6 way 63A RCCB Incomer with round knockouts
VML410AHRK	10 way 63A RCCB Incomer with round knockouts
VML414AHRK	14 way 63A RCCB Incomer with round knockouts
VML420AHRK	20 way 63A RCCB Incomer with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 10 Garage Boards

Product Reference	Product Description
VML24AH	2 way 40A RCCB Incomer
VML24AHRK	2 way 40A RCCB Incomer with round knockouts

Design 30 RCCB 100A Incomer

Product Reference	Product Description
VM306AH	6 way 100A RCCB incomer
VM310AH	10 way 100A RCCB incomer
VM314AH	14 way 100A RCCB incomer
VM320AH	20 way 100A RCCB incomer
VM306AHK	6 way 100A RCCB incomer with knockouts
VM310AHK	10 way 100A RCCB incomer with knockouts
VM314AHK	14 way 100A RCCB incomer with knockouts
VM320AHK	20 way 100A RCCB incomer with knockouts

Design 10 RCCB 100A Incomer

Product Reference	Product Description
VML306AH	6 way 100A RCCB incomer
VML310AH	10 way 100A RCCB incomer
VML314AH	14 way 100A RCCB incomer
VML320AH	20 way 100A RCCB incomer
VML306AHRK	6 way 100A RCCB incomer with round knockouts
VML310AHRK	10 way 100A RCCB incomer with round knockouts
VML314AHRK	14 way 100A RCCB incomer with round knockouts
VML320AHRK	20 way 100A RCCB incomer with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 100A Incomer with SPD

Product Reference	Product Description
VM108SPD	8 way 100A Switch Type 2 SPD
VM112SPD	12 way 100A Switch Type 2 SPD
VM118SPD	18 way 100A Switch Type 2 SPD
VM10810SPD	8+10 way 100A Switch Type 2 SPD
VM11214SPD	12+14 way 100A Switch Type 2 SPD
VM11820SPD	18+20 way 100A Switch Type 2 SPD
VM108KSPD	8 way 100A Switch Type 2 SPD with knockouts
VM112KSPD	12 way 100A Switch Type 2 SPD with knockouts
VM118KSPD	18 way 100A Switch Type 2 SPD with knockouts
VM10810KSPD	8+10 way 100A Switch Type 2 SPD with knockouts
VM11214KSPD	12+14 way 100A Switch Type 2 SPD with knockouts
VM11820KSPD	18+20 way 100A Switch Type 2 SPD with knockouts

Design 10 Switch Disconnecter 100A Incomer with SPD

Product Reference	Product Description
VML108SPD	8 way 100A Switch Type 2 SPD
VML112SPD	12 way 100A Switch Type 2 SPD
VML118SPD	18 way 100A Switch Type 2 SPD
VML10810SPD	8+10 way 100A Switch Type 2 SPD
VML11214SPD	12+14 way 100A Switch Type 2 SPD
VML11820SPD	18+20 way 100A Switch Type 2 SPD
VML108SPDRK	8 way 100A Swd Type 2 SPD with round knockouts
VML112SPDRK	12 way 100A Swd Type 2 SPD with round knockouts
VML118SPDRK	18 way 100A Swd Type 2 SPD with round knockouts
VML10810SPDRK	8+10 way 100A Swd Type 2 SPD with round knockouts
VML11214SPDRK	12+14 way 100A Swd Type 2 SPD with round knockouts
VML11820SPDRK	18+20 way 100A Swd Type 2 SPD with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 80A Incomer Splitload 80 / 80A RCCB

Product Reference	Product Description
VM933H	3+3 way 80A Swd Incomer
VM933HK	3+3 way 80A Swd Incomer with knockouts

Design 10 Switch Disconnecter 80A Incomer Splitload 80 / 80A RCCB

Product Reference	Product Description
VML933H	3+3 way 80A Switch
VML933HRK	3+3 way 80A Switch with round knockouts

Design 30 Switch Disconnecter 100A Incomer Splitload 100 / 100A RCCB

Product Reference	Product Description
VM955H	5+5 way 100A Switch
VM966H	6+6 way 100A Switch
VM946H	4+6 way 100A Switch
VM90810H	8+10 way 100A Switch
VM91214H	12+14 way 100A Switch
VM91820H	18+20 way 100A Switch
VM955HK	5+5 way 100A Switch with knockouts
VM966HK	6+6 way 100A Switch with knockouts
VM946HK	4+6 way 100A Switch with knockouts
VM90810HK	8+10 way 100A Switch with knockouts
VM91214HK	12+14 way 100A Switch with knockouts
VM91820HK	18+20 way 100A Switch with knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 10 Switch Disconnecter 100A Incomer Splitload 100 / 100A RCCB

Product Reference	Product Description
VML955H	5+5 way 100A Switch
VML966H	6+6 way 100A Switch
VML946H	4+6 way 100A Switch
VML90810H	8+10 way 100A Switch
VML91214H	12+14 way 100A Switch
VML91820H	18+20 way 100A Switch
VML955RK	5+5 way 100A Switch with round knockouts
VML966RK	6+6 way 100A Switch with round knockouts
VML946RK	4+6 way 100A Switch with round knockouts
VML90810RK	8+10 way 100A Switch with round knockouts
VML91214RK	12+14 way 100A Switch with round knockouts
VML91820RK	18+20 way 100A Switch with round knockouts

Design 30 Switch Disconnecter 100A Incomer Configurable Splitload 100 / 100A RCCB

Product Reference	Product Description
VM910C	10 way 100A Switch
VM912C	12 way 100A Switch
VM916C	16 way 100A Switch
VM910CK	10 way 100A Switch with knockouts
VM912CK	12 way 100A Switch with knockouts
VM916CK	16 way 100A Switch with knockouts

Design 10 Switch Disconnecter 100A Incomer Configurable Splitload 100 / 100A RCCB

Product Reference	Product Description
VML910C	10 way 100A Switch
VML912C	12 way 100A Switch
VML916C	16 way 100A Switch
VML910CRK	10 way 100A Switch with round knockouts
VML912CRK	12 way 100A Switch with round knockouts
VML916CRK	16 way 100A Switch with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 100A Incomer HI Configurable Splitload 100 / 100A RCCB

Product Reference	Product Description
VM910CU	10 way 100A Switch
VM912CU	12 way 100A Switch
VM916CU	16 way 100A Switch
VM90810CU	8+10 way 100A Switch
VM91214CU	12+14 way 100A Switch
VM91820CU	18+20 way 100A Switch
VM910CUK	10 way 100A Switch with knockouts
VM912CUK	12 way 100A Switch with knockouts
VM916CUK	16 way 100A Switch with knockouts
VM90810CUK	8+10 way 100A Switch with knockouts
VM91214CUK	12+14 way 100A Switch with knockouts
VM91820CUK	18+20 way 100A Switch with knockouts

Design 10 Switch Disconnecter 100A Incomer HI Configurable Splitload 100 / 100A RCCB

Product Reference	Product Description
VML910CU	10 way 100A HI Swd Incomer
VML912CU	12 way 100A HI Swd Incomer
VML916CU	16 way 100A HI Swd Incomer
VML90810CU	8+10 way 100A HI Swd Incomer
VML91214CU	12+14 way 100A HI Swd Incomer
VML91820CU	18+20 way 100A HI Swd Incomer
VML910CURK	10 way 100A HI Swd Incomer with round knockouts
VML912CURK	12 way 100A HI Swd Incomer with round knockouts
VML916CURK	16 way 100A HI Swd Incomer with round knockouts
VML90810CURK	8+10 way 100A HI Swd Incomer with round knockouts
VML91214CURK	12+14 way 100A HI Swd Incomer with round knockouts
VML91820CURK	18+20 way 100A HI Swd Incomer with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 100A Incomer HI Configurable Splitload 100 / 100A RCCB with SPD

Product Reference	Product Description
VM908CUSPD	8 way Configurable HI 100A RCCB Type 2 SPD
VM910CUSPD	10 way Configurable HI 100A RCCB Type 2 SPD
VM914CUSPD	14 way Configurable HI 100A RCCB Type 2 SPD
VM908CUKSPD	8 way Configurable HI 100A RCCB Type 2 SPD with knockouts
VM910CUKSPD	10 way Configurable HI 100A RCCB Type 2 SPD with knockouts
VM914CUKSPD	14 way Configurable HI 100A RCCB Type 2 SPD with knockouts

Design 30 Switch Disconnecter 100A Incomer HI Configurable Splitload 100 / 100A RCCB with SPD 2 Row

Product Reference	Product Description
VM90610CUSPD	6+10 way Configurable HI 100A RCCB Type 2 SPD
VM91014CUSPD	10+14 way Configurable HI 100A RCCB Type 2 SPD
VM91620CUSPD	16+20 way Configurable HI 100A RCCB Type 2 SPD
VM90610CUKSPD	6+10 way Configurable HI 100A RCCB Type 2 SPD with knockouts
VM91014CUKSPD	10+14 way Configurable HI 100A RCCB Type 2 SPD with knockouts
VM91620CUKSPD	16+20 way Configurable HI 100A RCCB Type 2 SPD with knockouts

Design 10 Switch Disconnecter 100A Incomer HI Configurable Splitload 100 / 100A RCCB with SPD

Product Reference	Product Description
VML908CUSPD	8 way Configurable HI 100A RCCB Type 2 SPD
VML910CUSPD	10 way Configurable HI 100A RCCB Type 2 SPD
VML914CUSPD	14 way Configurable HI 100A RCCB Type 2 SPD
VML908CUSPDRK	8 way Configurable HI 100A RCCB Type 2 SPD with round knockouts
VML910CUSPDRK	10 way Configurable HI 100A RCCB Type 2 SPD with round knockouts
VML914CUSPDRK	14 way Configurable HI 100A RCCB Type 2 SPD with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 10 Switch Disconnecter 100A Incomer HI Configurable Splitload 100 / 100A RCCB with SPD 2 Row

Product Reference	Product Description
VML90610CUSPD	6+10 way Configurable HI 100A RCCB Type 2 SPD
VML91014CUSPD	10+14 way Configurable HI 100A RCCB Type 2 SPD
VML91620CUSPD	16+20 way Configurable HI 100A RCCB Type 2 SPD
VML90610CUSPDRK	6+10 way Configurable HI 100A RCCB Type 2 SPD with round EKOs
VML91014CUSPDRK	10+14 way Configurable HI 100A RCCB Type 2 SPD with round EKOs
VML91620CUSPDRK	16+20 way Configurable HI 100A RCCB Type 2 SPD with round EKOs

Design 30 Switch Disconnecter 100A Controlled Twin Tariff

Product Reference	Product Description
VM918C	18 way 100A Twin Tariff Switch
VM918CK	18 way 100A Twin Tariff Switch with knockouts

Design 10 Switch Disconnecter 100A Controlled Twin Tariff

Product Reference	Product Description
VML918C	18 way 100A Twin Tariff Switch
VML918CRK	18 way 100A Twin Tariff Switch with round knockouts

Design 30 Switch Disconnecter 100A Controlled Multi Tariff

Product Reference	Product Description
VM9651	12 way 100A Twin Tariff Switch
VM9651K	12 way 100A Twin Tariff Switch with knockouts

Design 10 Switch Disconnecter 100A Controlled Multi Tariff

Product Reference	Product Description
VML9651	12 way 100A Twin Tariff Switch
VML9651RK	12 way 100A Twin Tariff Switch with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 100A Controlled Twin Tariff, Splitload 100/100A 5+5 Ways and RCCB 100A Controlled 14 Ways

Product Reference	Product Description
VM955914H	10+14 way 100A Twin Tariff Switch
VM955914HK	10+14 way 100A Twin Tariff Switch with knockouts

Design 10 Switch Disconnecter 100A Controlled Twin Tariff, Splitload 100/100A 5+5 Ways and RCCB 100A Controlled 14 Ways

Product Reference	Product Description
VML955914H	10+14 way 100A Twin Tariff Switch
VML955914HRK	10+14 way 100A Twin Tariff Switch with round knockouts

Design 30 Switch Disconnecter 100A Incomer Splitload 100 / 100A RCCB for 2 Module AFDD Circuits 2 Row

Product Reference	Product Description
VMA90405H	4+5 way 100A ARC Fault Switch
VMA90607H	6+7 way 100A ARC Fault Switch
VMA90910H	9+10 way 100A ARC Fault Switch
VMA90405HK	4+5 way 100A ARC Fault Switch
VMA90607HK	6+7 way 100A ARC Fault Switch
VMA90910HK	9+10 way 100A ARC Fault Switch

Design 30 Switch Disconnecter 100A Incomer Splitload 100 / 100A RCCB for 2 Module AFDD Circuits with SPD 2 Row

Product Reference	Product Description
VMA90507HSPD	5+7 way 100A ARC Fault Switch
VMA90810HSPD	8+10 way 100A ARC Fault Switch
VMA90507HKSPD	5+7 way 100A ARC Fault Switch with knockouts
VMA90810HKSPD	8+10 way 100A ARC Fault Switchwith knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 10 Switch Disconnecter 100A Incomer Splitload 100 / 100A RCCB for 2 Module AFDD Circuits 2 Row

Product Reference	Product Description
VMLA90405H	4+5 way 100A Arc Fault Detection
VMLA90607H	6+7 100A Arc Fault Detection
VMLA90910H	9+10 100A Arc Fault Detection
VMLA90405HRK	4+5 way 100A Arc Fault Detection with round knockouts
VMLA90607HRK	6+7 way 100A Arc Fault Detection with round knockouts
VMLA90910HRK	9+10 way 100A Arc Fault Detection with round knockouts

Design 10 Switch Disconnecter 100A Incomer Splitload 100 / 100A RCCB for 2 Module AFDD Circuits with SPD 2 Row

Product Reference	Product Description
VMLA90507HSPD	5+7 way 100A Arc Fault Detection
VMLA90810HSPD	8+10 way 100A Arc Fault Detection
VMLA90507HRKSPD	5+7 way 100A Arc Fault Detection with round knockouts and SPD
VMLA90810HRKSPD	8+10 way 100A Arc Fault Detection with round knockouts and SPD

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Multi-Service Dinrail Enclosure

Product Reference	Product Description
VM004	4 Module Din Rail Enclosure Metal
VM008	8 Module DIN Rail Enclosure Metal
VM012	12 Module DIN Rail Enclosure Metal
VM016	16 Module DIN Rail Enclosure Metal
VM022	22 Module DIN Rail Enclosure Metal
VM004K	4 Module Din Rail Enclosure Metal with knockouts
VM008K	8 Module DIN Rail Enclosure Metal with knockouts
VM012K	12 Module DIN Rail Enclosure Metal with knockouts
VM016K	16 Module DIN Rail Enclosure Metal with knockouts
VM022K	22 Module DIN Rail Enclosure Metal with knockouts

Design 10 Multi-Service Dinrail Enclosure

Product Reference	Product Description
VML004	4 Module Din Rail Enclosure Metal
VML008	8 Module DIN Rail Enclosure Metal
VML012	12 Module DIN Rail Enclosure Metal
VML016	16 Module DIN Rail Enclosure Metal
VML022	22 Module DIN Rail Enclosure Metal
VML004RK	4 Module Din Rail Enclosure Metal with round knockouts
VML008RK	8 Module DIN Rail Enclosure Metal with round knockouts
VML012RK	12 Module DIN Rail Enclosure Metal with round knockouts
VML016RK	16 Module DIN Rail Enclosure Metal with round knockouts
VML022RK	22 Module DIN Rail Enclosure Metal with round knockouts

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 63A Incomer Splitload 63 / 63A RCCB

Product Reference	Product Description
VM633H	6 Way 3+3 63A Sw 2*63A 30mA Type A RCCB
VM655H	10 Way 5+5 63A Sw 2*63A 30mA Type A RCCB
VM666H	12 Way 6+6 63A Sw 2*63A 30mA Type A RCCB
VM646H	Dual Row 4+6 Way 63A Sw 2*63A 30mA RCCB
VM60810H	Dual Row 8+10W 63A Sw 2*63A 30mA RCCB
VM61214H	Dual Row 12+14W 63A Sw 2*63A 30mA RCCB
VM61820H	Dual Row 18+20W 63A Sw 2*63A 30mA RCCB
VM633HK	6 Way 3+3 63A Sw 2*63A 30mA Type A RCCB with knockouts
VM655HK	10 Way 5+5 63A Sw 2*63A 30mA Type A RCCB with knockout
VM666HK	12 Way 6+6 63A Sw 2*63A 30mA Type A RCCB with knockout
VM646HK	Dual Row 4+6 Way 63A Sw 2*63A 30mA RCCB with knockout
VM60810HK	Dual Row 8+10W 63A Sw 2*63A 30mA RCCB with knockout
VM61214HK	Dual Row 12+14W 63A Sw 2*63A 30mA RCCB with knockout
VM61820HK	Dual Row 18+20W 63A Sw 2*63A 30mA RCCB with knockout

Design 10 Switch Disconnecter 63A Incomer Splitload 63 / 63A RCCB

Product Reference	Product Description
VML633H	6 Way 3+3 63A Sw 2*63A 30mA Type A RCCB
VML655H	10 Way 5+5 63A Sw 2*63A 30mA Type A RCCB
VML666H	12 Way 6+6 63A Sw 2*63A 30mA Type A RCCB
VML646H	Dual Row 4+6 Way 63A Sw 2*63A 30mA RCCB
VML60810H	Dual Row 8+10W 63A Sw 2*63A 30mA RCCB
VML61214H	Dual Row 12+14W 63A Sw 2*63A 30mA RCCB
VML61820H	Dual Row 18+20W 63A Sw 2*63A 30mA RCCB
VML633HRK	6 Way 3+3 63A Sw 2*63A 30mA Type A RCCB with round knockouts
VML655RK	10 Way 5+5 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML666RK	12 Way 6+6 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML646RK	Dual Row 4+6 Way 63A Sw 2*63A 30mA RCCB with round knockout
VML60810RK	Dual Row 8+10W 63A Sw 2*63A 30mA RCCB with round knockout
VML61214RK	Dual Row 12+14W 63A Sw 2*63A 30mA RCCB with round knockout
VML61820RK	Dual Row 18+20W 63A Sw 2*63A 30mA RCCB with round knockout

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 30 Switch Disconnecter 63A Incomer Configurable Splitload 63 / 63A RCCB

Product Reference	Product Description
VM610C	10W Conf 63A Sw 2*63A 30mA Type A RCCB
VM612C	12W Conf 63A Sw 2*63A 30mA Type A RCCB
VM616C	16W Conf 63A Sw 2*63A 30mA Type A RCCB
VM610CK	10W Conf 63A Sw 2*63A 30mA Type A RCCB
VM612CK	12W Conf 63A Sw 2*63A 30mA Type A RCCB
VM616CK	16W Conf 63A Sw 2*63A 30mA Type A RCCB

Design 10 Switch Disconnecter 63A Incomer Configurable Splitload 63 / 63A RCCB

Product Reference	Product Description
VML610C	10W Conf 63A Sw 2*63A 30mA Type A RCCB
VML612C	12W Conf 63A Sw 2*63A 30mA Type A RCCB
VML616C	16W Conf 63A Sw 2*63A 30mA Type A RCCB
VML610CRK	10W Conf 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML612CRK	12W Conf 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML616CRK	16W Conf 63A Sw 2*63A 30mA Type A RCCB with round knockout

Design 30 Switch Disconnecter 63A Incomer HI Configurable Splitload 63 / 63A RCCB

Product Reference	Product Description
VM610CU	10W HiConf 63A Sw 2*63A 30mA Type A RCCB
VM612CU	12W HiConf 63A Sw 2*63A 30mA Type A RCCB
VM616CU	16W HiConf 63A Sw 2*63A 30mA Type A RCCB
VM60810CU	Dual Row HI 8+10 63A Sw 2*63A 30mA RCCB
VM61214CU	Dual Row HI 12+14 63A Sw 2*63A 30mA RCCB
VM61820CU	Dual Row HI 18+20 63A Sw 2*63A 30mA RCCB
VM610CUK	10W HiConf 63A Sw 2*63A 30mA Type A RCCB with knockout
VM612CUK	12W HiConf 63A Sw 2*63A 30mA Type A RCCB with knockout
VM616CUK	16W HiConf 63A Sw 2*63A 30mA Type A RCCB with knockout
VM60810CUK	Dual Row HI 8+10 63A Sw 2*63A 30mA RCCB with knockout
VM61214CUK	Dual Row HI 12+14 63A Sw 2*63A 30mA RCCB with knockout
VM61820CUK	Dual Row HI 18+20 63A Sw 2*63A 30mA RCCB with knockout

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Design 10 Switch Disconnecter 63A Incomer HI Configurable Splitload 63 / 63A RCCB

Product Reference	Product Description
VML610CU	10W HiConf 63A Sw 2*63A 30mA Type A RCCB
VML612CU	12W HiConf 63A Sw 2*63A 30mA Type A RCCB
VML616CU	16W HiConf 63A Sw 2*63A 30mA Type A RCCB
VML60810CU	Dual Row HI 8+10 63A Sw 2*63A 30mA RCCB
VML61214CU	Dual Row HI 12+14 63A Sw 2*63A 30mA RCCB
VML61820CU	Dual Row HI 18+20 63A Sw 2*63A 30mA RCCB
VML610CURK	10W HiConf 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML612CURK	12W HiConf 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML616CURK	16W HiConf 63A Sw 2*63A 30mA Type A RCCB with round knockout
VML60810CURK	Dual Row HI 8+10 63A Sw 2*63A 30mA RCCB with round knockout
VML61214CURK	Dual Row HI 12+14 63A Sw 2*63A 30mA RCCB with round knockout
VML61820CURK	Dual Row HI 18+20 63A Sw 2*63A 30mA RCCB with round knockout

Design 30 range designation with 100A Swd Main Incomer & SPD XL

Product Reference	Product Description
VM110XL	10 Way 100A Swd Main Incomer XL
VM114XL	14 Way 100A Swd Main Incomer XL
VM120XL	20 Way 100A Swd Main Incomer XL
VM108SPDXL	8 Way 100A Swd Main Incomer & SPD XL
VM112SPDXL	12 Way 100A Swd Main Incomer & SPD XL
VM118SPDXL	18 Way 100A Swd Main Incomer & SPD XL

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Accessory Kits

Product Reference	Product Description
VMLOCK	Design 30 Door Locking Kit
VM01CE	Cable Protector Plate (Metal)
VM02CE	Cable Protector Plate (Insulated)
VM03CB	CU Cable Entry 40x30mm (closed)
VM03CE	CU Cable Entry 40x30mm (open)
VM04CB	CU Cable Entry Metertail (closed)
VM04CE	CU Cable Entry Metertail (open)
VM01SP	Rear stand-off plates VM & VML
VAP00	CU Label Pack (spare)

Surge Protection Device Accessories

Product Reference	Product Description
VM02SPD	Consumer Unit Type 2 Surge Protection Kit
SPB015	SPD Spare Line Cartridge
SPB015N	SPD Spare Neutral Cartridge
VME01SPD	Consumer Unit Type 1+2 Surge Protection Kit
SPA090	SPD Spare Line Cartridge
SPA090N	SPD Spare Neutral Cartridge

Cable Link Accessories

Product Reference	Product Description
KE01B	Neutral Insulated Flexible link, Blue 122mm Flat/Flat
KE01R	Live Insulated Flexible link, Brown 122mm Flat/Flat
KE02B	Neutral Insulated Flexible link, Blue 236mm Flat/D
KE02R	Live Insulated Flexible link, Brown 242mm Flat/Flat
KE03B	Neutral Insulated Flexible link, Blue 300mm Flat/D
KE03R	Live Insulated Flexible link, Brown 330mm Flat/Flat
KE04B	Neutral Insulated Flexible link, Blue 355mm Flat/Flat
KE06R	Live Insulated Flexible link, Brown 500mm Flat/Flat
KE07B	Neutral Insulated Flexible link, Blue 549mm Flat/Flat

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Type references

Accessories

Product Reference	Product Description
JK01B	1 Module Busbar Blank
JG01C	1 Module Cover Blank
MZN175	Padlockable Locking Kit for modular device
JK25A	Padlock with 2 keys (3/4" body)
VAB08	8 Module Busbar
VAB12	12 Module Busbar
VAB16	16 Module Busbar
VAB21	21 Module Busbar
VAT00	Spare Terminal Bar Support Clips (Quantity - 5)
VAT02	Terminal Bar 2 Way with Two Support Clips
VAT03	Terminal Bar 3 Way with Two Support Clips
VAT04	Terminal Bar 4 Way with Two Support Clips
VAT05	Terminal Bar 5 Way with Two Support Clips
VAT06	Terminal Bar 6 Way with Two Support Clips
VAT07	Terminal Bar 7 Way with Two Support Clips
VAT08	Terminal Bar 8 Way with Two Support Clips
VAT09	Terminal Bar 9 Way with Two Support Clips
VAT10	Terminal Bar 10 Way with Two Support Clips
VAT11	Terminal Bar 11 Way with Two Support Clips
VAT12	Terminal Bar 12 Way with Two Support Clips
VAT13	Terminal Bar 13 Way with Two Support Clips
VAT14	Terminal Bar 14 Way with Two Support Clips
VAT15	Terminal Bar 15 Way with Two Support Clips
VAT16	Terminal Bar 16 Way with Two Support Clips
VAT17	Terminal Bar 17 Way with Two Support Clips
VAT18	Terminal Bar 18 Way with Two Support Clips
VAT19	Terminal Bar 19 Way with Two Support Clips
VAT20	Terminal Bar 20 Way with Two Support Clips
VAT21	Terminal Bar 21 Way with Two Support Clips
VAT22	Terminal Bar 22 Way with Two Support Clips
VAT23	Terminal Bar 23 Way with Two Support Clips
VAT24	Terminal Bar 24 Way with Two Support Clips

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Evidence(s)

Documents listed below have been developed to assure that all essential requirements of applied directive(s) are fulfilled:

If the product is not in the scope of Radio Equipment directive, fulfil table 1a, if yes fulfil table.

Table 1a Risk Assessment for Equipment without Radio	Applicable: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Only designated standards published on GOV.UK (https://www.gov.uk/guidance/designated-standards) are used:	Yes BS EN 61439-3
Scope and classification fully covers the product (case 1 of Hager Group risk analysis) :	Yes
Comments :	Designated After 2016
Hager Group risk analysis: Only if there is at least one "No", then you have to explain how you cover the essential requirements and fill the document <u>DMS034433</u> - Hager Group risk analysis)	DMS034433 followed using case 1 of Hager Group method: Designated Standard Used

Table 1b Risk Assessment for Radio equipment	Applicable: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Hager Group risk assessment: Fill document DMS063155	Assembly does not come under RE Regulation

Evidence(s) / Evidence(s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives

Certificate(s) / test report(s):	Hager UK Lab Verification Report G1931-1a Hager UK Lab Verification Report G1943 Hager UK Lab General Test Report G2010a Hager UK Lab Verification Report G2046 Hager UK Lab General Test Report G2055b Hager UK Lab General Test Report G2059 Hager UK Lab General Test Report G2088 Hager UK Lab General Test Report G2133 Hager UK Lab General Test Report G2145 Hager UK Lab General Test Report G2146 Hager UK Lab General Test Report G2183-1 Hager UK Lab General Test Report G2212 Hager UK Lab Verification Report G2207-8 Hager Group Lab Short Circuit Test Report HOM14371 Hager Group Lab Short Circuit Test Report HOM14372 Hager Group Lab Short Circuit Test Report HOM15201 Hager Group Lab Short Circuit Test Report HOM18235 Hager Group Lab Short Circuit Test Report HOM 18289 Hager Group Lab Short Circuit Test Report HOM 19005 Hager Group Lab Short Circuit Test Report HOM 19198 Hager Group Lab Short Circuit Test Report LB 22 0719 Hager Group Lab Severity A Corrosion Test Report 18-088LAB_BLK Phoenix Contact GmbH SPD Test Report PB20015 Hager Group Test Report 22-144LAB-BLK-A1 Hager Group Lab Short Circuit Test Report VAL230218876-A1
----------------------------------	---

UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

	Hager Group Lab Short Circuit Test Report VAL230220467-B Hager Group Lab Short Circuit Test Report VAL230220849
Mark approval(s):	None
Product documentation :	See Hager Website User Instruction leaflets ZD0820, ZD0823, ZD0829, ZD0830, ZD0837, ZD0839, ZD0864, ZD0865, ZD0874, ZD0865
Comments:	None

Signature (technical design)

Name of signatory

Thierry Lienhardt

Function of signatory

Enclosure Systems Product Engineering Director

Place and date of issue

Obernai, FR 21/12/2023

Signature



UKCA DECLARATION OF CONFORMITY

No. UKCA 23.3474.12.23

Designated Standards

Designated standard UKCA Electrical Equipment (Safety) Regulations 2016:

S.I. 2016 No. 1101	EN 61439-1:2011	Low-voltage switchgear and controlgear assemblies – Part 1: General rules	01/01/2021	0009/21
S.I. 2016 No. 1101	EN 61439-3:2012	Low-voltage switchgear and controlgear assemblies – Part 3: Distribution boards intended to be operated by ordinary persons (DBO)	01/01/2021	0009/21
S.I. 2016 No. 1101	EN 61439-3:2012, EN 61439- 3:2012/AC:2019-04	Low-voltage switchgear and controlgear assemblies – Part 3: Distribution boards intended to be operated by ordinary persons (DBO)	01/01/2021	0009/21

Designated standard UKCA Electromagnetic Compatibility Regulations 2016:

S.I. 2016 No. 1091	EN 61439-1:2011	Low-voltage switchgear and controlgear assemblies – Part 1: General rules	01/01/2021	0007/21
S.I. 2016 No. 1091	EN 61439-3:2012	Low-voltage switchgear and controlgear assemblies – Part 3: Distribution boards intended to be operated by ordinary persons (DBO)	01/01/2021	0007/21
S.I. 2016 No. 1091	EN 61439-3:2012, EN 61439-3:2012 /AC:2019-04	Low-voltage switchgear and controlgear assemblies – Part 3: Distribution boards intended to be operated by ordinary persons (DBO)	01/01/2021	0007/21

Designated standard UKCA RoHS:

S.I. 2012 No. 3033	EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	01/01/2021	0037/21
-----------------------	-------------------	--	------------	---------