

UKCA DECLARATION OF CONFORMITY No. UKCA 21.2963.05.21

	Hortonwood 50 TELFORD-TF1 7FT-UK
clare that the product(s)	
signation	KLIK Lighting Distribution System (4 pin)
pe reference(s)	KLIK 4 System ranges Marshalling Boxes : LDS Plug & Ceiling Roses : PCR2000 / CR64AX / P22 / P64 / S27 / S64 Wireable & pre-wired plug leads
ademark	Hager
(are) in conformity with the relevant Unite	ed Kingdom legislation:
- SI 2012/3032 Restriction of the Us amended)	se of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 20
- SI 2016/1091 Electromagnetic Com	npatibility (EMC) Regulations 2016 (as amended)
- SI 2016/1101 Electrical Equipment	(safety) Regulations 2016 (as amended)
Andard(s) and/or relevant document(s) to ndard number + relevant amendments together with the ed BS 5733:2010 BS 6972:1988(Am d1) BS EN IEC 63000:2018 If applicable, mention here for radio products, the data abo	lition dates
This declaration of conformity is issued	under the sole responsibility of the manufacturer
This declaration of conformity is issued On behalf of Company name	under the sole responsibility of the manufacturer.
	under the sole responsibility of the manufacturer. Function of signatory
On behalf of Company name	

(as

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - Marshalling Boxes

Reference	Product Description
KLDS4	4 Way Klik Lighting Distribution Unit
KLDS6	6 Way Klik Lighting Distribution Unit
KLDS8	8 Way Klik Lighting Distribution Unit
KLDS10	10 Way Klik Lighting Distribution Unit
KLDS12	12 Way Klik Lighting Distribution Unit
KLDS4BLACK	4 Way Klik Lighting Distribution Unit – Black
KLDS6BLACK	6 Way Klik Lighting Distribution Unit – Black
KLDS8BLACK	8 Way Klik Lighting Distribution Unit – Black
KLDS10BLACK	10 Way Klik Lighting Distribution Unit – Black
KLDS12BLACK	12 Way Klik Lighting Distribution Unit – Black

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 3 Pin Pre-wired 6A Plug-in Ceiling Rose

Reference	Product Description
PCR2000/1 .0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre PVC
PCR2000/2.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre PVC
PCR2000/3.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre PVC
PCR2000/4.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre PVC
PCR2000/LSF/1.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre LSZH
PCR2000/LSF/2.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre LSZH
PCR2000/LSF/3.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre LSZH
PCR2000/LSF/4.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre LSZH
PCR2000/1.0PVC/2	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 2 Metre PVC
PCR2000/1.0PVC/3	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 3 Metre PVC
PCR2000/1.0PVC/4	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 4 Metre PVC
PCR2000/1.0PVC/5	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 5 Metre PVC
PCR2000/1.0LSF/2	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 2 Metre LSZH
PCR2000/1.0LSF/3	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 3 Metre LSZH
PCR2000/1.0LSF/4	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 4 Metre LSZH
PCR2000/1.0LSF/5	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 5 Metre LSZH

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plug-in Ceiling Rose

Reference	Product Description
CR64AX/1.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre PVC
CR64AX/2.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre PVC
CR64AX/3.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre PVC
CR64AX/4.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre PVC
CR64AX/LSF/1.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre LSZH
CR64AX/LSF/2.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre LSZH
CR64AX/LSF/3.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre LSZH
CR64AX/LSF/4.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre LSZH
CR64AX/1.0PVC/2	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 2 Metre PVC
CR64AX/1.0PVC/3	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 3 Metre PVC
CR64AX/1.0PVC/4	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 4 Metre PVC
CR64AX/1.0PVC/5	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 5 Metre PVC
CR64AX/1.0LSF/2	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 2 Metre LSZH
CR64AX/1.0LSF/3	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 3 Metre LSZH
CR64AX/1.0LSF/4	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 4 Metre LSZH
CR64AX/1.0LSF/5	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 5 Metre LSZH

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 3 Pin Pre-wired 6A Plugs

Reference	Product Description
P22/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P22/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P22/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P22/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P22/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P22/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P22/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P22/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P22/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P22/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P22/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P22/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P22/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P22/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P22/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P22/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - White

Reference	Product Description
P64AX/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P64AX/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P64AX/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P64AX/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P64AX/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P64AX/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P64AX/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P64AX/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P64AX/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P64AX/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P64AX/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P64AX/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P64AX/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P64AX/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P64AX/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P64AX/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - Red

Reference	Product Description
P64AXR/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P64AXR/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P64AXR/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P64AXR/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P64AXR/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P64AXR/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P64AXR/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P64AXR/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P64AXR/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P64AXR/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P64AXR/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P64AXR/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P64AXR/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P64AXR/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P64AXR/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P64AXR/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH



UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 3 Pin Plug-in Ceiling Rose & Cover

Reference	Product Description
PCR2000	3 Pin Plug-in Ceiling Rose White
PCR2000BLACK	3 Pin Plug-in Ceiling Rose Black

Klik 4 - 4 Pin (including Auxiliary) Plug-in Ceiling Rose & Cover

Reference	Product Description
CR64AX	4 Pin Plug-in Ceiling Rose White
CR64AX/R	4 Pin Plug-in Ceiling Rose Red
A1	Ceiling Rose Cover White
A1/R	Ceiling Rose Cover Red
A1BLACK	Ceiling Rose Cover Black

Klik 4 - 3 Pin Plug

Reference	Product Description
P22	3 Pin Plug White
P22BLACK	3 Pin Plug Black

Klik 4 - 4 Pin (Including Auxiliary) Plug

Reference	Product Description
P64AX	4 Pin Plug White
P64AX/R	4 Pin Plug Red



UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Klik 4 - 3 Pin Plug Socket Outlets

Reference	Product Description
S27	3 Pin Round Socket White

Klik 4 - 4 Pin (Including Auxiliary) Plug Socket Outlets

Reference	Product Description	
S64AX	4 Pin Round Socket White	
S64BLACK	4 Pin Round Socket Black	

Moulded Mounting Boxes

Reference	Product Description	
MB2	Round Surface Box White	

UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Evidences approved by: Site:	Engineering Quality / Certification Telford
Only designated standards published on GOV.UK (<u>https://www.gov.uk/guidance/designated-standards</u>) are used:	No
Scope and classification fully covers the product (case 1 of Hager Group risk analysis):	Yes Designated Before 2016
Comments :	Case 2
Hager Group risk analysis: (Only if there is at least one "No", then you have to explain how you cover the essential requirements and fill the document <u>DMS034433</u> - Hager Group risk analysis)	DMS034433 followed using case 2 of Hager Group method: Non Designated standard used
Certificate(s) / test report(s):	Nemko Certificate C11 42534 HG Lab Test Report TRWA1308019 KLDS HG Lab Test Report TRWA1408004 PCR2000 HG Lab Test Report TRWA1612010 CR64AX HG Lab Test Report TRWA1612013 PCR2000 HG Lab Test Report LB 20 0017 PCR2000 HG Lab Test Report LB 20 0343 CR64AX
Mark approval(s):	No
Product documentation :	See Hager Website
Comments:	None



UKCA DECLARATION OF CONFORMITY

No. UKCA 21.2963.05.21

Evidence (s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant legislation

Designated Standards

Designated standard UKCA RoHS:

S.I. 2012 No. 3033	EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of	01/01/2021	0037/21
		hazardous substances		