

## EU-KONFORMITÄTSERKLÄRUNG Nr. CE 21.3166.10.21

EU DECLARATION OF CONFORMITY No.

**Wir / We** Hager Electro GmbH & Co. KG  
Zum Gunterstal  
66440 BLIESKASTEL - GERMANY

**bestätigen, dass das (die) Produkt(e) / declare that the product(s)**

**Bezeichnung / Designation**

KLIK Lighting Distribution System (4 pin)

**Bestell-Nummer(n) / Type reference(s)**

KLIK 4 System ranges  
Marshalling Boxes : LDS  
Plug & Ceiling Roses : PCR2000 / CR64AX / P22 / P64 / S27 / S64  
Wireable & pre-wired plug leads

**Handelsmarke / Trademark**

Hager

**die einschlägigen Harmonisierungsrechtsvorschriften der Union erfüllt (erfüllen):**

*is (are) in conformity with the relevant Union harmonization legislation:*

- Richtlinie zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe Nr. 2011/65/EU geändert durch (EU) 2015/863 - Directive on the Restriction of the use of certain Hazardous Substances (RoHS) N° 2011/65/EU amended by N° (EU) 2015/863
- Elektromagnetische Verträglichkeit Richtlinie (EMV) Nr. 2014/30/EU - Electromagnetic Compatibility Directive (EMC) N° 2014/30/EU
- Niederspannungsrichtlinie (NSR) Nr. 2014/35/EU - Low Voltage Directive (LVD) N° 2014/35/EU

**Norm(en) und / oder das (die) maßgebliche(n) Dokument(e) / Standard(s) and/or relevant document(s)**

*Norm Nr. + Berichtigung Nr. mit jeweils Ausgabe-Datum / Standard number + relevant amendments together with the edition dates*

BS 5733:2010

BS 6972:1988(Amd1)

BS EN IEC 63000:2018

Wenn anwendbar, führen Sie hier für Funkprodukte die Daten ein die die notifizierte Stelle betreffen. Siehe Funkanlagen Richtlinie - Anhang VI - Punkt 7.  
If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

**Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.**

*This declaration of conformity is issued under the sole responsibility of the manufacturer.*

**Aussteller / Name of signatory**

Mr John Lee

**Funktion des Unterzeichners / Function of signatory**

Business Development Manager

**Ort und Datum / Place and date**

Huizhou, China 25/10/2021

**Unterschrift / Signature**



## EU-KONFORMITÄTSERKLÄRUNG

*EU DECLARATION OF CONFORMITY*

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

### Klik 4 - Marshalling Boxes

Reference	Product Description
KLDS4	4 Way Klik Lighting Distribution Unit
KLDS6	6 Way Klik Lighting Distribution Unit
KLDS8	8 Way Klik Lighting Distribution Unit
KLDS10	10 Way Klik Lighting Distribution Unit
KLDS12	12 Way Klik Lighting Distribution Unit
KLDS4BLACK	4 Way Klik Lighting Distribution Unit – Black
KLDS6BLACK	6 Way Klik Lighting Distribution Unit – Black
KLDS8BLACK	8 Way Klik Lighting Distribution Unit – Black
KLDS10BLACK	10 Way Klik Lighting Distribution Unit – Black
KLDS12BLACK	12 Way Klik Lighting Distribution Unit – Black

## EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

### Klik 4 - 3 Pin Pre-wired 6A Plug-in Ceiling Rose

Reference	Product Description
PCR2000/1 .0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre PVC
PCR2000/2.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre PVC
PCR2000/3.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre PVC
PCR2000/4.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre PVC
PCR2000/LSF/1.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre LSZH
PCR2000/LSF/2.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
PCR2000/LSF/3.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
PCR2000/LSF/4.0	6A Plug-in Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
PCR2000/1.0PVC/2	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 2 Metre PVC
PCR2000/1.0PVC/3	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 3 Metre PVC
PCR2000/1.0PVC/4	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 4 Metre PVC
PCR2000/1.0PVC/5	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 5 Metre PVC
PCR2000/1.0LSF/2	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
PCR2000/1.0LSF/3	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
PCR2000/1.0LSF/4	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
PCR2000/1.0LSF/5	6A Plug-in Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 5 Metre LSZH

## EU-KONFORMITÄTSERKLÄRUNG

*EU DECLARATION OF CONFORMITY*

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

### Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plug-in Ceiling Rose

Reference	Product Description
CR64AX/1.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre PVC
CR64AX/2.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre PVC
CR64AX/3.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre PVC
CR64AX/4.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre PVC
CR64AX/LSF/1.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre LSZH
CR64AX/LSF/2.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
CR64AX/LSF/3.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
CR64AX/LSF/4.0	6A Pre-wired Ceiling Rose with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
CR64AX/1.0PVC/2	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 2 Metre PVC
CR64AX/1.0PVC/3	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 3 Metre PVC
CR64AX/1.0PVC/4	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 4 Metre PVC
CR64AX/1.0PVC/5	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 5 Metre PVC
CR64AX/1.0LSF/2	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
CR64AX/1.0LSF/3	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
CR64AX/1.0LSF/4	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
CR64AX/1.0LSF/5	6A Pre-wired Ceiling Rose with 1mm <sup>2</sup> Flexible Cord – 5 Metre LSZH

## EU-KONFORMITÄTSERKLÄRUNG

*EU DECLARATION OF CONFORMITY*

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

### Klik 4 - 3 Pin Pre-wired 6A Plugs

Reference	Product Description
P22/1.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre PVC
P22/2.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre PVC
P22/3.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre PVC
P22/4.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre PVC
P22/LSF/1.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre LSZH
P22/LSF/2.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
P22/LSF/3.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
P22/LSF/4.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
P22/1.0PVC/2	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 2 Metre PVC
P22/1.0PVC/3	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 3 Metre PVC
P22/1.0PVC/4	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 4 Metre PVC
P22/1.0PVC/5	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 5 Metre PVC
P22/1.0LSF/2	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
P22/1.0LSF/3	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
P22/1.0LSF/4	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
P22/1.0LSF/5	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 5 Metre LSZH

## EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

### Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - White

Reference	Product Description
P64AX/1.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre PVC
P64AX/2.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre PVC
P64AX/3.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre PVC
P64AX/4.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre PVC
P64AX/LSF/1.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre LSZH
P64AX/LSF/2.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
P64AX/LSF/3.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
P64AX/LSF/4.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
P64AX/1.0PVC/2	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 2 Metre PVC
P64AX/1.0PVC/3	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 3 Metre PVC
P64AX/1.0PVC/4	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 4 Metre PVC
P64AX/1.0PVC/5	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 5 Metre PVC
P64AX/1.0LSF/2	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
P64AX/1.0LSF/3	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
P64AX/1.0LSF/4	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
P64AX/1.0LSF/5	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 5 Metre LSZH

## EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

### Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - Red

Reference	Product Description
P64AXR/1.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre PVC
P64AXR/2.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre PVC
P64AXR/3.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre PVC
P64AXR/4.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre PVC
P64AXR/LSF/1.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 1 Metre LSZH
P64AXR/LSF/2.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
P64AXR/LSF/3.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
P64AXR/LSF/4.0	6A Pre-wired Plugs with 0.75mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
P64AXR/1.0PVC/2	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 2 Metre PVC
P64AXR/1.0PVC/3	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 3 Metre PVC
P64AXR/1.0PVC/4	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 4 Metre PVC
P64AXR/1.0PVC/5	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 5 Metre PVC
P64AXR/1.0LSF/2	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 2 Metre LSZH
P64AXR/1.0LSF/3	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 3 Metre LSZH
P64AXR/1.0LSF/4	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 4 Metre LSZH
P64AXR/1.0LSF/5	6A Pre-wired Plugs with 1mm <sup>2</sup> Flexible Cord – 5 Metre LSZH

## EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

#### Klik 4 - 3 Pin Plug-in Ceiling Rose & Cover

Reference	Product Description
PCR2000	3 Pin Plug-in Ceiling Rose White
PCR2000BLACK	3 Pin Plug-in Ceiling Rose Black

#### Klik 4 - 4 Pin (including Auxiliary) Plug-in Ceiling Rose & Cover

Reference	Product Description
CR64AX	4 Pin Plug-in Ceiling Rose White
CR64AX/R	4 Pin Plug-in Ceiling Rose Red
A1	Ceiling Rose Cover White
A1/R	Ceiling Rose Cover Red
A1BLACK	Ceiling Rose Cover Black

#### Klik 4 - 3 Pin Plug

Reference	Product Description
P22	3 Pin Plug White
P22BLACK	3 Pin Plug Black

#### Klik 4 - 4 Pin (Including Auxiliary) Plug

Reference	Product Description
P64AX	4 Pin Plug White
P64AX/R	4 Pin Plug Red



## EU-KONFORMITÄTSERKLÄRUNG

*EU DECLARATION OF CONFORMITY*

Nr. CE 21.3166.10.21

### Produkt Bestell-Nummern

*Type references*

#### Klik 4 - 3 Pin Plug Socket Outlets

Reference	Product Description
S27	3 Pin Round Socket White

#### Klik 4 - 4 Pin (Including Auxiliary) Plug Socket Outlets

Reference	Product Description
S64AX	4 Pin Round Socket White
S64BLACK	4 Pin Round Socket Black

#### Moulded Mounting Boxes

Reference	Product Description
MB2	Round Surface Box White

## EU-KONFORMITÄTSERKLÄRUNG / EU DECLARATION OF CONFORMITY

Nr. CE 21.3166.10.21

### Nachweis(e) / Evidence(s)

Die unten genannten Dokumente wurden benutzt um die Konformität zu den Kern-Anforderungen der relevanten Richtlinien zu erstellen

*Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives*

Evidences approved by : Address:	Engineering / Laboratory Huizhou
Only harmonized standard(s) publish on the OJEU (Official journal of European union: <a href="https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards_en">https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards_en</a> ) are used:  Scope and classification fully covers the product (case 1 of Hager Group risk analysis) :  Comments :	No  Yes  Non-Harmonised Before 2016
Hager Group risk analysis: (Only if there is at least one "No", then you have to explain how you cover the essential requirements of the European Directive and fill the document <u>DMS034433</u> - Hager Group risk analysis)	DMS034433 followed using case 2 of Hager Group method:  Non-Harmonised standard used
Certificate(s) / test report(s):	Nemko Certificate C11 42534 HG Lab Test Report TRWA1308019 KLDS HG Lab Test Report TRWA1408004 PCR2000 HG Lab Test Report TRWA1612010 CR64AX HG Lab Test Report TRWA1612013 PCR2000 HG Lab Test Report LB 20 0017 PCR2000 HG Lab Test Report LB 20 0343 CR64AX
Mark approval(s):	No
Product documentation :	See Hager Website
Comments:	None

## EU-KONFORMITÄTSERKLÄRUNG / EU DECLARATION OF CONFORMITY

Nr. CE 21.3166.10.21

### Nachweis(e) / Evidence(s)

Die unten genannten Dokumente wurden benutzt um die Konformität zu den Kern-Anforderungen der relevanten Richtlinien zu erstellen

*Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives*

#### Harmonised Standards

Harmonised standard CE RoHS 2015/863

ESO	Reference and title of the standard (and reference document)	First publication OJ	Reference of Superseded standard	Date of cessation of presumption of conformity of superseded standard Note 1
Cenelec	EN IEC 63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	31.3.2015		