

EU-KONFORMITÄTSERKLÄRUNG Nr. CE 23.3166.08.23

EU DECLARATION OF CONFORMITY No.

Wir / We **Hager Electro SAS**
BP3
67215 OBERNAI CEDEX - FRANCE

bestätigen, dass das (die) Produkt(e) / declare that the product(s)

Bezeichnung / Designation

KLIK Lighting Distribution System (4 pin)

Bestell-Nummer(n) / Type reference(s)

KLIK 4 System ranges
Marshalling Boxes : LDS
Plug & Ceiling Roses : PCR2000 / CR64AX / P22 / P64 / S27 / S64
Wireable & pre-wired plug leads

Handelsmarke / Trademark

Hager

die einschlägigen Harmonisierungsrechtsvorschriften der Union erfüllt (erfüllen):

is (are) in conformity with the relevant Union harmonization legislation:

- Richtlinie zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe Nr. 2011/65/EU geändert durch (EU) 2015/863 - Directive on the Restriction of the use of certain Hazardous Substances (RoHS) N° 2011/65/EU amended by N° (EU) 2015/863
- Elektromagnetische Verträglichkeit Richtlinie (EMV) Nr. 2014/30/EU - Electromagnetic Compatibility Directive (EMC) N° 2014/30/EU
- Niederspannungsrichtlinie (NSR) Nr. 2014/35/EU - Low Voltage Directive (LVD) N° 2014/35/EU

Norm(en) und / oder das (die) maßgebliche(n) Dokument(e) / Standard(s) and/or relevant document(s)

Norm Nr. + Berichtigung Nr. mit jeweils Ausgabe-Datum / Standard number + relevant amendments together with the edition dates

BS 5733:2010+A1:2014

BS 6972:1988(Amd1)

BS EN 50525-2-11:2011

BS EN 50525-3-11:2011

EN IEC 63000:2018

Wenn anwendbar, führen Sie hier für Funkprodukte die Daten ein die die notifizierte Stelle betreffen. Siehe Funkanlagen Richtlinie - Anhang VI - Punkt 7.
If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Im Namen von / On behalf of **Hager Electro SAS - BP3 - 67215 OBERNAI CEDEX - FRANCE**

Name des Unterzeichners / Name of signatory

Eddie Li

Funktion des Unterzeichners / Function of signatory

Lab Manager - Group Quality & Environment

Ort und Datum der Ausstellung / Place and date of issue

Huizhou, CN 09/08/2023

Unterschrift / Signature



EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - Marshalling Boxes

Product Reference	Product Description
KLDS4	4 Way Klik Lighting Distribution Unit
KLDS6	6 Way Klik Lighting Distribution Unit
KLDS8	8 Way Klik Lighting Distribution Unit
KLDS10	10 Way Klik Lighting Distribution Unit
KLDS12	12 Way Klik Lighting Distribution Unit
KLDS4BLACK	4 Way Klik Lighting Distribution Unit – Black
KLDS6BLACK	6 Way Klik Lighting Distribution Unit – Black
KLDS8BLACK	8 Way Klik Lighting Distribution Unit – Black
KLDS10BLACK	10 Way Klik Lighting Distribution Unit – Black
KLDS12BLACK	12 Way Klik Lighting Distribution Unit – Black

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 3 Pin Pre-wired 6A Plug-in Ceiling Rose

Product Reference	Product Description
PCR2000/1.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre PVC
PCR2000/2.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre PVC
PCR2000/3.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre PVC
PCR2000/4.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre PVC
PCR2000/LSF/1.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre LSZH
PCR2000/LSF/2.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre LSZH
PCR2000/LSF/3.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre LSZH
PCR2000/LSF/4.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre LSZH
PCR2000/1.0PVC/2	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 2 Metre PVC
PCR2000/1.0PVC/3	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 3 Metre PVC
PCR2000/1.0PVC/4	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 4 Metre PVC
PCR2000/1.0PVC/5	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 5 Metre PVC
PCR2000/1.0LSF/2	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 2 Metre LSZH
PCR2000/1.0LSF/3	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 3 Metre LSZH
PCR2000/1.0LSF/4	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 4 Metre LSZH
PCR2000/1.0LSF/5	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 5 Metre LSZH

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plug-in Ceiling Rose

Product Reference	Product Description
CR64AX/1.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre PVC
CR64AX/2.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre PVC
CR64AX/3.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre PVC
CR64AX/4.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre PVC
CR64AX/LSF/1.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre LSZH
CR64AX/LSF/2.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre LSZH
CR64AX/LSF/3.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre LSZH
CR64AX/LSF/4.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre LSZH
CR64AX/1.0PVC/2	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 2 Metre PVC
CR64AX/1.0PVC/3	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 3 Metre PVC
CR64AX/1.0PVC/4	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 4 Metre PVC
CR64AX/1.0PVC/5	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 5 Metre PVC
CR64AX/1.0LSF/2	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 2 Metre LSZH
CR64AX/1.0LSF/3	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 3 Metre LSZH
CR64AX/1.0LSF/4	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 4 Metre LSZH
CR64AX/1.0LSF/5	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 5 Metre LSZH

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 3 Pin Pre-wired 6A Plugs

Product Reference	Product Description
P22/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P22/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P22/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P22/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P22/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P22/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P22/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P22/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P22/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P22/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P22/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P22/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P22/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P22/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P22/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P22/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - White

Product Reference	Product Description
P64AX/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P64AX/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P64AX/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P64AX/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P64AX/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P64AX/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P64AX/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P64AX/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P64AX/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P64AX/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P64AX/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P64AX/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P64AX/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P64AX/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P64AX/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P64AX/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - Red

Product Reference	Product Description
P64AXR/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P64AXR/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P64AXR/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P64AXR/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P64AXR/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P64AXR/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P64AXR/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P64AXR/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P64AXR/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P64AXR/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P64AXR/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P64AXR/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P64AXR/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P64AXR/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P64AXR/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P64AXR/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 3 Pin Plug-in Ceiling Rose & Cover

Product Reference	Product Description
PCR2000	3 Pin Plug-in Ceiling Rose White
PCR2000BLACK	3 Pin Plug-in Ceiling Rose Black

Klik 4 - 4 Pin (including Auxiliary) Plug-in Ceiling Rose & Cover

Product Reference	Product Description
CR64AX	4 Pin Plug-in Ceiling Rose White
CR64AX/R	4 Pin Plug-in Ceiling Rose Red
A1	Ceiling Rose Cover White
A1/R	Ceiling Rose Cover Red
A1BLACK	Ceiling Rose Cover Black

Klik 4 - 3 Pin Plug

Product Reference	Product Description
P22	3 Pin Plug White
P22BLACK	3 Pin Plug Black

Klik 4 - 4 Pin (Including Auxiliary) Plug

Product Reference	Product Description
P64AX	4 Pin Plug White
P64AX/R	4 Pin Plug Red

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Produkt Bestell-Nummern

Type references

Klik 4 - 3 Pin Plug Socket Outlets

Product Reference	Product Description
S27	3 Pin Round Socket White

Klik 4 - 4 Pin (Including Auxiliary) Plug Socket Outlets

Product Reference	Product Description
S64AX	4 Pin Round Socket White
S64BLACK	4 Pin Round Socket Black

Moulded Mounting Boxes

Product Reference	Product Description
MB2	Round Surface Box White

EU-KONFORMITÄTSERKLÄRUNG / EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Angewandte Risikobewertung(en) / Applied Risk Assessment(s)

Die unten aufgeführten Dokumente wurden entwickelt, um sicherzustellen, dass alle grundlegenden Anforderungen der angewandten Richtlinie(n) erfüllt werden:

Documents listed below have been developed to assure that all essential requirements of applied directive(s) are fulfilled:

Wenn das Produkt nicht in den Geltungsbereich der Richtlinie für RED fällt, füllen Sie Tabelle 1a aus, wenn ja, füllen Sie Tabelle 1b aus.

If the product is not in the scope of Radio Equipment directive, fulfil table 1a, if yes fulfil table 1b.

Table 1a Risk Assessment for Equipment without Radio		Applicable:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Only harmonized standard(s) published on the OJEU (Official journal of European union: https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards_en) are used:	No			
Scope and classification fully covers the product (case 1 of Hager Group risk analysis) :	No			
Comments :	Non-Harmonised Before 2016			
Hager Group risk analysis: (Only if there is at least one "No", then you have to explain how you cover the essential requirements of the European Directive and fill the document DMS034433 - Hager Group risk analysis)	DMS034433 followed using case 2 of Hager Group method: Non-Harmonised Standard Used			

Table 1b Risk Assessment for Radio equipment		Applicable:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Hager Group risk assessment: Fill document DMS063155				

Nachweis(e) / Evidence(s)

Die unten genannten Dokumente wurden benutzt um die Konformität zu den Kern-Anforderungen der relevanten Richtlinien zu erstellen

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives

Certificate(s) / test report(s):	Nemko Certificate C11 42534 HG Lab Test Report TRWA1308019 KLDS HG Lab Test Report TRWA1408004 PCR2000 HG Lab Test Report TRWA1612010 CR64AX HG Lab Test Report TRWA1612013 PCR2000 HG Lab Test Report LB 20 0017 PCR2000 HG Lab Test Report LB 20 0343 CR64AX
Mark approval(s):	No
Product documentation :	See Hager Website
Comments:	None

Unterschrift (technisches Design) / Signature (technical design)

Name des Unterzeichners / Name of signatory

John Lee

Funktion des Unterzeichners / Function of signatory

Business Development Manager

Ort und Datum der Ausstellung / Place and date of issue

Huizhou, CN 09/08/2023

Unterschrift / Signature



EU-KONFORMITÄTSERKLÄRUNG / EU DECLARATION OF CONFORMITY

Nr. CE 23.3166.08.23

Harmonised Standards

Harmonised standard CE RoHS 2015/863

ESO	Reference and title of the standard (and reference document)	First publication OJ	Reference of Superseded standard	Date of cessation of presumption of conformity of superseded standard Note 1
Cenelec	EN IEC 63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	31.3.2015		