

EU Declaration of Conformity No. CE 26.3432.04.26

We Hager LTD
Hortonwood 50
TELFORD-TF1 7FT-UK

**declare that the product(s)
designation**

Quadro EVO Main Distribution Board System Platform

type reference(s)

Kits FN, FZ, UC, UZ Range

trademark

Hager

is (are) in conformity with the relevant Union harmonization legislation:

- Directive on the Restriction of the use of certain Hazardous Substances (RoHS) No. 2011/65/EU amended by No. 2015/863/EU
- Electromagnetic Compatibility Directive (EMCD) No. 2014/30/EU
- Low Voltage Directive (LVD) No. 2014/35/EU
- Packaging and Packaging Waste Regulation (PPWR) No. 2025/40/EU

.....
.....

Standard number + relevant amendments together with the edition dates and/or relevant document(s)

BS EN 61439-2:2011 / BS EN IEC 61439-2:2021

EN 61439-2:2011-10 Edition 2 / EN 61439-2:2021-05 Edition 3

IEC 61439-2:2011-08 Edition 2 / IEC 61439-2:2020-05 Edition 3

BS EN IEC 63000:2018 / EN IEC 63000:2018

If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

We additionally confirm compliance with the EU Directives & Regulations, which are not linked to CE marking (if applicable).
See document DMS103207 'General EU Declaration of Conformity'.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

On behalf of Hager LTD - Hortonwood 50 - TELFORD-TF1 7FT-UK

Name of signatory

Ian Ellis

Function of signatory

Certification Manager (Enclosure Systems)

Place and date of issue

Telford, UK 07/04/2026

Signature



EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Section 1 Enclosure system - Back Panel

FN206E	Fr./bk pl. plate Quadro.PI. 300x1900 mm
FN207E	Fr./bk pl. plate Quadro.PI. 300x2100 mm
FN216E	Fr./bk pl. plate Quadro.PI. 448x1900 mm
FN217E	Fr./bk pl. plate Quadro.PI. 400x2100 mm
FN246E	Fr./bk pl. plate Quadro.PI. 1000x1900 mm
FN247E	Fr./bk pl. plate Quadro.PI. 1000x2100 mm
FN266E	Fr./bk pl. plate Quadro.PI. 200x1900 mm
FN267E	Fr./bk pl. plate Quadro.PI. 200x2100 mm
FN276E	Fr./bk pl. plate Quadro.PI. 700x1900 mm
FN277E	Fr./bk pl. plate Quadro.PI. 700x2100 mm
FN296E	Fr./bk pl. plate Quadro.PI. 900x1900 mm
FN297E	Fr./bk pl. plate Quadro.PI. 900x2100 mm
FN206EG	Fr./bk pl. plate Quadro.PI. 300x1900 mm
FN207EG	Fr./bk pl. plate Quadro.PI. 300x2100 mm
FN216EG	Fr./bk pl. plate Quadro.PI. 448x1900 mm
FN217EG	Fr./bk pl. plate Quadro.PI. 400x2100 mm
FN246EG	Fr./bk pl. plate Quadro.PI. 1000x1900 mm
FN247EG	Fr./bk pl. plate Quadro.PI. 1000x2100 mm
FN266EG	Fr./bk pl. plate Quadro.PI. 200x1900 mm
FN267EG	Fr./bk pl. plate Quadro.PI. 200x2100 mm
FN276EG	Fr./bk pl. plate Quadro.PI. 700x1900 mm
FN277EG	Fr./bk pl. plate Quadro.PI. 700x2100 mm
FN296EG	Fr./bk pl. plate Quadro.PI. 900x1900 mm
FN297EG	Fr./bk pl. plate Quadro.PI. 900x2100 mm
FN246EDW	Fr./bk pl. plate Quadro.PI. 1000x1900 mm
FN246EDG	Fr./bk pl. plate Quadro.PI. 1000x1900 mm
FN247EDW	Fr./bk pl. plate Quadro.PI. 1000x2100 mm
FN247EDG	Fr./bk pl. plate Quadro.PI. 1000x2100 mm
FN276EDW	Fr./bk pl. plate Quadro.PI. 700x1900 mm
FN276EDG	Fr./bk pl. plate Quadro.PI. 700x1900 mm
FN277EDW	Fr./bk pl. plate Quadro.PI. 700x2100 mm
FN277EDG	Fr./bk pl. plate Quadro.PI. 700x2100 mm
FN296EDW	Fr./bk pl. plate Quadro.PI. 900x1900 mm
FN296EDG	Fr./bk pl. plate Quadro.PI. 900x1900 mm
FN297EDW	Fr./bk pl. plate Quadro.PI. 900x2100 mm
FN297EDG	Fr./bk pl. plate Quadro.PI. 900x2100 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Door - External

FN506E	Plain door, quadro, H1900 W700 mm
FN507E	Plain door, quadro, H2100 W700 mm
FN510E	Glazed door, quadro, H1900 W450 mm
FN511E	Glazed door, quadro, H2100 W450 mm
FN516E	Glazed door, quadro, H1900 W700 mm
FN517E	Glazed door, quadro, H2100 W700 mm
FN526E	Plain door, quadro, H1900 W900 mm
FN527E	Plain door, quadro, H2100 W900 mm
FN536E	Glazed door, quadro, H1900 W900 mm
FN537E	Glazed door, quadro, H2100 W900 mm
FN546E	Glazed door, quadro, H1900 W448 mm
FN547E	Glazed door, quadro, H2100 W450 mm
FN506EG	Plain door, quadro, H1900 W700 mm
FN507EG	Plain door, quadro, H2100 W700 mm
FN510EG	Glazed door, quadro, H1900 W450 mm
FN511EG	Glazed door, quadro, H2100 W450 mm
FN516EG	Glazed door, quadro, H1900 W700 mm
FN517EG	Glazed door, quadro, H2100 W700 mm
FN526EG	Plain door, quadro, H1900 W900 mm
FN527EG	Plain door, quadro, H2100 W900 mm
FN536EG	Glazed door, quadro, H1900 W900 mm
FN537EG	Glazed door, quadro, H2100 W900 mm
FN546EG	Glazed door, quadro, H1900 W448 mm
FN547EG	Glazed door, quadro, H2100 W450 mm

Door - Internal

FN700E	Counterdoor, quadro, W700 H1900 mm
FN701E	Counterdoor, quadro, W700 H2100 mm
FN706E	Counterdoor, quadro, W900 H1900 mm
FN711E	Counterdoor, quadro, W900 H2100 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Door - Modular

FN1900PD	Vertical upright, quadro H1900
FN2100PD	Vertical upright, quadro H2100
FN60100PDG	Modular door, Quadro.Plus 600x1000
FN6020FDG	Modular fix panel, quadro 600x200
FN6020FDW	Modular fix panel, quadro 600x200
FN6020MDG	Modular DIN door, quadro 600x200
FN6020MDW	Modular DIN door, quadro 600x200
FN6020PDG	Modular door, quadro 600x200
FN6020PDW	Modular door, quadro 600x200
FN6030PDG	Modular door, quadro 600x300
FN6030PDW	Modular door, quadro 600x300
FN6040PDG	Modular door, quadro 600x400
FN6040PDW	Modular door, quadro 600x400
FN6040PGW	Modular glass door, quadro 600x400
FN6060PDG	Modular door, quadro 600x600
FN6060PDW	Modular door, quadro 600x600
FN6060PGW	Modular glass door, quadro 600x600
FN6080PDG	Modular door, quadro 600x800
FN80100PDG	Modular door, Quadro.Plus 800x1000
FN8020FDG	Modular door, quadro 800x200
FN8020FDW	Modular fix panel, quadro 800x200
FN8020MDG	Modular DIN door, quadro 800x200
FN8020MDW	Modular DIN door, quadro 800x200
FN8020PDG	Modular fix panel, quadro 800x200
FN8020PDW	Modular door, quadro 800x200
FN8030PDG	Modular door, quadro 800x300
FN8030PDW	Modular door, quadro 800x300
FN8040PDG	Modular door, quadro 800x400
FN8040PDW	Modular door, quadro 800x400
FN8040PGW	Modular glass door, quadro 800x400
FN8060PDG	Modular door, quadro 800x600
FN8060PDW	Modular door, quadro 800x600
FN8060PGW	Modular glass door, quadro 800x600
FN8080PDG	Modular door, quadro 800x800
UC766PDH	Mod. door ACB HW 2000 Quadro 600x600 mm
UC766PDHG	Mod. door ACB HW 2000 Quadro 600x600 mm
UC766PDT	Mod. door ACB HWT 2000 Quadro 600x600 mm
UC786PDT	Mod. door ACB HWT 2000 Quadro 800x600 mm
UC886PDH	Mod. door ACB HW 4000 Quadro 800x600 mm
UC886PDHG	Mod. door ACB HW 4000 Quadro 800x600 mm
UC886PDT	Mod. door ACB HWT 4000 Quadro 800x600 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Frame

FN013EW	Top & bottom, quadro, 700x800 mm
FN017EW	Top & bottom, quadro, 900x800 mm
FN018EW	Top & bottom, quadro, 450x400 mm
FN020EW	Top & bottom, quadro, 450x600 mm
FN021EW	Top & bottom, quadro, 700x400 mm
FN022EW	Top & bottom, quadro, 450x800 mm
FN023EW	Top & bottom, quadro, 900x400 mm
FN024EW	Top & bottom, quadro, 1000x400 mm
FN029EW	Top & bottom, quadro, 700x600 mm
FN031EW	Top & bottom, quadro, 900x600 mm
FN032EW	Top & bottom, quadro, 1000x600 mm
FN037EW	Top & bottom, quadro, 1000x800 mm
FN013EG	Top & bottom, quadro, 700x800 mm
FN017EG	Top & bottom, quadro, 900x800 mm
FN018EG	Top & bottom, quadro, 450x400 mm
FN020EG	Top & bottom, quadro, 450x600 mm
FN021EG	Top & bottom, quadro, 700x400 mm
FN022EG	Top & bottom, quadro, 450x800 mm
FN023EG	Top & bottom, quadro, 900x400 mm
FN024EG	Top & bottom, quadro, 1000x400 mm
FN029EG	Top & bottom, quadro, 700x600 mm
FN031EG	Top & bottom, quadro, 900x600 mm
FN032EG	Top & bottom, quadro, 1000x600 mm
FN037EG	Top & bottom, quadro, 1000x800 mm
FN080	Top and bottom plain plate, quadro evo, 450x600 mm
FN080E	Top and bottom plain plate, quadro evo, 450x600 mm
FN080EG	Top and bottom plain plate, quadro evo, 450x600 mm
FN089	Top and bottom plain plate, quadro evo, 700x600 mm
FN089E	Top and bottom plain plate, quadro evo, 700x600 mm
FN089EG	Top and bottom plain plate, quadro evo, 700x600 mm
FN091	Top and bottom plain plate, quadro evo, 900x600 mm
FN091E	Top and bottom plain plate, quadro evo, 900x600 mm
FN091EG	Top and bottom plain plate, quadro evo, 900x600 mm
FN092	Top and bottom plain plate, quadro evo, 1000x600 mm
FN092E	Top and bottom plain plate, quadro evo, 1000x600 mm
FN092EG	Top and bottom plain plate, quadro evo, 1000x600 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Frame

FN404E	Frame, quadro, 1900x450 mm
FN405E	Frame, quadro, 2100x450mm
FN406E	Frame, quadro, 1900x700-1000 mm
FN407E	Frame, quadro, 2100x700-1000 mm
FN426E	Frame, quadro, 1900x900 mm RAL7042
FN427E	Frame, quadro, 2100x900 mm RAL7042
FN404E	Frame, quadro, 1900x450 mm
FN405E	Frame, quadro, 2100x450mm
FN406E	Frame, quadro, 1900x700-1000 mm
FN407E	Frame, quadro, 2100x700-1000 mm
FN426E	Frame, quadro, 1900x900 mm RAL7042
FN427E	Frame, quadro, 2100x900 mm RAL7042

Mounting Plates

FN726E	Mounting plate, Quadro.Plus, W400 H1900 mm
FN727E	Mounting plate, Quadro.Plus, W400 H2100 mm
FN736E	Mounting plate, Quadro.Plus, W700 H1900 mm
FN737E	Mounting plate, Quadro.Plus, W700 H2100 mm
FN746E	Mounting plate, Quadro.Plus, W900 H1900 mm
FN747E	Mounting plate, Quadro.Plus, W900 H2100 mm

Panel for door

FN60TBPG	Top and Bottom panel, quadro L600
FN60TBPW	Top and Bottom panel, quadro L600
FN80TBPG	Top and Bottom panel, quadro L800
FN80TBPW	Top and Bottom panel, quadro L800

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Roof - Ventilated

FN10060R	Ventilat. roof IP31 Quadro.P 1000x600mm
FN10060RG	Ventilat. roof IP31 Quadro.P 1000x600mm
FN10080R	Ventilat. roof IP31 Quadro.P 1000x800mm
FN10080RG	Ventilat. roof IP31 Quadro.P 1000x800mm
FN7060R	Ventilated roof, quadro.sys, 700x600 mm
FN7060RG	Ventilated roof, quadro.sys, 700x600 mm
FN7080R	Ventilated roof, quadro.sys., 700x800 mm
FN7080RG	Ventilated roof, quadro.sys., 700x800 mm
FN9060R	Ventilated roof quadro.sys. 900x600 mm
FN9060RG	Ventilated roof quadro.sys. 900x600 mm
FN9080R	Ventilated roof quadro.sys. 900x800 mm
FN9080RG	Ventilated roof quadro.sys. 900x800 mm
FN943	Cover plate, quadro evo, D600 mm
FN943E	Cover plate, quadro evo, D600 mm
FN943EG	Cover plate, quadro evo, D600 mm
FN944	Cover plate, quadro evo, D800 mm
FN944E	Cover plate, quadro evo, D800 mm
FN944EG	Cover plate, quadro evo, D800 mm
FZ403WP	Top vent. cap, Univers, 300x175 mm

Side Panel

FN356E	Side panel, quadro, H1900 D400 mm
FN357E	Side panel, quadro, H2100 D400 mm
FN366E	Side panel, quadro, H1900 D600 mm
FN367E	Side panel, quadro, H2100 D600 mm
FN376E	Side panel, quadro, H1900 D800 mm
FN377E	Side panel, quadro, H2100 D800 mm
FN366EG	Side panel, quadro, H1900 D600 mm
FN367EG	Side panel, quadro, H2100 D600 mm
FN376EG	Side panel, quadro, H1900 D800 mm
FN377EG	Side panel, quadro, H2100 D800 mm

Upright

FN046EW	Vert. uprights, quadro, 1900mm
FN047EW	Vert. uprights, quadro, 2100mm
FN046EG	Vert. uprights, quadro, 1900mm
FN047EG	Vert. uprights, quadro, 2100mm
FX046	Uprights, Venezia, H1800 mm 4 pieces
FX047	Uprights, Venezia, H2000 mm 4 pieces

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Upright Functional

UC1600FB	Front & back funct.upright,Qua.PI.H1600
UC1800FB	Front & back funct.upright,Qua.PI.H1800
UC2000FB	Front & back funct.upright,Qua.PI.H2000

Upright Back

UC300BU	Back functional upright,quadro evo H300
UC400BU	Back functional upright,quadro evo H400
UC500BU	Back functional upright,quadro evo H500
UC600BU	Back funct. upright,quadro H600
UC700BU	Back functional upright,quadro evo H700
UC800BU	Back funct. upright,quadro H800
UC900BU	Back functional upright,quadro evo H900
UC1000BU	Back functional upright,quadro evo H1000

Upright internal

FN286EW	Vert. div. uprights, quadro, 1900mm
FN287EW	Vert. div. uprights, quadro, 2100mm
FN286EG	Vert. div. uprights, quadro, 1900mm
FN287EG	Vert. div. uprights, quadro, 2100mm
FX286	Vert. div. upright Venezia H1800 mm
FX287	Vert. div. upright Venezia H2000 mm
FX289	Hor. div. upright Venezia D300 mm
FX291	Hor. div. upright Venezia D500 mm
FX292	Hor. div. upright Venezia D700 mm

Upright front

UC1800F	Front funct. upright,quadro H1800
UC2000F	Front funct. upright,quadro H2000
UC200F	Front funct. upright,quadro H200
UC300F	Front funct. upright,quadro H300
UC400F	Front funct. upright,quadro H400
UC600F	Front funct. upright,quadro H600

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Covers Plain

UC220	Moun. pl. fr. plate quadro.75x350 mm
UC221	Moun. pl. fr. plate quadro.50x350 mm
UC222	Moun. pl. fr. plate quadro 150x350 mm
UC223	Moun. pl. fr. plate quadro 200x350 mm
UC224	Moun. pl. fr. plate quadro 300x350 mm
UC225	Moun. pl. fr. plate quadro 400x350 mm
UC226	Moun. pl. fr. plate quadro 600x350 mm
UC227	Moun. pl. fr. plate quadro 800x350 mm
UC230	Moun. pl. fr. plate quadro.70x600 mm
UC231	Moun. pl. fr. plate quadro.50x600 mm
UC232	Moun. pl. fr. plate quadro 150x600 mm
UC233	Moun. pl. fr. plate quadro 200x600 mm
UC234	Moun. pl. fr. plate quadro.300x600 mm
UC235	Moun. pl. fr. plate quadro 400x600 mm
UC236	Moun. pl. fr. plate quadro 600x600 mm
UC237	Moun. pl. fr. plate quadro 800x600 mm
UC239	Moun. pl. fr. plate quadro 100x600 mm
UC240	Moun. pl. fr. plate quadro.75x800 mm
UC241	Moun. pl. fr. plate quadro 50x800 mm
UC242	Moun. pl. fr. plate quadro 150x800 mm
UC243	Moun. pl. fr. plate quadro 200x800 mm
UC244	Moun. pl. fr. plate quadro 300x800 mm
UC245	Moun. pl. fr. plate quadro 400x800 mm
UC246	Moun. pl. fr. plate quadro 600x800 mm
UC247	Moun. pl. fr. plate quadro 800x800 mm
UC249	Moun. pl. fr. plate quadro 800x100 mm
UC297	Plain front plate quadro 800x400

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Cable Entry Plate

FN093E	Cable Entry Plate Quadro 700x800mm
FN093EG	Cable Entry Plate Quadro 700x800mm
FN097E	Cable entry plate quadro 900x800 mm
FN097EG	Cable entry plate quadro 900x800 mm
FN098E	Cable entry plate quadro 450x400 mm
FN100E	Cable entry plate quadro 450x600 mm
FN100EG	Cable entry plate quadro 450x600 mm
FN100EGA	Cable entry plate in Al quadro 450x
FN101E	Cable entry plate quadro 700x400 mm
FN102E	Cable entry plate quadro 450x800 mm
FN102EG	Cable entry plate quadro 450x800 mm
FN103E	Cable entry plate quadro 900x400 mm
FN104E	Cable entry plate quadro 1000x400mm
FN109E	Cable entry plate quadro 700x600 mm
FN109EG	Cable entry plate quadro 700x600 mm
FN109EGA	Cable entry plate in Al quadro 700x
FN111E	Cable entry plate quadro 900x600 mm
FN111EG	Cable entry plate quadro 900x600 mm
FN111EGA	Cable entry plate in Al quadro 900x
FN112E	Cable entry plate quadro 1000x600mm
FN112EG	Cable entry plate quadro 1000x600mm
FN112EGA	Cable entry plate in Al quadro 1000
FN117E	Cable entry plate quadro 1000x800mm
FN117EG	Cable entry plate quadro 1000x800mm
FN121E	Top slid. plate quadro 1000x800 mm
FN121EG	Top slid. plate quadro 1000x800 mm
FZ402	Cable entry plate,univers,flexible
FZ402AL	Al cable ent. pl. quadro 230x120 mm
FZ404	Cable entry plate,univers,w/o precut
FZ406M	Cable entry plate,univers,metrical
FZ407M	Cable entry plate,univers,metrical
FZ408M	Cable entry plate,univers,metrical
FZ415N	Me. cable gland pl., Univers, 230x120mm
FZ415S	Cabling plate,univers,CL 2
FZ422	Cable entry plate,IP54

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Bottom Cable Entry Plate

FN4540CEW	Bottom cable entry plate, quadro evo, 450x400 mm
FN4560CEW	Bottom cable entry plate, quadro evo, 450x600 mm
FN4580CEW	Bottom cable entry plate, quadro evo, 450x800 mm
FN7040CEW	Bottom cable entry plate, quadro evo, 700x400 mm
FN7060CEW	Bottom cable entry plate, quadro evo, 700x600 mm
FN7080CEW	Bottom cable entry plate, quadro evo, 700x800 mm
FN9040CEW	Bottom cable entry plate, quadro evo, 900x400 mm
FN9060CEW	Bottom cable entry plate, quadro evo, 900x600 mm
FN9080CEW	Bottom cable entry plate, quadro evo, 900x800 mm
FN10040CEW	Bottom cable entry plate, quadro evo, 1000x400 mm
FN10060CEW	Bottom cable entry plate, quadro evo, 1000x600 mm
FN10080CEW	Bottom cable entry plate, quadro evo, 1000x800 mm
FN4560CEG	Bottom cable entry plate, quadro evo, 450x600 mm
FN4580CEG	Bottom cable entry plate, quadro evo, 450x800 mm
FN7060CEG	Bottom cable entry plate, quadro evo, 700x600 mm
FN7080CEG	Bottom cable entry plate, quadro evo, 700x800 mm
FN9060CEG	Bottom cable entry plate, quadro evo, 900x600 mm
FN9080CEG	Bottom cable entry plate, quadro evo, 900x800 mm
FN10060CEG	Bottom cable entry plate, quadro evo, 1000x600 mm
FN10080CEG	Bottom cable entry plate, quadro evo, 1000x800 mm

Plain ALU Entry Plates

FN4540AL	Plain ALU entry plate, quadro evo, 450x400 mm
FN4560AL	Plain ALU entry plate, quadro evo, 450x600 mm
FN4580AL	Plain ALU entry plate, quadro evo, 450x800 mm
FN7040AL	Plain ALU entry plate, quadro evo, 700x400 mm
FN7060AL	Plain ALU entry plate, quadro evo, 700x600 mm
FN7080AL	Plain ALU entry plate, quadro evo, 700x800 mm
FN9040AL	Plain ALU entry plate, quadro evo, 900x400 mm
FN9060AL	Plain ALU entry plate, quadro evo, 900x600 mm
FN9080AL	Plain ALU entry plate, quadro evo, 900x800 mm
FN10040AL	Plain ALU entry plate, quadro evo, 1000x400 mm
FN10060AL	Plain ALU entry plate, quadro evo, 1000x600 mm
FN10080AL	Plain ALU entry plate, quadro evo, 1000x800 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Covers Performed

UC353040FP	Met.front pla.dr quadro.pl 350x300x400
UC3540FP	Met.front pla.dr quadro.pl W350 D400
UC603040FP	Met.front pla.dr quadro.pl 600x300x400
UC6040FP	Met.front pla.dr quadro.pl W600 D400
UC803040FP	Met.front pla.dr quadro.pl 800x300x400
UC8040FP	Met.front pla.dr quadro.pl W800 D400

Drilled Entry Plates

FN4540DR	Drilled entry plate, quadro evo, 450x400 mm
FN4560DR	Drilled entry plate, quadro evo, 450x600 mm
FN4580DR	Drilled entry plate, quadro evo, 450x800 mm
FN7040DR	Drilled entry plate, quadro evo, 700x400 mm
FN7060DR	Drilled entry plate, quadro evo, 700x600 mm
FN7080DR	Drilled entry plate, quadro evo, 700x800 mm
FN9040DR	Drilled entry plate, quadro evo, 900x400 mm
FN9060DR	Drilled entry plate, quadro evo, 900x600 mm
FN9080DR	Drilled entry plate, quadro evo, 900x800 mm
FN10040DR	Drilled entry plate, quadro evo, 1000x400 mm
FN10060DR	Drilled entry plate, quadro evo, 1000x600 mm
FN10080DR	Drilled entry plate, quadro evo, 1000x800 mm

Covers Ventilation

UC300	Perf. fr. plate quadro.sys. 200x600mm
UC6010PL	Plate louvers quadro 600x100 mm
UC6020PL	Plate louvers quadro 600x200 mm
UC8010PL	Plate louvers quadro 800x100 mm
UC8020PL	Plate louvers quadro 800x200 mm

Covers Back

UC291	Pl. fr. dish. plate quadro 300x600 mm
UC292	Pl. fr. dish. plate quadro 400x600 mm
UC293	Pl. fr. dish. plate quadro 600x600 mm
UC296	Pl. fr. dish. plate quadro 300x800 mm
UC298	Pl. fr. dish. plate quadro 600x800 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Accessories

FL74Z	Triangular insert lock, Orion.Plus, 8mm
FL75Z	Leave lock insert, Orion.Plus, 3 mm
FL76Z	Insert lock, Orion.Plus, 8x8 mm
FL98Z	Pair inserts for key, Orion.Plus
FN950	Lateral coupling kit, quadro
FN951	Adhesive gasket, quadro
FN952	Door stopper, quadro
FN954E	Depth coupling kit, quadro
FZ506	profile cylinder lock nr. 1242E
FZ519	profile cylinder lock nr. 405
FZ520	profile cylinder lock nr. 455
FZ537	Rotary & sealing handle lock, Univers
FZ760E	Transport lug, quadro
FZ767	Lifting ring, Univers, 4 pieces
FZ794	Document holder, T, DIN A4
FZ795D	Document holder, Univers
UC969	Clips nut and screws, quadro, M5
FN000PD	Kit for sealing and padlock q.evo

Covers Accessories

JE003	Identification strip, universN, 24 Module
JP024	Cover strip, universal, 24M, metal sheet
UC268	Hinge, quadro, 2 pieces
UCA6060IS	CT safety screens quadro.plus W600 H600
UCA8060IS	CT safety screens quadro.plus W800 H600
UCA6060CT	CT panel up to 1600A, quadro.plus W600 H600
UCA8060CT	CT panel up to 1600A, quadro.plus W800 H600
UCA602030PC	Power center, quadro.plus 600x200x300
UCA603030PC	Power center, quadro.plus 600x300x300
UCA802030PC	Power center, quadro.plus 800x200x300
UCA803030PC	Power center, quadro.plus 800x300x300

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Section 2 Main Busbar System - ALU Busbars

UC860E	Perfor. aluminium profiles kit L2000 mm
UC918125AL	Aluminium busbar,Quadro.Plus L1800 1250A
UC918160AL	Aluminium busbar,Quadro.Plus L1800 1600A
UC91880AL	Aluminium busbar,Quadro.Plus L1800 800A
UC920125AL	Aluminium busbar,Quadro.Plus L2000 1250A
UC920160AL	Aluminium busbar,Quadro.Plus L2000 1600A
UC92080AL	Aluminium busbar,Quadro.Plus L2000 800A
UC920250AL	Aluminium busbar,Quadro.Plus L2000 2500A
UC920400AL	Aluminium busbar,Quadro.Plus L2000 4000A

CU Busbars

UC832	Copper rail quadro 20x5 L1000 mm
UC842	Copper rail quadro 32x5 L1000 mm
UC843	Copper rail quadro 32x5 L1750 mm
UC844	Copper rail quadro 50x5 L1750 mm
UC844E	Copper rail quadro 50x10 L1750 mm
UC9125C	Connection plate, quadro.system 1250A
UC9125T	Derivation plate, quadro.system 1250A
UC9160C	Connestion plate, quadro.system 1600A
UC922	Copper rail quadro 63x5 L1750 mm
UC922E	Copper rail quadro 60x10 L1750 mm
UC966	Copper rail quadro 80x5 L1750 mm
UC966E	Copper rail quadro 80x10 L1750 mm
UC967	Copper rail quadro 100x5 L1750 mm
UC967E	Copper rail quadro 100x10 L1750mm
UC968	Copper rail quadro 125x5 L1750 mm
UC968E	Copper rail quadro 20x10 L1750 mm
UC9800C	Connection plate, quadro.system 800A
UC9800T	Derivation plate, quadro.system 800A
UT87E	Perf. copper rail quadro 25x5 L1750mm
UM92VE	Copper insulated bar, quadro.system, 40x8 L2000 mm
UM92WE	Copper insulated bar, quadro.system, 24x8 L2000 mm

Screws

UC9825S	Hammerhead Screw, quadro.system M8x25mm
UC9840S	Hammerhead Screw, quadro.system M8x40mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Supports

UC000BB	Kit Busbar,for hold and isolate 4Pz
UC300BB	Busbar Bracket,quadro L300 mm
UC400BB	Busbar Bracket,quadro L400 mm
UC500BB	Busbar Bracket,quadro L500 mm
UC600BB	Busbar Bracket,quadro L600 mm
UC700BB	Busbar Bracket,quadro L700 mm
UC800BB	Busbar Bracket,quadro L800 mm
UC8110BB	Kit Busbar,quadro 4(1x10)
UC820	Busbar support quadro 250-630 A
UC8210BB	Kit Busbar,quadro 4(2x10)
UC825BB	Kit Busbar,quadro 4(2x5)
UC826	Angle busbar supp. quadro 400/630 A 4P
UC8310BB	Kit Busbar,quadro 4(3x10)
UC835XHP	Support insulator M8x35mm
UC992	Spacer, quadro, M6 L80 mm
UZ10GFR	Glass fiber bar,30x10x1000mm, rectang.
UZ20GFR	Glass fiber bar,30x10x2000mm, rectang.
UCA600MS	Support for metering panel, quadro.plus W600
UCA800MS	Support for metering panel, quadro.plus W800
UCCL2HW1	Kit for class II HW1, quadro evo
UCCL2HW2	Kit for class II HW2/4, quadro evo

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Section 3 Internal Kits for Devices

UC564H	Hor. 1xMCCB kit H1000 Quadro 600x400 mm
UC162PN	Horiz. 1xMCCB kit P160 Quadro 600x200 mm
UC182PN	Horiz. 1xMCCB kit P160 Quadro 800x200 mm
UC463PRN	MCCB hor. kit Quadro H3+P630 598x298mm
UC483PRN	MCCB hor. kit Quadro H3+P630 798x298mm
UC162X	Hor. 1xMCCB kit X160 Quadro 600x200 mm
UC463XRN	MCCB hor. kit Quadro H3x630 598x298mm
UC483XRN	MCCB hor. kit Quadro H3x630 798x298mm
UC163HIC	Kit op.Switch,qua.pl,mot.63/160A 600x300
UC183HIC	Kit op.Switch,qua.pl,mot.63/160A 800x300
UC463HIC	Kit op.Swit,qua.pl,mot.250/630A 600x300
UC483HIC	Kit op.Swit,qua.pl,mot.250/630A 800x300
UC686HIC	Kit op.Switch,qua.pl,mot.1600A 800x600
UC233HA	Kit op.Switch,qua.pl,160/250A 350x300
UC263HA	Kit op.Switch,qua.pl,160/250A 600x300
UC283HA	Kit op.Switch,qua.pl,160/250A 800x300
UC466HA	Kit op.Switch,qua.pl,400/630A 600x600
UC486HA	Kit op.Switch,qua.pl,400/630A 800x600
UC666HA	Kit op.Switch,qua.pl,1600A 600x600
UC686HA	Kit op.Switch,qua.pl,1600A 800x600
UC566H	Vert. 1xMCCB kit H1000 Quadro 600x600 mm
UC586H	Vert. 2xMCCB kit H1000 Quadro 800x600 mm
UC666H	Ver. 1xMCCB kit H1600 Quadro 600x600 mm
UC686H	Vert. 1xMCCB kit H1600 Quadro 800x600 mm
UC686HD	Vert.2xMCCB kit H1600, qua.evo,800x600mm
UC233XH	Ver. 1xMCCB kit X/H250 Quadro 350x300 mm
UC263XH	Ver. 2xMCCB kit X/H250 Quadro 600x300 mm
UC283XH	Ver. 3xMCCB kit X/H250 Quadro 800x300 mm
UC133PN	Vert. 1xMCCB kit P160 Quadro 350x300 mm
UC183PN	Vert. 3xMCCB kit P160 Quadro 800x300 mm
UC233PN	Vert. 1xMCCB kit P250 Quadro 350x300 mm
UC263PN	Vert. 2xMCCB kit P250 Quadro 600x300 mm
UC283PN	Vert. 3xMCCB kit P250 Quadro 800x300 mm
UC434PN	MCCB ver. kit Quadro H3+P630 348x398mm
UC436PRN	1xMCCB ver. kit Quadro H3+P630 348x598mm
UC464PMN	Ver. MCCB kit Quadro H3+P630 598x398mm
UC464PN	2xMCCB ver. kit Quadro H3+P630 598x398mm
UC466PRN	2xMCCB ver. kit Quadro H3+P630 598x598mm
UC133X	Ver. 1xMCCB kit X160 Quadro 350x300 mm
UC162XD	Vert. 1xMCCB kit X160 Quadro 600x200 mm
UC163X	Vert. 2xMCCB kit X160 Quadro 600x300 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

UC182XD	Vert. 1xMCCB kit X160 Quadro 800x200 mm
UC183X	Vert. 3xMCCB kit X160 Quadro 800x300 mm
UC434XN	Ver. MCCB kit Quadro H3x630 348x398mm
UC436XRN	1xMCCB ver. kit Quadro H3x630 348x598mm
UC464XN	Ver. MCCB kit Quadro H3x630 598x398mm
UC466XRN	2xMCCB ver. kit Quadro H3x630 598x598mm
UC1530MD	Kit DIN rail,quadro 150x350
UC1560MD	Kit DIN rail,quadro 150x600
UC1580MD	Kit DIN rail,quadro 150x800
UC2035AMD	Adj.DIN rail,quadro evo 200x350
UC2060AMD	Adj.DIN rail,quadro evo 200x600
UC2060MD	Kit DIN rail,quadro 200x600
UC2080AMD	Adj.DIN rail,quadro evo 200x800
UC2080MD	Kit DIN rail,quadro 200x800
UC000XHP	Mounting iso. class II kit for H3 & H3+
UC566HM	Mot. 1xMCCB kit H1000 Quadro 600x600 mm
UC584H	Hor. 1xMCCB kit H1000 Quadro 800x400 mm
UC586HM	Mot. 2xMCCB kit H1000 Quadro 800x600 mm
UC666HM	Mot. 1xMCCB kit H1600 Quadro 600x600 mm
UC686HM	Mot. 1xMCCB kit H1600 Quadro 800x600 mm
UC162PPN	1xMCCB kit P160 PLUG-IN Quadro 600x200mm
UC163PIN	2xMCCB kit P160+INTLOCK Quadro 600x300mm
UC163PN	2xMCCB kit P160+RCD Quadro 598x298 mm
UC163PPN	2xMCCB kit P160 PLUG-IN Quadro 600x300mm
UC183PIN	3xMCCB kit P160+INTLOCK Quadro 800x300mm
UC183PPN	3xMCCB kit P160 PLUG IN Quadro 800x300mm
UC233PWN	1xMCCB kit P250 WITHDR. Quadro 350x300mm
UC262PPN	1xMCCB kit P250 PLUG-IN Quadro 600x200mm
UC262PWN	1xMCCB kit P250 WITHDR. Quadro 600x300mm
UC263PDN	3xMCCB kit P250 MUL DEV Quadro 600x300mm
UC263PIN	2xMCCB kit P250+INTLOCK Quadro 600x300mm
UC263PMN	Mot. 2xMCCB kit P250 Quadro 600x300mm
UC263PPN	2xMCCB kit P250 PLUG-IN Quadro 600x300mm
UC263PWN	1xMCCB kit P250 WITHDR. Quadro 600x300mm
UC264PRN	2xMCCB kit P250+RCD Quadro 600x400 mm
UC283PIN	3xMCCB kit P250+INTLOCK Quadro 800x300mm
UC283PMN	Mot. 3xMCCB kit P250 Quadro 800x300mm
UC283PPN	3xMCCB kit P250 PLUG IN Quadro 800x300mm
UC283PWN	2xMCCB kit P250 WITHDR. Quadro 800x300mm
UC234PRN	1xMCCB kit P250+RCD Quadro 350x400 mm
UC262PRN	1xMCCB kit P250+RCD Quadro 600x200 mm
UC282PRN	1xMCCB kit P250+RCD Quadro 800x200 mm
UC436PWN	1xMCCB kit P630 WITHDR. Quadro 348x598mm
UC463PPN	1xMCCB kit P630 PLUG-IN Quadro 598x298mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

UC463PWN	1xMCCB kit P630 WITHDR. Quadro 598x248mm
UC466PPN	2xMCCB kit P630 PLUG-IN Quadro 598x598mm
UC466PWN	1xMCCB kit P630 WITHDR. Quadro 598x598mm
UC483PPN	1xMCCB kit P630 PLUG-IN Quadro 798x298mm
UC484PDN	Kit 3xMCCB Quadro H3+P630 798x398mm
UC486PPN	3xMCCB kit P630 PLUG-IN Quadro 798x598mm
UC486PWN	2xMCCB kit P630 WITHDR. Quadro 798x598mm
UC484XDN	kit 3xMCCB Quadro H3x630 798x398mm
UC234XHR	1xMCCB kit X/H250+RCD Quadro 350x400 mm
UC262XHR	1xMCCB kit X/H250+RCD Quadro 600x200 mm
UC264XHR	2xMCCB kit X/H250+RCD Quadro 600x400 mm
UC282XHR	1xMCCB kit X/H250+RCD Quadro 800x200 mm
UC037	Box kit, quadro, 250x225x600 mm
UC038	Box kit, quadro, 250x250x600 mm
UC039	Box kit, quadro, 250x400x600 mm
UC233EM	3 MCB 92x92 kit, quadro.sys., 600x200 mm
UC234EM	2 MCB 92x92 kit, quadro.sys., 600x200 mm
UC243EM	3 MCB 92x92 kit, quadro.sys., 800x200 mm
UC301	Moun. pl. fr. plate quadro 200x600 mm
UC163HI	Kit ope.Switch,qua.evo,125/400A 600x300
UC183HI	Kit ope.Switch,qua.evo,125/400A 800x300
UC463HI	Kit ope.Switch,qua.evo,630A 600x300
UC483HI	Kit ope.Switch,qua.evo,630A 800x300
UC686HI	Kit ope.Switch,qua.evo,3200A 800x600
UC2060MP	Int.back plate, quadro evo, 200x600 mm
UC2080MP	Int.back plate, quadro evo, 200x800 mm
UC161HFD	Fuse kit, quadro evo, 1x160A 300x600 mm
UC163HFD	Fuse kit, quadro evo, 3x160A 300x600 mm
UC264HFD	Fuse kit, quadro evo, 2x250A 400x600 mm
UC464HFD	Fuse kit, quadro evo, 2x400A 400x600 mm
UC161LT	Fuse kit, quadro evo, 1x160A 300x600 mm
UC163LT	Fuse kit, quadro evo, 3x160A 300x600 mm
UC264LT	Fuse kit, quadro evo, 2x250A 400x600 mm
UC434LT	Fuse kit, quadro evo, 1x400A 400x350 mm
UC464LT	Fuse kit, quadro evo, 2x400A 400x600 mm
UC464PWMN	1xMCCB kit P630 D/O Mot q.evo 600x400mm
UC484PWMN	2xMCCB kit P630 D/O Mot q.evo 800x400mm
UC766HW	ACB HW kit 2000A, quadro evo, 600x600 mm
UC766HWT	ACB HWT kit 1600/2000A Quadro.Plus 600x600 mm
UC786HWT	ACB HWT kit 1600/2000A Quadro.Plus 800x600 mm
UC6030ATS	Kit for controller ATS q.evo 600x300
UC6030FMD	Kit for segr.mod.dev.,q.evo 600x300
UC8030ATS	Kit for controller ATS q.evo 800x300
UC8030FMD	Kit for segr.mod.dev.,q.evo 800x300

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

UC200	MCB kit, quadro.system, 150x350 mm 10 mod
UC201	MCB kit, quadro.system, 150x600 mm 24 mod
UC203	MCB kit, quadro.system, 150x800 mm 36 mod RAL6012
UC207	MCB kit, quadro.system, 200x800 mm 36 mod
UC205	MCB kit, quadro.system, 200x600 mm 24 mod
UC886HA	Kit operating Switch, quadro evo, 3200A 800x600
UC886HIC	Kit operating Switch, quadro evo, motorized 3200A 800x600
UC886HW	ACB HWT kit 4000 A, quadro evo, 800x600 mm
UC886HWT	ACB HWT kit 4000 A, quadro evo, 800x600 mm

Accessories Internal

FZ508	Locking,univers, swing lever closing
UC289	Universal bracket, Quadro5, W500 mm
UC827	Prot. shield quadro 160/630A 1000x294 mm
UC828	Prot. shield quadro 160/630A 1000x212 mm
UC851	Screws & washers quadro M6x12 mm
UC853	Conn. screw & washer quadro.sy. M8x30 mm
UC855	Screws & washers quadro.sy. M10x30 mm
UC856E	Screws self-thread quadro.sy. M6x10 mm DHW4
UC875	Cableset, quadro, HA250 A
UC877	Connection cable, quadro, BM 160A
UC911	Hor. trunking quadro.sy. 179x80x30 mm
UC912	Hor. trunking quadro.sy. 429x80x30 mm
UC913	Hor. trunking quadro.sy. 629x80x30 mm
UC915HS	Horizontal trunking support, quadro evo
UC916	Trunking vert. 60x80 2m grey RAL7030
UC989	Universal bracket, quadro, L700mm
UC990	Nut, quadro, M5
UC991	Screw, quadro, M6x12 mm
UZ01V1	Adaptor, universN, double, 20pcs
UZ25V1	Transmission clamp, universN, 20 pcs.
UZ25V2	Transmission clamp, universN, 20 pcs.
UC000HTS	Horizontal trunking support, quadro evo
B02567	Slotted Trunking T1-N 40x80 grey

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Section 4 Encl Segration panels

UC1000BH	Seg. back hori.quadro evo 800/1000A
UC1000V	Seg. vertical,quadro evo 800/1000A
UC1040FUL	Segreg.lateral full,quadro 100x400
UC1060FUL	Segreg.lateral full,quadro 100x600
UC1080FUL	Segreg.lateral full,quadro 100x800
UC150FL	Segreg.frontal lateral,quadro H150
UC1540BL	Segreg.back lateral,quadro 150x400
UC1540FUL	Segreg.lateral full,quadro 150x400
UC1560BL	Segreg.back lateral,quadro 150x600
UC1560FUL	Segreg.lateral full,quadro 150x600
UC1580BL	Segreg.back lateral,quadro 150x800
UC1580FUL	Segreg.lateral full,quadro 150x800
UC1600BH	Seg. back hori.quadro evo 1250/1600A
UC1600V	Seg. vertical,quadro evo 1250/1600A
UC200C	Seg. back corner,quadro evo H200
UC200CB	Down.4B connection box quadro evo H200
UC200FL	Segreg.frontal lateral,quadro H200
UC2040BL	Segreg.back lateral,quadro 200x400
UC2040FUL	Segreg.lateral full,quadro 200x400
UC2060BL	Segreg.back lateral,quadro 200x600
UC2060FUL	Segreg.lateral full,quadro 200x600
UC2080BL	Segreg.back lateral,quadro 200x800
UC2080FUL	Segreg.lateral full,quadro 200x800
UC300C	Seg. back corner,quadro evo H300
UC300CB	Down.4b connection box quadro evo H300
UC300FL	Segreg.frontal lateral,quadro H300
UC3040BL	Segreg.back lateral,quadro 300x400
UC3040FUH	Segreg.horiz. full,quadro 300x400
UC3040FUL	Segreg.lateral full,quadro 300x400
UC3060BL	Segreg.back lateral,quadro 300x600
UC3060FUH	Segreg.horiz. full,quadro 300x600
UC3060FUL	Segreg.lateral full,quadro 300x600
UC3080BL	Segreg.back lateral,quadro 300x800
UC3080FUH	Segreg.horiz. full,quadro 300x800
UC3080FUL	Segreg.lateral full,quadro 300x800
UC350FH	Segreg.frontal horiz.,quadro L350
UC350VD	Seg. vertical,quadro evo W350 drilled
UC3520V	Segreg.vertical,quadro 350x200
UC3540BH	Segreg.back horiz.,quadro 350x400
UC3540FUH	Segreg.horiz. full,quadro 350x400
UC3560BH	Segreg.back horiz.,quadro 350x600

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

UC3560FUH	Segreg.horiz. full,quadro 350x600
UC3580BH	Segreg.back horiz.,quadro 350x800
UC3580FUH	Segreg.horiz. full,quadro 350x800
UC400FL	Segreg.frontal lateral,quadro H400
UC4040BL	Segreg.back lateral,quadro 400x400
UC4040FUL	Segreg.lateral full,quadro 400x400
UC4060BL	Segreg.back lateral,quadro 400x600
UC4060FUL	Segreg.lateral full,quadro 400x600
UC4080BL	Segreg.back lateral,quadro 400x800
UC4080FUL	Segreg.lateral full,quadro 400x800
UC600FH	Segreg.frontal horiz.,quadro L600
UC600FL	Segreg.frontal lateral,quadro H600
UC600VD	Seg. vertical,quadro evo W700 drilled
UC6015FMD	Kit for segr.mod.dev.qua.sys 600x150
UC6015V	Segreg.vertical,quadro 600x150
UC6020FMD	Kit for segr.mod.dev.qua.sys 600x200
UC6020V	Segreg.vertical,quadro 600x200
UC6030V	Segreg.vertical,quadro 600x300
UC6040BH	Segreg.back horiz.,quadro 600x400
UC6040BL	Segreg.back lateral,quadro 600x400
UC6040FUH	Segreg.horiz. full,quadro 600x400
UC6040FUL	Segreg.lateral full,quadro 600x600
UC6040V	Segreg.vertical,quadro 600x400
UC6060BH	Segreg.back horiz.,quadro 600x600
UC6060BL	Segreg.back lateral,quadro 600x600
UC6060FUH	Segreg.horiz. full,quadro 600x600
UC6060FUL	Segreg.lateral full,quadro 600x600
UC6060HW	Segr. plate ACB HW quadro 600x600 mm
UC6060HW2	Segr. plate ACB HW2 quadro 600x600 mm
UC6060HWT	Segr. plate ACB HWT quadro 600x600 mm
UC6060V	Segreg.vertical,quadro 600x600
UC608040HWT	Segr. plate ACB HWT quadro 600x800 mm
UC6080BH	Segreg.back horiz.,quadro 600x800
UC6080BL	Segreg.back lateral,quadro 600x800
UC6080FUH	Segreg.horiz. full,quadro 600x800
UC6080FUL	Segreg.lateral full,quadro 600x800
UC6080HW	Segr. plate ACB HW quadro 600x800 mm
UC6080HWT	Segr. plate ACB HWT quadro 600x800 mm
UC800FH	Segreg.frontal horiz.,quadro L800
UC800VD	Seg. vertical,quadro evo W900 drilled
UC8015FMD	Kit for segr.mod.dev.qua.sys 800x150
UC8015V	Segreg.vertical,quadro 800x150
UC8020FMD	Kit for segr.mod.dev.qua.sys 800x200
UC8020V	Segreg.vertical,quadro 800x200

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

UC8030V	Segreg.vertical,quadro 800x300
UC8040BH	Segreg.back horiz.,quadro 800x400
UC8040FUH	Segreg.horiz. full,quadro 800x400
UC8040V	Segreg.vertical,quadro 800x400
UC8060BH	Segreg.back horiz.,quadro 800x600
UC8060FUH	Segreg.horiz. full,quadro 800x600
UC8060V	Segreg.vertical,quadro 800x600
UC8060HW2	Segr. plate ACB HW2 quadro 800x600 mm
UC8080BH	Segreg.back horiz.,quadro 800x800
UC8080FUH	Segreg.horiz. full,quadro 800x800
UC6040HW1	HW1 ACB kit, Quadro Evo, W600
UC60HFHW1	HW1 segreg, Quadro Evo, 4b fixed W600
UC6040DHW1	HW1 segreg, Quadro Evo, 3b dw W600
UC6040FHW1	HW1 segreg, Quadro Evo, 4b fixed W600
UC60HDHW1	HW1 segreg, Quadro Evo, 3b dw W600
UC3540FPW1	Segregation.q.evo.4b PW1 FIX W350
UC6040FPW1	Segregation.q.evo.4b PW1 FIX W600
UC8040FPW1	Segregation e.q.evo.4b PW1 FIX W800
UC6343PW1	Kit PW1 fixed q.evo,1600A 3P H400xW350
UC6344PW1	Kit PW1 fixed q.evo,1600A 4P H400xW350
UC6644PW1	Kit PW1 fixed q.evo,1600A 4P H400xW600
UC664HPW1	Kit PW1 Hori.fix q.evo,1600A H400xW600
UC684HPW1	Kit PW1 Hori.fix q.evo,1600A 4P H400xW800
UC6844PW1	Kit PW1 fixed q.evo,1600A 4P H400xW800
UC8040HW1	HW1 ACB kit, Quadro Evo, W800
UC80HFHW1	HW1 segreg, Quadro Evo, 4b fixed W800
UC8040DHW1	HW1 segreg, Quadro Evo, 3b dw W800
UC8040FHW1	HW1 segreg, Quadro Evo, 4b fixed W800
UC80HDHW1	HW1 segreg, Quadro Evo, 3b dw W800
UC3080BSO	Rear segregation H300 quadro evo P800
UC3530V	Segregation vertical,quadro evo 350x300
UCA600FHI	Support for isolated. horiz. Segregation W600
UCA800FHI	Support for isolated. horiz. Segregation W800
UC6060DHW2	Segregation,qua.evo,3b dw W600
UC8060DHW2	Segregation,qua.evo,3b dw W800
UC6060FHW2	Segregation,qua.evo,3b fix W600
UC8060FHW2	Segregation,qua.evo,3b fix W800
UC60HDHW2	Segregation,qua.evo,4b dw W600
UC80HDHW2	Segregation,qua.evo,4b dw W800
UC60HFHW2	Segregation,qua.evo,4b fix W600
UC80HFHW2	Segregation,qua.evo,4b fix W800
UC8060DHW4	Kit ACB HW4,qua.evo,dw 800x600mm
UC8060FHW4	Kit ACB HW4,qua.evo,fix 800x600mm
UC80HDHW4	Segregazione,qua.evo,4b dw L800

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

UC80FHW4	Segregazione,qua.evo,3b fix L800
UC80DHW4	Segregazione,qua.evo,3b dw L800
UC80HFHW4	Segregazione,qua.evo,4b fix L800

Section 5 Quadro SX Internal Kits Covers

UCSX161D	quadro.sx, frnt.cov. 160A W600 direct
UCSX161R	quadro.sx, frnt.cov. 160A W600 rot.
UCSX262DR	quadro.sx, frnt.cov. 250A W600 dir.+ RCD
UCSX262MR	quadro.sx, frnt.cov. 250A W600 mot.+ RCD
UCSX262RR	quadro.sx, frnt.cov. 250A W600 rot.+ RCD
UCSX463DR	quadro.sx, frnt.cov. 630A W600 dir.+ RCD
UCSX463MR	quadro.sx, frnt.cov. 630A W600 mot.+ RCD
UCSX463RR	quadro.sx, frnt.cov. 630A W600 rot.+ RCD

Internal Kits Frame

UCSX1860ST	quadro.sx,str.and dist.kit H1800 W600
UCSX2060ST	quadro.sx,str.and dist.kit H2000 W600

Internal Kits Support

UCSX600BB	quadro.sx, support for dist.bus.W600
-----------	--------------------------------------

Internal Downstream

UCSX150B3P	quadro.sx, IS233 downst.conn.box H150 3P
UCSX150B4P	quadro.sx, IS233 downst.conn.box H150 4P
UCSX200B3P	quadro.sx, IS233 downst.conn.box H200 3P
UCSX200B4P	quadro.sx, IS233 downst.conn.box H200 4P
UCSX300B3P	quadro.sx, IS233 downst.conn.box H250 3P
UCSX300B4P	quadro.sx, IS233 downst.conn.box H250 4P

Internal Backbox

UCSX1560BK	quadro.sx, backbox kits H150
UCSX2060BK	quadro.sx, backbox kits H200
UCSX3060BK	quadro.sx, backbox kits H250

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Internal FU SX

UCSX161A3	quadro.sx, func.unit 160A 3P IS223
UCSX161A4	quadro.sx, func.unit 160A 4P IS223
UCSX161B3	quadro.sx, func.unit 160A 3P IS233
UCSX161B4	quadro.sx, func.unit 160A 4P IS233
UCSX262A3	quadro.sx, func.unit 250A 3P IS223
UCSX262A4	quadro.sx, func.unit 250A 4P IS223
UCSX262B3	quadro.sx, func.unit 250A 3P IS233
UCSX262B3R	quadro.sx, func.unit 250A 3P IS233 + RCD
UCSX262B4	quadro.sx, func.unit 250A 4P IS233
UCSX262B4R	quadro.sx, func.unit 250A 4P IS233 + RCD
UCSX463A3	quadro.sx, func.unit 630A 3P IS223
UCSX463A4	quadro.sx, func.unit 630A 4P IS223
UCSX463B3	quadro.sx, func.unit 630A 3P IS233
UCSX463B3R	quadro.sx, func.unit 630A 3P IS233 + RCD
UCSX463B4	quadro.sx, func.unit 630A 4P IS233
UCSX463B4R	quadro.sx, func.unit 630A 4P IS233 + RCD

Segregation kits SX

UCSX6060FV	quadro.sx, busbar segregation kit L600 D600
UCSX600PL	quadro.sx, segregation for extension busbar D600
UCSX150FL	quadro.sx, plastic lateral segregation kits H150
UCSX200FL	quadro.sx, plastic lateral segregation kits H200
UCSX300FL	quadro.sx, plastic lateral segregation kits H250
UCSX600FH	quadro.sx, horizontal segregation W600
UCSXMT	quadro.sx, meter and lamp accessory
UCSX6060FV	quadro.sx, busbar segregation kit L600 D600
UCSX6080FV	quadro.sx, busbar segregation kit L600 D800
UCSX600PL	quadro.sx, segregation for extension busbar D600
UCSX6060FT	quadro.sx, top segregation for busbar and depth bracket, L600 D600
UCSX6080FT	quadro.sx, top segregation for busbar and depth bracket, L600 D800

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Section 6 Quadro BS GM Internal Covers

UCBS100FC	Frnt.Pan.plain H100 group mounted,qua.evo
UCBS12FC	Group mount,MCCB frnt.cov.qua evo, H1200
UCBS14FC	Group mount,MCCB frnt.cov.qua evo, H1400
UCBS15FC	Group mount,MCCB frnt.cov.qua evo, H1500
UCBS17FC	Group mount,MCCB frnt.cov.qua evo, H1700
UCBS20FC	Frnt.Pan.plain H20 group mounted,qua.evo

Internal door

UCBS18FB	Group mounted upright, quadro evo, H1800
UCBS20FB	Group mounted upright, quadro evo, H2000
UCBS3515CC	Internal door for cable compartment, quadro evo, 350x1500
UCBS3517CC	Internal door for cable compartment, quadro evo, 350x1700
UCBS3518CC	Internal door for cable compartment, quadro evo, 350x1800
UCBS3520CC	Internal door for cable compartment, quadro evo, 350x2000

Brackets

UC000FU	Fix.bracket,for pref.bar,quadro
UC200FU	Perforated Bracket, quadro, L200 mm
UC275FU	Perforated Bracket, quadro, L275 mm
UC300FU	Perforated Bracket,quadro evo, L300 mm
UC350FU	Perforated Bracket, quadro, L350 mm
UC475FU	Perforated Bracket, quadro, L300 mm
UC500FU	Perforated Bracket,quadro evo, L500 mm
UC600FU	Perforated Bracket, quadro, L600 mm
UC700FU	Perforated Bracket,quadro evo, L700 mm
UC800FU	Perforated Bracket, quadro, L800 mm
UC900FU	Perforated Bracket, quadro, L900 mm
UCBS2FCT	Frnt.a.qua.evo,qua.evo,CT Br.160A/250A
UCBS2RCT	Rea.a.qua.evo,CT Bracket, 160A/250A
UCBS4FCT	Frnt.a.qua.evo,CT Bracket, 400A/630A
UCBS4RCT	Rea.a.qua.evo,CT Bracket, 400A/630A
UCBS60FU	Group mount,deep bra.quadro evo, D600
UCBS80FU	Group mount,deep bra.quadro evo, D800

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Chassis

UC200BC	Rea.a.pa.qua.evo 200,F.4 T6,160A/250A
UC300BC	Rea.a.pa.qua.evo 300,F.4 T6,400A/630A
UCBS12CH	Group mount,MCCB cha, quadro evo, H1200
UCBS14CH	Group mount,MCCB cha, quadro evo, H1400
UCBS15CH	Group mount,MCCB cha, quadro evo, H1500
UCBS17CH	Group mount,MCCB cha, quadro evo, H1700
UCBS200BC	Rea.a.pa.qua.evo 200,F.4 T7, 160A/250A
UCBS200CB	Frta.qua.evo,200,F.4 T7, 160A/250A
UCBS300BC	Rea.a.pa.qua.evo 300,F.4 T7,400A/630A
UCBS46PX	Group mount,MCCB inc.400A,qua.evo, D600
UCBS48PX	Group mount,MCCB inc.400A,qua.evo, D800

Cable box Form 4 T6/7

UCBS300CB	Frta.qua.evo.qua.300,F.4 T7,400A/630A
UCBS913P	Frta.qua.evo 160A 3P,F.4 T6/7, P
UCBS913PXR	Frta.qua.evo rot.h,160A 3P,F4 T6/7, P&X
UCBS914P	Frta.qua.evo 160A 4P/3P+N, F.4 T6/7, P
UCBS914PXR	Frta.evo rot.h.160A 4P/3P+N,T6/7,P-X
UCBS914X	Frta.qua.evo 160A 4P/3P+N,F.4 T6/7, X
UCBS923P	Frta.qua.evo 250A 3P,F.4 T6/7, P
UCBS923PXR	Frta.qua.evo rot.h.250A 3P,F4 T6/7, P&X
UCBS923X	Frta.qua.evo 250A 3P,F.4 T6/7, X
UCBS924P	Frta.qua.evo 250A 4P/3P+N, F.4 T6/7, P
UCBS924PXR	Frta.evo rot.h.250A 4P/3P+N,F4 T6/7,P&X
UCBS924X	Frta.qua.evo 250A 4P/3P+N, F.4 T6/7, X
UCBS933PX	Frta.qua.evo 400A 3P,F.4 T6/7, P&X
UCBS933PXR	Frta.qua.evo rot.h.400A 3P,F4 T6/7,P&X
UCBS934PX	Frta.qua.evo 400A 4P/3P+N,F.4 T6/7, P&X
UCBS934PXR	Frta.evo rot.h.400A 4P/3P+N,F4 T6/7,P&X
UCBS943PX	Frta.qua.evo 630A 3P,F.4 T6/7, P&X
UCBS943PXR	Frta.qua.evo rot.h.630A 3P,F4 T6/7, P&X
UCBS944PX	Frta.qua.evo 630A 4P/3P+N,F.4 T6/7, P&X
UCBS944PXR	Frta.evo rot.h.630A 4P/3P+N,F4 T6/7,P&X

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Neutral Disconnect Link

JF160NDL25	160A Neutral Disconnection Link With Shroud 25mm Pitch
JF160NDL	160A Neutral Disconnection Link With Shroud 30mm Pitch
JF250NDL	250A Neutral Disconnection Link With Shroud 35mm Pitch
JF400NDL	400A Neutral Disconnection Link With Shroud 45mm Pitch
JF630NDL	630A Neutral Disconnection Link With Shroud 45mm Pitch

SPD Dinrail kit

UCBS3060MD	Rail Din Kit H300 W600 SPD,comp.qua.evo
UCBS3060MDN	Kit for compart.SPД,q.evo,300x600
A08800	Symmetrical Din Rail 7.5mm 2m
A09800	Symmetrical Din Rail 10mm 2m
A09900	Symmetrical Din Rail 15mm 2m
A099B	Perforated DIN-rail, Venezia, 15x2000 mm
A099C	Profile rail, Venezia, 15x2000 mm
A099E	Perforated rail DIN, Venezia, 15x2000 mm

Device blanks

UCBS1P1N	Group mount,MCCB, quadro evo,P1 2 SP+N
UCBS1P3N	Group mount,MCCB, quadro evo,P1 TP+N
UCBS1P6N	Group mount,MCCB, quadro evo,P1 6 SP+N
UCBS2P3N	Group mount,MCCB, quadro evo,P2 TP+N
UCBS1X3N	Group mount,MCCB, quadro evo,x1 TP+N
UCBS2X3N	Group mount,MCCB, quadro evo,x2 TP+N

Cable Entry Plate

FN093EG	Cable entry plate quadro 700x800 mm
FN097EG	Cable entry plate quadro 900x800 mm
FN100EG	Cable entry plate quadro 450x600 mm
FN102EG	Cable entry plate quadro 450x800 mm
FN109EG	Cable entry plate quadro 700x600 mm
FN111EG	Cable entry plate quadro 900x600 mm
FN112EG	Cable entry plate quadro 1000x600mm
FN117EG	Cable entry plate quadro 1000x800mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Cable compartment

UCBS60FUH	GM Cable Compartment Hor Seg Kit D600
UCBS80FUH	GM Cable Compartment Hor Seg Kit D800

Front/ Back Louvers

FN246EDG	Front/back drilled quadro.pl. 1000x1900m
FN247EDG	Front/back drilled quadro.pl. 1000x2100m
FN276EDG	Front/back drilled quadro.pl. 700x1900mm
FN277EDG	Front/back drilled quadro.pl. 700x2100mm
FN296EDG	Front/back drilled quadro.pl. 900x1900mm
FN297EDG	Front/back drilled quadro.pl. 900x2100mm

Corner Frames

FN006EG	Corner steel enclosure, Quadro 600x600x2100mm
FN007EG	Corner steel enclosure, Quadro 800x800x2100mm
FN008EG	Corner steel enclosure, Quadro 600x600x1900mm
FN009EG	Corner steel enclosure, Quadro 800x800x1900mm

Brackets

FN885E	Perforated bracket, 50 x 600mm
FN887E	Perforated bracket, 50 x 700mm

Busbar support

UCBS80BB	Group mount,busbar supp.quadro evo, 800A
----------	--

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Ventilated Roof

FN10060RG	Ventilat. roof IP31 Quadro.P 1000x600mm
FN10080RG	Ventilat. roof IP31 Quadro.P 1000x800mm
FN7060RG	Ventilated roof, quadro.sys, 700x600 mm
FN7080RG	Ventilated roof, quadro.sys., 700x800 mm
FN9060RG	Ventilated roof quadro.sys. 900x600 mm
FN9080RG	Ventilated roof quadro.sys. 900x800 mm
FN7060RWN	Ventilated roof IP31, quadro evo, 700x600 mm
FN7080RWN	Ventilated roof IP31, quadro evo, 700x800 mm
FN9060RWN	Ventilated roof IP31, quadro evo, 900x600 mm
FN9080RWN	Ventilated roof IP31, quadro evo, 900x800 mm
FN10060RWN	Ventilated roof IP31, quadro evo, 1000x600 mm
FN10080RWN	Ventilated roof IP31, quadro evo, 1000x800 mm
FN7060RGN	Ventilated roof IP31, quadro evo, 700x600 mm
FN7080RGN	Ventilated roof IP31, quadro evo, 700x800 mm
FN9060RGN	Ventilated roof IP31, quadro evo, 900x600 mm
FN9080RGN	Ventilated roof IP31, quadro evo, 900x800 mm
FN10060RGN	Ventilated roof IP31, quadro evo, 1000x600 mm
FN10080RGN	Ventilated roof IP31, quadro evo, 1000x800 mm
FN10040VTW	Ventilated roof IP30, quadro evo, 1000x400 mm
FN10060VTG	Ventilated roof IP30, quadro evo, 1000x600 mm
FN10060VTW	Ventilated roof IP30, quadro evo, 1000x600 mm
FN10080VTG	Ventilated roof IP30, quadro evo, 1000x800 mm
FN10080VTW	Ventilated roof IP30, quadro evo, 1000x800 mm
FN7040VTW	Ventilated roof IP30, quadro evo, 700x400 mm
FN7060VTG	Ventilated roof IP30, quadro evo, 700x600 mm
FN7060VTW	Ventilated roof IP30, quadro evo, 700x600 mm
FN7080VTG	Ventilated roof IP30, quadro evo, 700x800 mm
FN7080VTW	Ventilated roof IP30, quadro evo, 700x800 mm
FN9040VTW	Ventilated roof IP30, quadro evo, 900x400 mm
FN9060VTG	Ventilated roof IP30, quadro evo, 900x600 mm
FN9060VTW	Ventilated roof IP30, quadro evo, 900x600 mm
FN9080VTG	Ventilated roof IP30, quadro evo, 900x800 mm
FN9080VTW	Ventilated roof IP30, quadro evo, 900x800 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Internal Door

UCBS3515CC	Int.door for cable comp,qua.evo,350x1500
UCBS3517CC	Int.door for cable comp,qua.evo,350x1700
UCBS3518CC	Int.door for cable comp,qua.evo,350x1800
UCBS3520CC	Int.door for cable comp,qua.evo,350x2000

Ventilated Top Plate

FN7040VTW	Ventilated top plate IP30, quadro evo, 700x400 mm
FN7060VTW	Ventilated top plate IP30, quadro evo, 700x600 mm
FN7080VTW	Ventilated top plate IP30, quadro evo, 700x800 mm
FN9040VTW	Ventilated top plate IP30, quadro evo, 900x400 mm
FN9060VTW	Ventilated top plate IP30, quadro evo, 900x600 mm
FN9080VTW	Ventilated top plate IP30, quadro evo, 900x800 mm
FN10040VTW	Ventilated top plate IP30, quadro evo, 1000x400 mm
FN10060VTW	Ventilated top plate IP30, quadro evo, 1000x600 mm
FN10080VTW	Ventilated top plate IP30, quadro evo, 1000x800 mm
FN7060VTG	Ventilated top plate IP30, quadro evo, 700x600 mm
FN7080VTG	Ventilated top plate IP30, quadro evo, 700x800 mm
FN9060VTG	Ventilated top plate IP30, quadro evo, 900x600 mm
FN9080VTG	Ventilated top plate IP30, quadro evo, 900x800 mm
FN10060VTG	Ventilated top plate IP30, quadro evo, 1000x600 mm
FN10080VTG	Ventilated top plate IP30, quadro evo, 1000x800 mm

Perforated Bracket

UC000FU	Fix.bracket,for pref.bar,quadro
UC200FU	Perforated Bracket, quadro, L200 mm
UC275FU	Perforated Bracket, quadro, L275 mm
UC350FU	Perforated Bracket, quadro, L350 mm
UC475FU	Perforated Bracket, quadro, L300 mm
UC600FU	Perforated Bracket, quadro, L600 mm
UC800FU	Perforated Bracket, quadro, L800 mm
UC900FU	Perforated Bracket, quadro, L900 mm

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Kit Operating Switch

UC886HA *Kit ope. Switch, qua. evo, 3200A 800x600*
UC886HIC *Kit ope. Switch, qua. evo, mot. 3200A 800x600*

Modular Device Kits

UC1530MDN *Kit for modular devices, quadro evo, 150x350*
UC1560MDN *Kit for modular devices, quadro evo, 150x600*
UC1580MDN *Kit for modular devices, quadro evo, 150x800*
UC2060MDN *Kit for modular devices, quadro evo, 200x600*
UC2080MDN *Kit for modular devices, quadro evo, 200x800*
UCBS3060MDN *Kit for compartment SPD quadro evo, 300x600*
UC6015FMDN *Kit for segregation of modular device, quadro evo 600x150*
UC6020FMDN *Kit for segregation of modular device, quadro evo 600x200*
UC6030FMDN *Kit for segregation of modular device, quadro evo 600x300*
UC8015FMDN *Kit for segregation of modular device, quadro evo 800x150*
UC8020FMDN *Kit for segregation of modular device, quadro evo 800x200*
UC8030FMDN *Kit for segregation of modular device, quadro evo 800x300*

Frames Kits

FN1945AF *Frame, quadro evo, 1900x450 mm*
FN2145AF *Frame, quadro evo, 2100x450 mm*
FN1970AF *Frame, quadro evo, 1900x700 mm*
FN2170AF *Frame, quadro evo, 2100x700 mm*
FN1990AF *Frame, quadro evo, 1900x900 mm*
FN2190AF *Frame, quadro evo, 2100x900 mm*

Fuse Kits

UC164HFD *Fuse kit, quadro evo, 1x160A 400x600 mm*
UC466HFD *Fuse kit, quadro evo, 1x400A 600x600 mm*
UC566HFD *Fuse kit, quadro evo, 1x800A 600x600 mm*

EU DECLARATION OF CONFORMITY

No. CE 26.3432.04.26

Type References:

Accessory Kits

UCAU235	Escutcheon H400 W600 Padlock and Sealable
UCAU236	Escutcheon H600 W600 Padlock and Sealable

Plinth

FN430E	Plinth connection kit, quadro
FN433E	Plinth, quadro, H100 700x800 mm
FN437E	Plinth, quadro, H100 900x800 mm
FN438E	Plinth, quadro, H100 400x400 mm
FN440E	Plinth, quadro, H100 400x600 mm
FN441E	Plinth, quadro, H100 700x400 mm
FN442E	Plinth, quadro, H100 400x800 mm
FN443E	Plinth, quadro, H100 900x400 mm
FN444E	Plinth, quadro, H100 1000x400 mm
FN451E	Plinth, quadro, H100 700x600 mm
FN453E	Plinth, quadro, H100 900x600 mm
FN454E	Plinth, quadro, H100 1000x600 mm
FN459E	Plinth, quadro, H100 1000x800 mm
FX438	Plinth, Venezia, H100 400x400 mm
FX450	Plinth, Venezia, H100 600x600 mm
FX458	Plinth, Venezia, H100 800x800 mm
FN000PL	Corners for Plinth (Qty = 4) h=100mm
FN1000PL	Plinth Panels (Qty = 2) w=1000mm
FN400PL	Plinth Panels (Qty = 2) w=400mm
FN450PL	Plinth Panels (Qty = 2) w=450mm
FN600PL	Plinth Panels (Qty = 2) w=600mm
FN700PL	Plinth Panels (Qty = 2) w=700mm
FN800PL	Plinth Panels (Qty = 2) w=800mm
FN900PL	Plinth Panels (Qty = 2) w=900mm

EU DECLARATION OF CONFORMITY

NO. CE 26.3432.04.26

Evidence(s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

<p>Conformity report / evidence:</p>	<p>Conformity Report 26.3432.04</p> <p>AIT Short Circuit Test Reports: AIT TR SGP-12007 AIT TR SGP-14433 AIT TR SGP-15950 AIT TR SGP-24641-1 AIT TR SGP-24641-2 AIT TR SGP-24641-3 AIT TR SGP-35423-2</p> <p>ASTA Short Circuit Test Certificates: ASTA Certificate ASTA-TYPE-0001722 Incomers 1600A ASTA Certificate ASTA-TYPE-0001723 Outgoing BS GM</p> <p>Damstra Short Circuit Test Reports: Damstra TR PDL-25.154</p> <p>IPH Short Circuit Test Reports: IPH TR 07992-18-0180 IPH TR 09191-18-0709-1 IPH TR 11211-20-0010 IPH TR 11211-20-0011 IPH TR 11211-20-0012 IPH TR 11211-20-0013 IPH TR 11914-20-0275 IPH TR 11914-20-0276 IPH TR 11914-20-0277 IPH TR 11914-20-0278 IPH TR 11915-20-0612 IPH TR 11915-20-0613 IPH TR 11915-20-0614 IPH TR 12533-20-0476 IPH TR 12533-20-0477 IPH TR 12533-20-0479 IPH TR 13640-20-0588 IPH TR 13660-20-0595 IPH TR 00217-21-0291 IPH TR 02012-21-0708</p> <p>VDE Test Reports: VDE TR 00880-21-0420 VDE TR 217058-CC2-3 VDE TR 246859-TL3-1 VDE TR 286375-TL3-2 VDE TR 295246-TL3-3 VDE TR 297092-TL3-3 VDE TR 301041-TL3-3 VDE TR 303236-TL3-3 VDE TR 304164-TL3-4 VDE TR 304164-TL3-5 VDE TR 304164-TL3-6 VDE TR 305460-TL3-2 VDE TR 307432-TL3-1 VDE TR 307432-TL3-2 VDE TR 307432-TL3-3 VDE TR 309538-TL3-1 VDE TR 318102-TL3-3</p>
--------------------------------------	---

EU DECLARATION OF CONFORMITY

NO. CE 26.3432.04.26

Blieskastel Test Reports:
Hager TR 18-043LAB-BLK
Hager TR 18-090LAB-BLK
Hager TR 18-166LAB-BLK
Hager TR 20-001LAB-BLK
Hager TR 20-002LAB-BLK
Hager TR 20-003LAB-BLK
Hager TR 20-033LAB-BLK
Hager TR 20-050LAB-BLK
Hager TR 20-055LAB-BLK
Hager TR 20-056LAB-BLK
Hager TR 20-057LAB-BLK
Hager TR 20-058LAB-BLK
Hager TR 20-059LAB-BLK
Hager TR 20-065LAB-BLK
Hager TR 20-070LAB-BLK
Hager TR 20-111LAB-BLK
Hager TR 20-127LAB-BLK-A1
Hager TR 20-146LAB-BLK-A1
Hager TR 20-147LAB-BLK
Hager TR 20-200LAB-BLK
Hager TR 21-098LAB-BLK
Hager TR 21-110LAB-BLK
Hager TR 21-136LAB-BLK
Hager TR 21-167LAB-BLK
Hager TR 22-001LAB-BLK
Hager TR 22-013LAB-BLK
Hager TR 22-019LAB-BLK
Hager TR 22-033LAB-BLK
Hager TR 22-044LAB-BLK
Hager TR 22-050LAB-BLK
Hager TR 22-058LAB-BLK
Hager TR 22-069LAB-BLK
Hager TR 22-146LAB-BLK
Hager TR 22-156LAB-BLK
Hager TR 22-161LAB-BLK
Hager TR 22-193LAB-BLK
Hager TR 22-221LAB-BLK
Hager TR VAL230220075
Hager TR VAL230220096
Hager TR VAL230220493
Hager TR VAL230220547
Hager TR VAL230220549
Hager TR VAL230221303
Hager TR VAL230222473
Hager TR VAL230222974
Hager TR VAL230222975
Hager TR VAL230222855
Hager TR VAL230223056
Hager TR VAL230223764
Hager TR VAL240224330
Hager TR VAL240224356
Hager TR VAL240225603
Hager TR VAL240225861
Hager TR VAL240227344
Hager TR VAL240227812
Hager TR VAL240227813-B1
Hager TR VAL240229209-A
Hager TR VAL240229410
Hager TR VAL240229463
Hager TR VAL250232786
Hager TR VAL250234429

EU DECLARATION OF CONFORMITY

NO. CE 26.3432.04.26

	<p>Telford Verification Test Report: Hager TR G2140-1 Hager TR G2140-1a Hager TR G2140-2 Hager TR G2140-2a Hager TR G2140-2b Hager TR G2140-5</p> <p>External Test Reports (other): IMQ TR MI15A0495454-01 I2PS TR 2019-0089201</p>
<p>Product documentation:</p>	<p>See Hager Website Instruction Leaflets</p>
<p>Comments:</p>	<p>DMS034433 followed using case 2 of Hager Group method: Harmonised standard used.</p>

Signature (technical design)

Name of signatory

Thierry Lienhardt

Function of signatory

Engineering Director (Enclosures)

Place and date of issue

Obernai, FR 07/04/2026

Signature



EU DECLARATION OF CONFORMITY

NO. CE 26.3432.04.26

Harmonised Standards

Harmonised standard CE RoHS 2015/863

ESO	Reference and title of the standard (and reference document)	First publication OJ	Reference of Superseded standard	Date of cessation of presumption of conformity of superseded standard Note 1
Cenelec	EN IEC 63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	31.3.2015		

Harmonised standard CE Electromagnetic Compatibility Directive 2014/30/EU

ESO	Reference and title of the standard (and reference document)	First publication OJ	Reference of Superseded standard	Date of cessation of presumption of conformity of superseded standard Note 1
Cenelec	EN 61439-1:2011 Low-voltage switchgear and controlgear assemblies - Part 1: General rules IEC 61439-1:2011	8.7.2016	EN 61439-1:2009 Note 2.1	
Cenelec	EN 61439-2:2011 Low-voltage switchgear and controlgear assemblies - Part 2: Power switchgear and controlgear assemblies IEC 61439-2:2011	8.7.2016	EN 61439-2:2009 Note 2.1	

Harmonised standard CE Low Voltage Directive 2014/35/EU

ESO	Reference and title of the standard (and reference document)	First publication OJ	Reference of Superseded standard	Date of cessation of presumption of conformity of superseded standard Note 1
Cenelec	EN 61439-1:2011 Low-voltage switchgear and controlgear assemblies - Part 1: General rules IEC 61439-1:2011	8.7.2016	EN 61439-1:2009 Note 2.1	
Cenelec	EN 61439-2:2011 Low-voltage switchgear and controlgear assemblies - Part 2: Power switchgear and controlgear assemblies IEC 61439-2:2011	8.7.2016	EN 61439-2:2009 Note 2.1	