

EU Declaration of Conformity No. 26.3166.04.26

We Hager Electro GmbH & Co. KG
Zum Gunterstal
66440 BLIESKASTEL - GERMANY

declare that the product(s)
designation

Klik Lighting Distribution System (4 pin)

type reference(s)

Klik 4 System ranges
Marshalling Boxes: LDS
Plug & Ceiling roses: PCR2000 / CR64AX / P22 / P64 / S27 / S 64
Wireable & Pre-wired plug leads

trademark

Hager

is (are) in conformity with the relevant Union harmonization legislation:

- Directive on the Restriction of the use of certain Hazardous Substances (RoHS) No. 2011/65/EU amended by No. 2015/863/EU
- Electromagnetic Compatibility Directive (EMCD) No. 2014/30/EU
- Low Voltage Directive (LVD) No. 2014/35/EU
- Packaging and Packaging Waste Regulation (PPWR) No. 2025/40/EU

.....

.....

Standard number + relevant amendments together with the edition dates and/or relevant document(s)

BS 5733: 2010+A1: 2014
BS 6972: 1988 (Amd 1)
EN IEC 63000: 2018

If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

We additionally confirm compliance with the EU Directives & Regulations, which are not linked to CE marking (if applicable).
See document DMS103207 'General EU Declaration of Conformity'.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

On behalf of Hager Electro GmbH & Co. KG - Zum Gunterstal - 66440 BLIESKASTEL - GERMANY

Name of signatory

Eddie Li

Function of signatory

Laboratory Manager

Place and date of issue

Huizhou CN,

Signature

EU DECLARATION OF CONFORMITY

No. 26.3166.04.26

Type References:

Klik 4 - Marshalling Boxes

Product Reference	Product Description
KLDS4	4 Way Klik Lighting Distribution Unit
KLDS6	6 Way Klik Lighting Distribution Unit
KLDS8	8 Way Klik Lighting Distribution Unit
KLDS10	10 Way Klik Lighting Distribution Unit
KLDS12	12 Way Klik Lighting Distribution Unit
KLDS4BLACK	4 Way Klik Lighting Distribution Unit – Black
KLDS6BLACK	6 Way Klik Lighting Distribution Unit – Black
KLDS8BLACK	8 Way Klik Lighting Distribution Unit – Black
KLDS10BLACK	10 Way Klik Lighting Distribution Unit – Black
KLDS12BLACK	12 Way Klik Lighting Distribution Unit – Black

Klik 4 - 3 Pin Pre-wired 6A Plug-in Ceiling Rose

Product Reference	Product Description
PCR2000/1.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre PVC
PCR2000/2.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre PVC
PCR2000/3.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre PVC
PCR2000/4.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre PVC
PCR2000/LSF/1.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre LSZH
PCR2000/LSF/2.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre LSZH
PCR2000/LSF/3.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre LSZH
PCR2000/LSF/4.0	6A Plug-in Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre LSZH
PCR2000/1.0PVC/2	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 2 Metre PVC
PCR2000/1.0PVC/3	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 3 Metre PVC
PCR2000/1.0PVC/4	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 4 Metre PVC
PCR2000/1.0PVC/5	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 5 Metre PVC
PCR2000/1.0LSF/2	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 2 Metre LSZH
PCR2000/1.0LSF/3	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 3 Metre LSZH
PCR2000/1.0LSF/4	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 4 Metre LSZH
PCR2000/1.0LSF/5	6A Plug-in Ceiling Rose with 1mm ² Flexible Cord – 5 Metre LSZH

EU DECLARATION OF CONFORMITY

No. 26.3166.04.26

Type References:

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plug-in Ceiling Rose

Product Reference	Product Description
CR64AX/1.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre PVC
CR64AX/2.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre PVC
CR64AX/3.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre PVC
CR64AX/4.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre PVC
CR64AX/LSF/1.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 1 Metre LSZH
CR64AX/LSF/2.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 2 Metre LSZH
CR64AX/LSF/3.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 3 Metre LSZH
CR64AX/LSF/4.0	6A Pre-wired Ceiling Rose with 0.75mm ² Flexible Cord – 4 Metre LSZH
CR64AX/1.0PVC/2	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 2 Metre PVC
CR64AX/1.0PVC/3	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 3 Metre PVC
CR64AX/1.0PVC/4	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 4 Metre PVC
CR64AX/1.0PVC/5	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 5 Metre PVC
CR64AX/1.0LSF/2	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 2 Metre LSZH
CR64AX/1.0LSF/3	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 3 Metre LSZH
CR64AX/1.0LSF/4	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 4 Metre LSZH
CR64AX/1.0LSF/5	6A Pre-wired Ceiling Rose with 1mm ² Flexible Cord – 5 Metre LSZH

EU DECLARATION OF CONFORMITY

No. 26.3166.04.26

Type References:
Klik 4 - 3 Pin Pre-wired 6A Plugs

Product Reference	Product Description
P22/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P22/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P22/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P22/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P22/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P22/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P22/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P22/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P22/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P22/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P22/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P22/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P22/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P22/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P22/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P22/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

EU DECLARATION OF CONFORMITY

No. 26.3166.04.26

Type References:

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - White

Product Reference	Product Description
P64AX/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P64AX/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P64AX/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P64AX/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P64AX/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P64AX/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P64AX/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P64AX/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P64AX/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P64AX/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P64AX/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P64AX/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P64AX/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P64AX/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P64AX/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P64AX/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

EU DECLARATION OF CONFORMITY

No. 26.3166.04.26

Type References:

Klik 4 - 4 Pin (Including Auxiliary) Pre-wired 6A Plugs - Red

Product Reference	Product Description
P64AXR/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre PVC
P64AXR/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre PVC
P64AXR/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre PVC
P64AXR/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre PVC
P64AXR/LSF/1.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 1 Metre LSZH
P64AXR/LSF/2.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 2 Metre LSZH
P64AXR/LSF/3.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 3 Metre LSZH
P64AXR/LSF/4.0	6A Pre-wired Plugs with 0.75mm ² Flexible Cord – 4 Metre LSZH
P64AXR/1.0PVC/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre PVC
P64AXR/1.0PVC/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre PVC
P64AXR/1.0PVC/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre PVC
P64AXR/1.0PVC/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre PVC
P64AXR/1.0LSF/2	6A Pre-wired Plugs with 1mm ² Flexible Cord – 2 Metre LSZH
P64AXR/1.0LSF/3	6A Pre-wired Plugs with 1mm ² Flexible Cord – 3 Metre LSZH
P64AXR/1.0LSF/4	6A Pre-wired Plugs with 1mm ² Flexible Cord – 4 Metre LSZH
P64AXR/1.0LSF/5	6A Pre-wired Plugs with 1mm ² Flexible Cord – 5 Metre LSZH

Klik 4 - 3 Pin Plug-in Ceiling Rose & Cover

Product Reference	Product Description
PCR2000	3 Pin Plug-in Ceiling Rose White
PCR2000BLACK	3 Pin Plug-in Ceiling Rose Black

Klik 4 - 4 Pin (including Auxiliary) Plug-in Ceiling Rose & Cover

Product Reference	Product Description
CR64AX	4 Pin Plug-in Ceiling Rose White
CR64AX/R	4 Pin Plug-in Ceiling Rose Red
A1	Ceiling Rose Cover White
A1/R	Ceiling Rose Cover Red
A1BLACK	Ceiling Rose Cover Black

EU DECLARATION OF CONFORMITY

No. 26.3166.04.26

Type References:

Klik 4 - 3 Pin Plug

Product Reference	Product Description
P22	3 Pin Plug White
P22BLACK	3 Pin Plug Black

Klik 4 - 4 Pin (Including Auxiliary) Plug

Product Reference	Product Description
P64AX	4 Pin Plug White
P64AX/R	4 Pin Plug Red

Klik 4 - 3 Pin Plug Socket Outlets

Product Reference	Product Description
S27	3 Pin Round Socket White

Klik 4 - 4 Pin (Including Auxiliary) Plug Socket Outlets

Product Reference	Product Description
S64AX	4 Pin Round Socket White
S64BLACK	4 Pin Round Socket Black

Moulded Mounting Boxes

Product Reference	Product Description
MB2	Round Surface Box White

EU DECLARATION OF CONFORMITY

NO. 26.3166.04.26

Evidence(s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

Conformity report / evidence:	Nemko Certificate C11 42534 HG Lab Test Report TRWA1308019 KLDS HG Lab Test Report TRWA1408004 PCR2000 HG Lab Test Report TRWA1612010 CR64AX HG Lab Test Report TRWA1612013 PCR2000 HG Lab Test Report LB 20 0017 PCR2000 HG Lab Test Report LB 20 0343 CR64AX
Product documentation:	See Hager website
Comments:	None

Signature (technical design)

Name of signatory

John Lee

Function of signatory

Engineering Manager

Place and date of issue

Huizhou CN, 20th April 2026

Signature

