

EU Declaration of Conformity No. 26.3804.07.26

We Tehalit GmbH
Seebergstrasse 37
67716 HELTERSBERG - GERMANY

**declare that the product(s)
designation**

Cable trunking and ducting system intended for mounting underfloor,
flushfloor and onfloor
Type : BKF, BKFD, BKW, BKWD

type reference(s)

See pages 2 to 7

trademark

Hager

is (are) in conformity with the relevant Union harmonization legislation:

- Low Voltage Directive (LVD) No. 2014/35/EU
- Directive on the Restriction of the use of certain Hazardous Substances (RoHS) No. 2011/65/EU amended by No. 2015/863/EU
- Packaging and Packaging Waste Regulation (PPWR) No. 2025/40/EU

.....

.....

.....

Standard number + relevant amendments together with the edition dates and/or relevant document(s)

DIN EN 50085-1:2014-05 (VDE 0604-1:2014-05)
DIN EN 50085-2-2:2009-07 (VDE 0604-2-2:2009-07)
EN IEC 63000:2018

If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

We additionally confirm compliance with the EU Directives & Regulations, which are not linked to CE marking (if applicable).
See document DMS103207 'General EU Declaration of Conformity'.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

On behalf of Tehalit GmbH - Seebergstrasse 37 - 67716 HELTERSBERG - GERMANY

Name of signatory

Beatriz MORAN PELAEZ

Function of signatory

Certification Manager Cable Management

Place and date of issue

Heltersberg, 07th July 2026

Signature

Beatriz Morán

EU DECLARATION OF CONFORMITY

No. 26.3804.07.26

Type References:

References	Description
BAKA200800	cover for BKF/BKW200 length 800 mm
BAKA300800	cover for BKF/BKW300 length 800 mm
BAKA300800Q06	cover for BKF/BKW300 length 800 mm Q06
BAKA300800R06	cover for BKF/BKW300 length 800 mm R06
BAKA400800	cover for BKF/BKW400 length 800 mm
BAKA400800Q06	cover for BKF/BKW400 length 800 mm Q06
BAKA400800Q12	cover for BKF/BKW400 length 800 mm Q12
BAKA400800R06	cover for BKF/BKW400 length 800 mm R06
BAKA400800R12	cover for BKF/BKW400 length 800 mm R12
BAKA600800	cover for BKF/BKW600 length 800 mm
BAKA600800GBZ	cover for BKF/BKW600 length 800 mm GBZ
BAKA600800Q06	cover for BKF/BKW600 length 800 mm Q06
BAKA600800Q12	cover for BKF/BKW600 length 800 mm Q12
BAKA600800R06	cover for BKF/BKW600 length 800 mm R06
BAKA600800R12	cover for BKF/BKW600 length 800 mm R12
BKAD200	cover for BKFD/BKWD200 length 800 mm
BKAD300	cover for BKFD/BKWD300 length 800 mm
BKAD300R06	cover for BKFD/BKWD300 length 800 mm R06
BKAD400	cover for BKFD/BKWD400 length 800 mm
BKAD400800R2	Cover R2 round 242mm for BKF/BKW 400x800
BKAD400R12	cover for BKFD/BKWD400 length 800 mm R12
BKAD500	cover for BKFD/BKWD500 length 800 mm
BKAD500800R2	Cover R2 round 242mm for BKF/BKW 500x800
BKAD500R12	cover for BKFD/BKWD500 length 800 mm R12
BKAD600	cover for BKFD/BKWD600 length 800 mm
BKAD600800R2	Cover R2 round 242mm for BKF/BKW 600x800
BKAD600R12	cover for BKFD/BKWD600 length 800 mm R12
BKF150145	floor duct w. foil 150 145-190 dry care
BKF200045	floor duct w. foil 200 45-70 dry care
BKF200065	floor duct w. foil 200 65-110 dry care
BKF200105	floor duct w. foil 200 105-150 dry care
BKF200145	floor duct w. foil 200 145-190 dry care
BKF300045	floor duct w. foil 300 45-70 dry care
BKF300065	floor duct w. foil 150 65-110 dry care
BKF300105	floor duct w. foil 300 105-150 dry care
BKF300145	floor duct w. foil 300 145-190 dry care
BKF400045	floor duct w. foil 400 45-70 dry care

EU DECLARATION OF CONFORMITY

No. 26.3804.07.26

Type References:

BKF400065	floor duct w. foil 400 65-110 dry care
BKF400105	floor duct w. foil 400 105-150 dry care
BKF400145	floor duct w. foil 400 145-190 dry care
BKF600045	floor duct w. foil 600 45-70 dry care
BKF600065	floor duct w. foil 600 65-110 dry care
BKF600105	floor duct w. foil 600 105-150 dry care
BKF600145	floor duct w. foil 600 145-190 dry care
BKFD200045	floor duct w foil 200 45-70 f sealing
BKFD200065	floor duct w foil 200 65-110 f sealing
BKFD200105	floor duct w foil 200 105-150 f sealing
BKFD200145	floor duct w foil 200 145-190 f sealing
BKFD300045	floor duct w foil 300 45-70 f sealing
BKFD300065	floor duct w foil 300 65-110 f sealing
BKFD300105	floor duct w foil 300 105-150 f sealing
BKFD300145	floor duct w foil 300 145-190 f sealing
BKFD400045	floor duct w foil 400 45-70 f sealing
BKFD400065	floor duct w foil 400 65-110 f sealing
BKFD400105	floor duct w foil 400 105-150 f sealing
BKFD400145	floor duct w foil 400 145-190 f sealing
BKFD600045	floor duct w foil 600 45-70 f sealing
BKFD600065	floor duct w foil 600 65-110 f sealing
BKFD600105	floor duct w foil 600 105-150 f sealing
BKFD600145	floor duct w foil 600 145-190 f sealing
BKFDE200045	endcap f BKFDE200045 w foil f sealing
BKFDE200065	endcap f BKFDE200065 w foil f sealing
BKFDE200105	endcap f BKFDE200105 w foil f sealing
BKFDE200145	endcap f BKFDE200145 w foil f sealing
BKFDE300045	endcap f BKFDE300045 w foil f sealing
BKFDE300065	endcap f BKFDE300065 w foil f sealing
BKFDE300105	endcap f BKFDE300105 w foil f sealing
BKFDE300145	endcap f BKFDE300145 w foil f sealing
BKFDE400045	endcap f BKFDE400045 w foil f sealing
BKFDE400065	endcap f BKFDE400065 w foil f sealing
BKFDE400105	endcap f BKFDE400105 w foil f sealing
BKFDE400145	endcap f BKFDE400145 w foil f sealing
BKFDE600045	endcap f BKFDE600045 w foil f sealing
BKFDE600065	endcap f BKFDE600065 w foil f sealing
BKFDE600105	endcap f BKFDE600105 w foil f sealing
BKFDE600145	endcap f BKFDE600145 w foil f sealing

EU DECLARATION OF CONFORMITY

No. 26.3804.07.26

Type References:

BKFBV200	closure piece for BKF200 foil dry care
BKFBV300	closure piece for BKF300 foil dry care
BKFBV400	closure piece for BKF400 foil dry care
BKFBV600	closure piece for BKF600 foil dry care
BKSAB00	lateral junction box for BK blind cover
BKSAE04	lateral junction box for BK E04 punching
BKSAE09	lateral junction box for BK E09 punching
BKSAG00	lateral junction box for BK GBZ punching
BKSAN045070	levelling set f BKSA range 45-70mm
BKSAN065110	levelling set f BKSA range 65-110mm
BKSAN105150	levelling set f BKSA range 105-150mm
BKSAN145190	levelling set f BKSA range 145-190mm
BKSAQ06	lateral junction box for BK Q06 punching
BKSAQ08	lateral junction box for BK Q08 punching
BKSAQ12	lateral junction box for BK Q12 punching
BKSAR06	lateral junction box for BK R06 punching
BKSAR10	lateral junction box for BK R10 punching
BKSAR12	lateral junction box for BK R12 punching
BKTD200	cross member f BKFD/BKWD200 f sealing
BKTD300	cross member f BKFD/BKWD300 f sealing
BKTMD400	cross memb f c supp BKFD/BKWD400 f seal
BKTMD600	cross memb f c supp BKFD/BKWD600 f seal
BKTMN400	cross member f centr supp BKF/BKW400 dry
BKTMN600	cross member f centr supp BKF/BKW600 dry
BKTN200	cross member f BKF/BKW200 dry care
BKTN300	cross member f BKF/BKW300 dry care
BKTWF00	partition stand f PVC-partition, PVC
BKTWK16	partition height 16mm l=2000mm PVC
BKTWK31	partition height 31mm l=2000mm PVC
BKTWK46	partition height 46mm l=2000mm PVC
BKTWK61	partition height 61mm l=2000mm PVC
BKTWK76	partition height 76mm l=2000mm PVC
BKTWK91	partition height 91mm l=2000mm PVC
BKTWS110	partition height 110mm l=2400mm steel
BKTWS20	partition height 20mm l=2400mm steel
BKTWS35	partition height 35mm l=2400mm steel
BKTWS50	partition height 50mm l=2400mm steel
BKTWS65	partition height 65mm l=2400mm steel
BKTWS80	partition height 80mm l=2400mm steel

EU DECLARATION OF CONFORMITY

No. 26.3804.07.26

Type References:

BKTWS95	partition height 95mm l=2400mm steel
BKW200060	floor duct w. trough 200 60-100 dry care
BKW200070	floor duct w. trough 200 70-110 dry care
BKW200080	floor duct w. trough 200 80-120 dry care
BKW200090	floor duct w. trough 200 90-130 dry care
BKW300060	floor duct w. trough 300 60-100 dry care
BKW300070	floor duct w. trough 300 70-110 dry care
BKW300080	floor duct w. trough 300 80-120 dry care
BKW300090	floor duct w. trough 300 90-130 dry care
BKW400060	floor duct w. trough 400 60-100 dry care
BKW400070	floor duct w. trough 400 70-110 dry care
BKW400080	floor duct w. trough 400 80-120 dry care
BKW400090	floor duct w. trough 400 90-130 dry care
BKW600060	floor duct w. trough 600 60-100 dry care
BKW600070	floor duct w. trough 600 70-110 dry care
BKW600080	floor duct w. trough 600 80-120 dry care
BKW600090	floor duct w. trough 600 90-130 dry care
BKWD200060	floor duct trough 200 60-100 f sealing
BKWD200070	floor duct trough 200 70-110 f sealing
BKWD200080	floor duct trough 200 80-120 f sealing
BKWD200090	floor duct trough 200 90-130 f sealing
BKWD300060	floor duct trough 300 60-100 f sealing
BKWD300070	floor duct trough 300 70-110 f sealing
BKWD300080	floor duct trough 300 80-120 f sealing
BKWD300090	floor duct trough 300 90-130 f sealing
BKWD400060	floor duct trough 400 60-100 f sealing
BKWD400070	floor duct trough 400 70-110 f sealing
BKWD400080	floor duct trough 400 80-120 f sealing
BKWD400090	floor duct trough 400 90-130 f sealing
BKWD600060	floor duct trough 600 60-100 f sealing
BKWD600070	floor duct trough 600 70-110 f sealing
BKWD600080	floor duct trough 600 80-120 f sealing
BKWD600090	floor duct trough 600 90-130 f sealing
BKWDE200060	endcap f BKWD200060 w trough f sealing
BKWDE200070	endcap f BKWD200070 w trough f sealing
BKWDE200080	endcap f BKWD200080 w trough f sealing
BKWDE200090	endcap f BKWD200090 w trough f sealing
BKWDE300060	endcap f BKWD300060 w trough f sealing
BKWDE300070	endcap f BKWD300070 w trough f sealing

EU DECLARATION OF CONFORMITY

No. 26.3804.07.26

Type References:

BKWDE300080	endcap f BKWD300080 w trough f sealing
BKWDE300090	endcap f BKWD300090 w trough f sealing
BKWDE400060	endcap f BKWD400060 w trough f sealing
BKWDE400070	endcap f BKWD400070 w trough f sealing
BKWDE400080	endcap f BKWD400080 w trough f sealing
BKWDE400090	endcap f BKWD400090 w trough f sealing
BKWDE600060	endcap f BKWD600060 w trough f sealing
BKWDE600070	endcap f BKWD600070 w trough f sealing
BKWDE600080	endcap f BKWD600080 w trough f sealing
BKWDE600090	endcap f BKWD600090 w trough f sealing
BKWE200060	endcap for BKW200060 w. tough dry care
BKWE200070	endcap for BKW200070 w. tough dry care
BKWE200080	endcap for BKW200080 w. tough dry care
BKWE200090	endcap for BKW200090 w. tough dry care
BKWE300060	endcap for BKW300040 w. tough dry care
BKWE300070	endcap for BKW300050 w. tough dry care
BKWE300080	endcap for BKW300060 w. tough dry care
BKWE300090	endcap for BKW300070 w. tough dry care
BKWE400060	endcap for BKW400040 w. tough dry care
BKWE400070	endcap for BKW400050 w. tough dry care
BKWE400080	endcap for BKW400060 w. tough dry care
BKWE400090	endcap for BKW400070 w. tough dry care
BKWE600060	endcap for BKW600040 w. tough dry care
BKWE600070	endcap for BKW600050 w. tough dry care
BKWE600080	endcap for BKW600060 w. tough dry care
BKWE600090	endcap for BKW600070 w. tough dry care
BKZBSA7011	Floor joint cover PVC iron grey
BKZBSK7011	Floor covering edge 4mm PVC iron grey
BKZBSK9005	Floor covering edge 4mm PVC deep black
BKZEA00	screed anchor plastic
BKZHP00	retaining tab with muffler bearing
BKZKM80	counternut M8 f accomod. of set screws
BKZKV090	trunking connector BK angled 90° steel
BKZKV180	trunking connector BK straight 180° st
BKZM203	cellular rubber strip 20x3mm self-adh.
BKZN030	levelling clamp f trunking height 30
BKZN050	levelling clamp f trunking height 50
BKZNS100	set screw M8x100 levelling height 100mm
BKZNS120	set screw M8x120 levelling height 120mm

EU DECLARATION OF CONFORMITY

No. 26.3804.07.26

Type References:

BKZNS140	set screw M8x140 levelling height 140mm
BKZNS160	set screw M8x160 levelling height 160mm
BKZNS25	set screw M8x25 levelling height 25mm
BKZNS30	set screw M8x30 levelling height 30mm
BKZNS35	set screw M8x35 levelling height 35mm
BKZNS40	set screw M8x40 levelling height 40mm
BKZNS45	set screw M8x45 levelling height 45mm
BKZNS50	set screw M8x50 levelling height 50mm
BKZNS55	set screw M8x55 levelling height 55mm
BKZNS60	set screw M8x60 levelling height 60mm
BKZNS65	set screw M8x65 levelling height 65mm
BKZNS70	set screw M8x70 levelling height 70mm
BKZNS75	set screw M8x75 levelling height 75mm
BKZNS80	set screw M8x80 levelling height 80mm
BKZNS85	set screw M8x85 levelling height 85mm
BKZNS90	set screw M8x90 levelling height 90mm
BKZNSD0	muffler bearing for accom. of set screws
BKZSA200	protective conductor f BK screw connect
BKZSAK00	protective conductor f BK w conn clamp
BKZVS90	connection set

EU DECLARATION OF CONFORMITY

NO. 26.3804.07.26

Evidence(s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

Conformity report / evidence:	BKF, BKFD, BKW, BKWD – Conformity Report
Product documentation:	See Hager website
Comments:	None

Signature (technical design)

Name of signatory

Martin LERCH

Function of signatory

Engineering Senior Manager

Place and date of issue

Heltersberg, 07th July 2026

Signature

