

EU Declaration of Conformity No. 26.3825.07.26

We Tehalit GmbH
Seebergstrasse 37
67716 HELTERSBERG - GERMANY

**declare that the product(s)
designation**

Fire protection trunking systems FWK3E & FWK9

type reference(s)

See pages 2 to 6

trademark

Hager

is (are) in conformity with the relevant Union harmonization legislation:

- Low Voltage Directive (LVD) No. 2014/35/EU
- Directive on the Restriction of the use of certain Hazardous Substances (RoHS) No. 2011/65/EU amended by No. 2015/863/EU
- Packaging and Packaging Waste Regulation (PPWR) No. 2025/40/EU

.....

.....

.....

Standard number + relevant amendments together with the edition dates and/or relevant document(s)

DIN EN 50085-1:2014-05 (VDE 0604-1:2014-05)
DIN EN 50085-2-1:2012-09 (VDE 0604-2-1:2012-09)
EN IEC 63000:2018

If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

We additionally confirm compliance with the EU Directives & Regulations, which are not linked to CE marking (if applicable).
See document DMS103207 'General EU Declaration of Conformity'.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

On behalf of Tehalit GmbH - Seebergstrasse 37 - 67716 HELTERSBERG - GERMANY

Name of signatory

Beatriz MORAN PELAEZ

Function of signatory

Certification Manager Cable Management

Place and date of issue

Heltersberg, 07th July 2026

Signature

Beatriz Morán

EU DECLARATION OF CONFORMITY

No. 26.3825.07.26

Type References:

References	Description
FWK3E5006009016	fire protect trunk FWK 3E 50x60 1,5m tw
FWK3E500600VERZ	fire protect trunk FWK 3E 50x60 1,5m ga
FWK3E5011009016	fire protect trunk FWK 3E 50x110 1,5m tw
FWK3E501100VERZ	fire protect trunk FWK 3E 50x110 1,5m ga
FWK3E5021009016	fire protect trunk FWK 3E 50x210 1,5m tw
FWK3E502100VERZ	fire protect trunk FWK 3E 50x210 1,5m ga
FWK3E9916009016	fire protect trunk FWK 3E 100x160 1m tw
FWK3E991600VERZ	fire protect trunk FWK 3E 100x160 1m ga
FWK3E9926009016	fire protect trunk FWK 3E 100x260 1m tw
FWK3E992600VERZ	fire protect trunk FWK 3E 100x260 1m ga
FWK95006009016	fire protect trunk FWK90 50x60 0,75m tw
FWK9500600VERZ	fire protect trunk FWK90 50x60 0,75m ga
FWK95011009016	fire protect trunk FWK90 50x110 0,75m tw
FWK9501100VERZ	fire protect trunk FWK90 50x110 0,75m ga
FWK95021009016	fire protect trunk FWK90 50x210 0,75m tw
FWK9502100VERZ	fire protect trunk FWK90 50x210 0,75m ga
FWK99916009016	fire protect trunk FWK90 100x160 0,5m tw
FWK9991600VERZ	fire protect trunk FWK90 100x160 0,5m ga
FWK99926009016	fire protect trunk FWK90 100x260 0,5m tw
FWK9992600VERZ	fire protect trunk FWK90 100x260 0,5m ga
L5732VERZ	Cable retaining clip, FWK 50110
L5733VERZ	Clamp steel to FWK 3E/30/90 50x210mm
L5734VERZ	Clamp steel to FWK 3E/30/90 100x160mm
L5735VERZ	Cable retaining clip, FWK 99260
L6632	Partition, FWK H50, PVC
L6633	Partition, FWK H99, PVC
L6645	Sealing band 19x20mm,FWK
L6664VERZ	Partition, FWK H50, galvanized
L6665VERZ	Partition, FWK H50, galvanized
L6681GCHR	L 6681 potential equalization connector
L68189016	sliding collar, FWK 30/50060, tw
L6818VERZ	sliding collar, FWK 30/50060,galvanized
L6819	adaption piece, FWK 30/50060
L68289016	sliding collar, FWK 30/50110, w
L6828VERZ	sliding collar, FWK 30/50110,galvanized
L6829	adaption piece, FWK30/50110
L68589016	sliding collar, FWK 30/50210, tw

EU DECLARATION OF CONFORMITY

No. 26.3825.07.26

Type References:

L6858VERZ	sliding collar, FWK 30/50210,galvanized
L6859	adaption piece, FWK 30/50210
L68689016	sliding collar, FWK 30/99160, tw
L6868VERZ	sliding collar, FWK 30/99160,galvanized
L6869	adaption piece, FWK 30/99160
L68789016	sliding collar, FWK 30/99260, tw
L6878VERZ	sliding collar, FWK 30/99260,galvanized
L6879	adaption piece, FWK 30/99260
L69109016	length adapter, FWK 90/50060, tw
L6910VERZ	length adapter, FWK 90/50060,galvanized
L69119016	Internal corner,FWK 90/50060,tw
L6911VERZ	Internal corner,FWK 90/50060, galvanized
L69129016	External corner,FWK 90/50060, tw
L6912VERZ	External corner,FWK 90/50060, galvanized
L69139016	End cap, FWK 90/50060, tw
L6913VERZ	End cap, FWK 90/50060, galvanized
L69159016	Flat corner, FWK 90/50060, tw
L6915VERZ	Flat corner, FWK 90/50060, galvanized
L69169016	T piece, FWK 90/50060, tw
L6916VERZ	T piece, FWK 90/50060, galvanized
L69189016	sliding collar, FWK 90/50060, tw
L6918VERZ	sliding collar, FWK 90/50060,galvanized
L6919	adaption piece, FWK 90/50060
L69209016	length adapter, FWK 90/50110, tw
L6920VERZ	length adapter, FWK 90/50110,galvanized
L69219016	Internal corner,FWK 90/50110,tw
L6921VERZ	Internal corner,FWK 90/50110, galvanized
L69229016	External corner,FWK 90/50110, tw
L6922VERZ	External corner,FWK 90/50110, galvanized
L69239016	End cap, FWK 90/50110, tw
L6923VERZ	End cap, FWK 90/50110, galvanized
L69259016	Flat corner, FWK 90/50110, tw
L6925VERZ	Flat corner, FWK 90/50110, galvanized
L69269016	T piece, FWK 90/50110, tw
L6926VERZ	T piece, FWK 90/50110, galvanized
L69289016	sliding collar, FWK 30/50110, tw
L6928VERZ	sliding collar, FWK 90/50110,galvanized
L6929	adaption piece, FWK 90/50110
L69509016	length adapter, FWK 90/50210, tw

EU DECLARATION OF CONFORMITY

No. 26.3825.07.26

Type References:

L6950VERZ	length adapter, FWK 90/50210,galvanized
L69519016	Internal corner,FWK 90/50210,tw
L6951VERZ	Internal corner,FWK 90/50210, galvanized
L69529016	Exernal corner,FWK 90/50210, tw
L6952VERZ	External corner,FWK 90/50210, galvanized
L69539016	End cap, FWK 90/50210, tw
L6953VERZ	End cap, FWK 90/50210, galvanized
L69559016	Flat corner, FWK 90/50210, tw
L6955VERZ	Flat corner, FWK 90/50210, galvanized
L69569016	T piece, FWK 90/50210, tw
L6956VERZ	T piece, FWK 90/50210, galvanized
L69589016	sliding collar, FWK 90/50210, tw
L6958VERZ	sliding collar, FWK 90/50210,galvanized
L6959	adaption piece, FWK 90/50210
L69609016	length adapter, FWK 90/99160, tw
L6960VERZ	length adapter, FWK 90/99160, galvanized
L69619016	Internal corner,FWK 90/99160,tw
L6961VERZ	Internal corner,FWK 90/99160, galvanized
L69629016	Exernal corner,FWK 90/99160, tw
L6962VERZ	External corner,FWK 90/99160, galvanized
L69639016	End cap, FWK 90/99160, tw
L6963VERZ	End cap, FWK 90/99160, galvanized
L69659016	Flat corner, FWK 90/99160, tw
L6965VERZ	Flat corner, FWK 90/99160, galvanized
L69669016	T piece, FWK 90/99160, tw
L6966VERZ	T piece, FWK 90/99160, galvanized
L69689016	sliding collar, FWK 90/99160, tw
L6968VERZ	sliding collar, FWK 90/99160,galvanized
L6969	adaption piece, FWK 90/99160
L69709016	length adapter, FWK 90/99260, tw
L6970VERZ	length adapter, FWK 90/99260,galvanized
L69719016	Internal corner,FWK 90/99260, tw
L6971VERZ	Internal corner,FWK 90/99260, galvanized
L69729016	Exernal corner,FWK 90/99260, tw
L6972VERZ	External corner,FWK 90/99260, galvanized
L69739016	End cap, FWK 90/99260, tw
L6973VERZ	End cap, FWK 90/99260, galvanized
L69759016	Flat corner, FWK 90/99260, tw
L6975VERZ	Flat corner, FWK 90/99260, galvanized

EU DECLARATION OF CONFORMITY

No. 26.3825.07.26

Type References:

L69769016	T piece, FWK 90/99260, tw
L6979	adaption piece, FWK 90/99260
R30209016	Length-adapter. FWK3E/50060, tw
R3020VERZ	Length-adapter, FWK3E/50060, galvanized
R30219016	Internal corner, FWK 3E/50060,tw
R3021VERZ	Internal corner, FWK 3E/50060,galvanized
R30229016	External corner, FWK 3E/50060,tw
R3022VERZ	External corner, FWK 3E/50060,galvanized
R30239016	End cap, FWK 3E/50060, tw
R3023VERZ	End cap, FWK 3E/50060, galvanized
R30259016	Flat corner, FWK 3E/50060, tw
R3025VERZ	Flat corner, FWK 3E/50060, galvanized
R30269016	T piece, FWK 3E/50060, tw
R3026VERZ	T piece, FWK 3E/50060, galvanized
R30309016	Length-adapter, FWK3E/50110, tw
R3030VERZ	Length-adapter, FWK3E/50110, galvanized
R30319016	Internal corner, FWK 3E/50110,tw
R3031VERZ	Internal corner, FWK 3E/50110,galvanized
R30329016	External corner, FWK 3E/50110,tw
R3032VERZ	External corner, FWK 3E/50110,galvanized
R30339016	End cap, FWK 3E/50110, tw
R3033VERZ	End cap, FWK 3E/50110, galvanized
R30359016	Flat corner, FWK 3E/50110, tw
R3035VERZ	Flat corner, FWK 3E/50110, galvanized
R30369016	T piece, FWK 3E/50110, tw
R3036VERZ	T piece, FWK 3E/50110, galvanized
R30409016	Length-adapter, FWK3E/50210, tw
R3040VERZ	Length-adapter, FWK3E/50210, galvanized
R30419016	Internal corner, FWK 3E/50210,tw
R3041VERZ	Internal corner, FWK 3E/50210,galvanized
R30429016	External corner, FWK 3E/50210,tw
R3042VERZ	External corner, FWK 3E/50210,galvanized
R30439016	End cap, FWK 3E/50210, tw
R3043VERZ	End cap, FWK 3E/50210, galvanized
R30459016	Flat corner, FWK 3E/50210, tw
R3045VERZ	Flat corner, FWK 3E/50210, galvanized
R30469016	T piece, FWK 3E/50210, tw
R3046VERZ	T piece, FWK 3E/50210, galvanized
R30509016	Length-adapter, FWK3E/99160, tw

EU DECLARATION OF CONFORMITY

No. 26.3825.07.26

Type References:

R3050VERZ	Length-adapter, FWK3E/99160, galvanized
R30519016	Internal corner,FWK 3E/99160, tw
R3051VERZ	Internal corner,FWK 3E/99160, galvanized
R30529016	External corner,FWK 3E/99160, tw
R3052VERZ	External corner,FWK 3E/99160, galvanized
R30539016	End cap, FWK 3E/99160, tw
R3053VERZ	End cap, FWK 3E/99160, galvanized
R30559016	Flat corner, FWK 3E/99160, tw
R3055VERZ	Flat corner, FWK 3E/99160, galvanized
R30569016	T piece, FWK 3E/99160, tw
R3056VERZ	T piece, FWK 3E/99160, galvanized
R30609016	Length-adapter, FWK3E/99260, tw
R3060VERZ	Length-adapter, FWK3E/99260, galvanized
R30619016	Internal corner,FWK 3E/99260, tw
R3061VERZ	Internal corner,FWK 3E/99260, galvanized
R30629016	External corner,FWK 3E/99260, tw
R3062VERZ	External corner,FWK 3E/99260, galvanized
R30639016	End cap, FWK 3E/99260, tw
R3063VERZ	End cap, FWK 3E/99260, galvanized
R30659016	Flat corner, FWK 3E/99260, tw
R3065VERZ	Flat corner, FWK 3E/99260, galvanized
R30669016	T piece, FWK 3E/99260, tw
R3066VERZ	T piece, FWK 3E/99260, galvanized
R30769016	T piece, FWK3E/50110 to 50060,tw

EU DECLARATION OF CONFORMITY

NO. 26.3825.07.26

Evidence(s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

Conformity report / evidence:	FWK3E & FWK9 – Conformity Report
Product documentation:	See Hager website
Comments:	None

Signature (technical design)

Name of signatory

Martin LERCH

Function of signatory

Engineering Senior Manager

Place and date of issue

Heltersberg, 07th July 2026

Signature

