

EU Declaration of Conformity No. 26_3771_06_26

We Tehalit GmbH
Seebergstrasse 37
67716 HELTERSBERG - GERMANY

**declare that the product(s)
designation**

Cable trunking systems intended for mounting on walls and ceilings
SL

type reference(s)

See page 2 to 7

trademark

Hager

is (are) in conformity with the relevant Union harmonization legislation:

- Low Voltage Directive (LVD) No. 2014/35/EU
- Directive on the Restriction of the use of certain Hazardous Substances (RoHS) No. 2011/65/EU amended by No. 2015/863/EU
- Packaging and Packaging Waste Regulation (PPWR) No. 2025/40/EU

.....

.....

.....

Standard number + relevant amendments together with the edition dates and/or relevant document(s)

NF EN 50085-1:2005 + A1:2013
NF EN 50085-2-1:2007 + A1:2012
NF EN IEC 63000:2018

If applicable, mention here for radio products, the data about notified body. See RED directive - Annex VI - point 7

We additionally confirm compliance with the EU Directives & Regulations, which are not linked to CE marking (if applicable).
See document DMS103207 'General EU Declaration of Conformity'.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

On behalf of Tehalit GmbH - Seebergstrasse 37 - 67716 HELTERSBERG - GERMANY

Name of signatory

Beatriz MORAN PELAEZ

Function of signatory

Certification Mandatee or delegate

Place and date of issue

Heltersberg, 18th June 2026

Signature

Beatriz Morán

EU DECLARATION OF CONFORMITY

No. 26_3771_06_26

Type References:

References	Description
SL1510039011	External corner adjust. SL15x100 g black
SL1510039016	External corner adjust. SL15x100 tw
SL151003D1	External corner adjust. SL15x100 D Alu
SL151003D5	External corner adjust. SL15x100 D oak
SL1510049011	Internal corner adjust. SL15x100 g black
SL1510049016	Internal corner adjust. SL15x100 tw
SL151004D1	Internal corner adjust. SL15x100 D Alu
SL151004D5	Internal corner adjust. SL15x100 D oak
SL1510069011	End cap for SL 15x100 graphite black
SL1510069016	End cap for SL 15x100 traffic white
SL151006D1	End cap for SL 15x100 decor aluminium
SL151006D5	End cap for SL 15x100 decor oak
SL1510079011	Lid joint cover SL 15x100 graphite black
SL1510079016	Lid joint cover SL 15x100 traffic white
SL151007D1	Lid joint cover SL 15x100 decor alu
SL151007D5	Lid joint cover SL 15x100 decor oak
SL1705259016	Flat corner SL 17052 traffic white
SL2005539011	External corner VDI SL20055 graph. black
SL2005539016	External corner VDI SL20055 tw
SL200553D1	External corner VDI SL20055 alu
SL200553D2	External corner VDI SL20055 beech
SL200553D3	External corner VDI SL20055 mable
SL200553D4	outside corner VDI SL20055 cherry
SL200553D5	External corner VDI SL20055 aok
SL200553D6	External corner VDI SL20055 sucupira
SL2005549011	Internal corner VDI SL20055 graph. black
SL2005549016	Internal corner VDI SL20055 tw
SL200554D1	Internal corner VDI SL20055 alu
SL200554D2	Internal corner VDI SL20055 beech
SL200554D3	Internal corner VDI SL20055 mable
SL200554D4	Internal corner VDI SL20055 cherry
SL200554D5	Internal corner VDI SL20055 aok
SL200554D6	Internal corner VDI SL20055 sucupira
SL20055619016	End cap SL20055 right/left p. white
SL2005569011	End Cap SL20055 graphitee black
SL2005569016	End Cap SL20055 traffic white

EU DECLARATION OF CONFORMITY

No. 26_3771_06_26

Type References:

SL200556D1	End cap for tehalit.SL 20x55mm alu
SL200556D2	End Cap SL20055 beech
SL200556D3	End Cap SL20055 mable
SL200556D4	End Cap SL20055 cherry
SL200556D5	End cap for tehalit.SL 20x55mm oak
SL200556D6	End Cap SL20055 sucupira
SL2005579011	Coupling SL20055 graphitee black
SL2005579016	Coupling SL20055 traffic white
SL200557D1	Coupling SL20055 alu
SL200557D2	Coupling SL20055 beech
SL200557D3	Coupling SL20055 mable
SL200557D4	Cut conceals to SL 20x55mm D Ki
SL200557D5	Coupling SL20055 oak
SL200557D6	Coupling SL20055 sucupira
SL20055819011	Adaptor, SL20055/EK 40040, black
SL20055819016	Adaptor SL20055/EK 40040 traffic white
SL2005581D1	Adaptor, SL20055/EK 40040, alu
SL2005589011	T-pièce, SL20055 graphitee black
SL2005589016	T-pièce SL20055 traffic white
SL200558D1	T-pièce, SL20055 alu
SL151009709011	Accessory box 1-g e. 45x45 SL15x100 gb
SL151009709016	Accessory box 1-g e. 45x45 SL15x100 tw
SL15100970D1	Accessory box 1-g e. 45x45 SL15x100 D Al
SL15100970D5	Accessory box 1-g e. 45x45 SL15x100 D Oa
SL15100AF9011	Accessory box coupling 1-g SL15x100 gb
SL15100AF9016	Accessory box coupling 1-g SL15x100 tw
SL15100AFD1	Accessory box coupling 1-g SL15x100 D Al
SL15100AFD5	Accessory box coupling 1-g SL15x100 D Oa
SL200559009011	acc.box SL20055 2 x gang black
SL200559009016	acc.box SL20055 2 x gang traffic white
SL20055900D1	acc.box SL20055 2 x gang alu
SL200559019011	acc.box univ. (2) SL20055 black
SL200559019016	acc.box univ. (2) SL20055 traffic white
SL20055901D1	acc.box univ. (2) SL20055 alu
SL20055901D2	acc.box univ. (2) SL20055 beach
SL20055901D3	acc.box univ. (2) SL20055 mable
SL20055901D5	acc.box univ. (2) SL20055 oak
SL200559039011	acc.box SL20055 empty black
SL200559039016	acc.box SL20055 empty traffic white

EU DECLARATION OF CONFORMITY

No. 26_3771_06_26

Type References:

SL20055903C9011	acc.box SL20055 empty black
SL20055903C9016	acc.box SL20055 empty white
SL20055903CD1	acc.box SL20055 empty alu
SL20055903D1	acc.box SL20055 empty alu
SL20055903D2	acc.box SL20055 empty beech
SL20055903D3	acc.box SL20055 empty mable
SL20055903D5	acc.box SL20055 empty oak
SL20055903D6	acc.box SL20055 empty Sucupira
SL20055905C9011	acc.box SL20055 2 x Cat.5e CH black
SL20055905C9016	acc.box SL20055 2 x Cat.5e CH tw
SL20055905CD1	acc.box SL20055 2 x Cat.5e CH alu
SL20055906C9011	acc.box SL20055 2 x Cat.6 CH black
SL20055906C9016	acc.box SL20055 2 x Cat.6 CH tw
SL20055906CD1	acc.box SL20055 2 x Cat.6 CH alu
SL200559079011	acc.box SL20055 2 x Cat.6 black
SL200559079016	acc.box SL20055 2 x Cat.6 tw
SL20055907D1	acc.box SL20055 2 x Cat.6 alu
SL200559119011	acc.box univ. SL20055 black
SL200559119016	acc.box univ. SL20055 traffic white
SL20055911C9011	acc.box univ. SL20055 purewhite
SL20055911C9016	acc.box univ. SL20055 traffic white
SL20055911CD1	acc.box univ. SL20055 black
SL20055911D1	acc.box univ. SL20055 alu
SL20055913G9011	acc.box SL20055 3xT13 1xs black
SL20055913G9016	acc.box SL20055 3xT13. 1xs tw
SL20055913GD1	acc.box SL20055 3xT13 1xs alu
SL20055913P9011	acc.box SL20055 3xT13p. black
SL20055913P9016	acc.box SL20055 3xT13p. tw
SL20055913PD1	acc.box SL20055 3xT13p. alu
SL200559159011	acc.box VDI SL20055 black
SL200559159016	acc.box VDI SL20055 traffic white
SL20055915D1	acc.box VDI SL20055 alu
SL20055931	acc.box without cuver for SL20055
SL200559329011	acc.box cuver SL20055 black
SL200559329016	acc.box cover SL20055 traffic white
SL20055932D1	acc.box cuver SL20055 alu
SL20055932D2	acc.box cuver SL20055 beech
SL20055932D3	Device bearer upper top SL 20x55 decorat
SL20055932D4	Device bearer's upper top SL 20x55 D Ki

EU DECLARATION OF CONFORMITY

No. 26_3771_06_26

Type References:

SL20055932D5	acc.box cuver. SL20055 oak
SL20055932D6	acc.box cuver SL20055 sucupira
SL200559409011	ac.box without cuver f SL20055,2xSTD,b
SL200559409016	ac.box without cover f SL20055,2xSTD tw
SL200559489011	acc.box SAT loop through SL 20x55 gs
SL200559489016	acc.box SAT loop through SL 20x55 tw
SL20055948D1	acc.box SAT loop through SL 20x55 al
SL200559499011	acc.box SAT terminal box SL 20x55 gs
SL200559499016	acc.box SAT terminal box SL 20x55 tw
SL20055949D1	acc.box SAT terminal box SL 20x55 al
SL200559509011	acc.box SAT star terminal SL 20x55 gs
SL200559509016	acc.box SAT star terminal SL 20x55 tw
SL20055950D1	acc.box SAT star terminal SL 20x55 al
SL200559709011	Accessory box 1-ge.45x45 SL20x55 gb
SL200559709016	Accessory box 1-ge.45x45 SL20x55 tw
SL20055970D1	Accessory box 1-ge.45x45 SL20x55 D Al
SL20055A9011	acc.box coupling SL20055 graphitee black
SL20055A9016	acc.box coupling SL20055 traffic white
SL20055AC9011	acc.box coupling CH SL20055 black
SL20055AC9016	acc.box coupling CH SL20055 tw
SL20055ACD1	device bearer's apron university desig S
SL20055ACD2	Device bearer's apron university desig S
SL20055ACD3	device bearer's apron university desig S
SL20055ACD4	Device bearer's apron university desig S
SL20055ACD5	Device bearer's apron university desig S
SL20055ACD6	device bearer's apron university desig S
SL20055AD1	acc.box coupling SL20055 alu
SL20055AD2	acc.box coupling SL20055 beech
SL20055AD3	acc.box coupling SL20055 mable
SL20055AD4	acc.box coupling SL20055 cherry
SL20055AD5	Device bearer's apron to SL 20x55mm D oa
SL20055AD6	acc.box coupling SL20055 sucupira
SL20055AF9011	Accessory box coupling 1-g SL20x55 gb
SL20055AF9016	Accessory box coupling 1-g SL20x55 tw
SL20055AFD1	Accessory box coupling 1-g SL20x55 D Al
SL151001	SL Recy30% base PVC SL 15x100
SL1510029011	Skirting lid w. foil SL15x100 gb
SL151002D1	SL Recy30% lid w. foil SL15x100 D Alu
SL151002D5	SL Recy30% lid w. foil SL15x100 D Oak

EU DECLARATION OF CONFORMITY

No. 26_3771_06_26

Type References:

SL151002D9016	Skirting lid w. foil SL15x100 decor tw
SL151002F9016	Skirting lid w. foil SL15x100 tw
SL1705209016	Trunking 17x52,traffic white
SL200551	SL Recy30% base SL20055 black
SL20055219011	Trunk. lid w. soft comp.SL20055 black
SL20055219016	Trunk. lid w. soft comp.SL20055 p. white
SL20055229016	Trunk. lid carpet border SL20055 tw
SL2005529011	Trunking lid SL20055 grafite black
SL2005529016	Trunking lid SL20055 traffic white
SL200552D1	SL Recy30% boards canal lid 20x55 Alu
SL200552D2	SL Recy30% lid SL20055 beech
SL200552D3	SL Recy30% lid SL20055 mable
SL200552D4	SL Recy30% lid SL20055 cherry
SL200552D5	SL Recy30% lid SL20055 aok
SL200552D6	SL Recy30% lid SL20055 sucupira
SL200552D9016	Trunking lid SL20055 decor traffic white
SL200552F9016	Trunking lid SL20055 w. foil tw
COL40110SET19016	Colonna set1 400mm traffic white
G6090SCHW	door crossing black
LED06WEISS	LED-tube 24V 28,8W IP68 6m white
LEDTR030	Transformer 30W/24V for LED tube
LEDTR100	Transformer 100W/24V for LED tube
M55519010	Internal corner, SL 20051, pure white
M55529010	External corner, SL 20051, pure white
M55539010	End cap right, SL 20051, pure white
M55549010	End cap left, SL 20051, pure white
M55559010	Coupling, SL 20051, pure white
M55619010	Internal corner, SL 20071, pure white
M55629010	External corner, SL 20071, pure white
M55639010	End cap right, SL 20071, pure white
M55649010	End cap left, SL 20071, pure white
M55659010	Coupling, SL 20071, pure white
L22509010	L 2250 White 9010 SL-Socket plinth
L22539010	L 2253 White 9010 Socket plinth
L22619010	L 2261 White 9010 SL-Socket plinth
L23569010	L 2356 White 9010 Socket plinth
L23749010	Socket plinth Cat. 6A,SL20051 purewhite
M56899010	Mounting base, SL 20051/71, pure white
SL2005109010	Trunking 20x50,pure white

EU DECLARATION OF CONFORMITY

No. 26_3771_06_26

Type References:

SL200511	Trunking base,20x50,black
SL2005129010	Trunking lid,20x50,pure white
SL2005709010	Skirting w.2 lips, 20x50,pure white
SL2005729010	Skirting lid w.2 lips, 20x50,pure white
SL2007109010	Trunking 20x70,pure white
SL200711	Trunking base,20x70,black
SL2007129010	Trunking lid,20x70,pure white

EU DECLARATION OF CONFORMITY

NO. 26_3771_06_26

Evidence(s)

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives:

Conformity report / evidence:	SL – Conformity Report
Product documentation:	See Hager website
Comments:	None

Signature (technical design)

Name of signatory

Martin LERCH

Function of signatory

Engineering Senior Manager

Place and date of issue

Heltersberg, 18th June 2026

Signature

