



VML_SIZE_7

14 Way 6+6+2 100A Switch 3*100A 30mA RCCB

Technical Features

Installation, mounting

| | |
|-------------|------------------|
| Mounting on | Surface mounting |
|-------------|------------------|

Architecture

| | |
|-----------------|---|
| Number of poles | 2 |
|-----------------|---|

Functions

| | |
|----------------------------|-----|
| Has protection main switch | Yes |
|----------------------------|-----|

Capacity

| | |
|-------------------|----|
| Number of modules | 14 |
|-------------------|----|

Electric current

| | |
|---------------|-------|
| Rated current | 100 A |
|---------------|-------|

Dimensions

| | |
|--------|--------|
| Depth | 100 mm |
| Height | 245 mm |
| Width | 476 mm |

Cover, door

| | |
|---------------------------|----|
| Interlockable | No |
| Door/cover is transparent | No |

Materials

| | |
|----------|------------|
| Colour | Pure white |
| Material | Steel |

Connection

| | |
|-----------------------------|---|
| Number of accessible phases | 2 |
|-----------------------------|---|

Scope of delivery

| | |
|--|---|
| Number of earth leakage circuit breaker type A | 2 |
| Number of RCCB in enclosure | 2 |

Equipment

| | |
|----------------|---|
| Number of rows | 1 |
|----------------|---|

Safety

| | |
|-------------------------------|-------|
| Ingress Protection (IP) class | IP2XC |
|-------------------------------|-------|

Sustainability

| | |
|--------------|-----|
| RoHS conform | Yes |
|--------------|-----|