



20306089



Thermostat, NC contact, centre plate, rocker switch, Q.1/Q.3, p. white velvety

Technical Features

Architecture	
Control/operation element	Rotative
Electric current Rated current	4 A
Switching current	10 A
	10 A
Max. switching current	10 A
Voltage	
Nominal voltage	230-230 V
Power supply	
Supply voltage	230 V AC
Frequency	
Frequency	50 - 60 Hz
Settings Comfort temperature setpoint	5 - 30 °C
Corniori temperature setpoliti	3-30 0
Materials	
Colour	Polar white
RAL code	9010
Surface finish	Velvety
Material	Metal
Treatment	Plastic Untreated
ireatment	Untreated
Dimensions	
Height	71 mm
Width	71 mm
Depth	50.90 mm
Screen	
With display	No
Equipment	
Equipment Switching temperature difference	0.50 K
Type of thermostat	Room thermostat
Type of thermostate Type of probe	Bimetal
With heater	Yes
With Houter	
Safety	
Ingress Protection (IP) class	IP20
Connection	
Type of contacts	1NC
Compatibility	
Type of HVAC control	Heating
Use conditions	
Energy efficiency class	I (1%)
and an arrange of the second o	1 (170)
Texts	
Installation mode	Without spreader claws
Type of connection	With plug-in terminals
Thermal re-circulation	With thermal return
Imprint	With imprint
Junction	With separate connection for night lowering

Product Datasheet

20306089

Sustainability

REACh-SVHC free	Yes
RoHS conform	Yes