



WNA601

## cubyko Light signalisation compasable red/green

## **Technical Features**

| Voltage                              |   |
|--------------------------------------|---|
| Rated voltage                        | 230 V   |
|                                      |   |
| Power                                |   |
| Power absorbed                       | 0 W   |
| Frequency                            |   |
| Frequency                            | 50 - 60 Hz  |
| Lighting                             |   |
| Type of lamp                         | LED   |
| туре от таптр                        |   |
| Materials                            |   |
| Colour                               | Grey  |
| RAL code                             | 7011  |
| Surface finish                       | Matt  |
| Material                             | Thermoplastic   |
| Treatment                            | Untreated   |
| Dimensions                           |   |
|                                      | 71 mm   |
| Height<br>Width                      | 71 mm   |
| Depth                                | 48 mm   |
| рерит                                | 40 11111  |
| Connectivity                         |   |
| Mounting type                        | Screw mounting  |
| Cofoty                               |   |
| Safety Ingress Protection (IP) class | IP55  |
| ingress Protection (IP) class        |   |
| Use conditions                       |   |
| Operating temperature                | -15 - 30 °C   |
| Toute                                |   |
| Texts                                | Homogenous illumination of the separately switchable red and green halves |
| Lighting                             | via isolated input terminals  |
| Imprint                              | Without imprint   |
|                                      | <u> </u>  |
|                                      |   |
| Suitable for                         |   |
| Hager cubyko                         |   |
| Sustainability                       |   |
| REACh-SVHC free                      | Yes   |
| RoHS conform                         | Yes   |
|                                      |   |